

Order Online

www.mhaproducts.com.au

SPECIALS VALID TO JUNE 30TH 2017 OR WHILE STOCKS LAST

END OF FINANCIAL YEAR **1800 750 900**

Haven't bought from MHA before?

....we've made it easy for you.

Simply fill out the priority order form inside the back cover and fax or email it to us and vour order will be on the way, or order online at; www.mhaproducts.com.au

Contact us for a copy of our 308 page catalogue or download a copy here,

www.mhaproducts.com.au/catalogue



Rubbermaid BRUTE® Round Containers

Built to be tough. Built to be versatile. These Brute containers are the industry leader!

- Crush-resistant construction makes BRUTE® all-purpose containers tough enough to stand up to the harshest work environments - you can rely on them for all your storage and handling needs
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids are available for secure, stable stacking
- Built-in handles allow easy, non-slip lifting and anti-jam nesting
- Rubbermaid BRUTE Round Containers all plastic construction will not rust, chip or peel, resists dents.
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- All colours and sizes certified to NSF International Standard #2 (foodservice equipment, handling, and processing) and Standard #21 (containers intended for indoor and outdoor storage of refuse)
- Quick and easy twist on, twist off dolly provides safe mobility







					Price	Each
Code	Description	Colour	Dimensions	Capacity	1-5	6+
261000	BRUTE * Container without Lid	Grey	397mm dia, 435mm high	37.9L	\$31.00	\$POA
262000	BRUTE ® Container without Lid	Grey	495mm dia, 581mm high	75.7L	\$57.00	\$POA
263200	BRUTE ® Container without Lid	Grey	559mm dia, 692mm high	121.1L	\$73.00	\$POA
264300	BRUTE® Container without Lid	Grey	610mm dia, 800mm high	166.5L	\$126.00	\$POA
260900	Lid to suit 261000	Grey	406mm dia, 25mm high	-	\$10.50	\$POA
261960	Lid to suit 262000	Grey	505mm dia, 46mm high	-	\$14.00	\$POA
263100	Lid to suit 263200	Grey	565mm dia, 41mm high	-	\$18.00	\$POA
264560	Lid to suit 264300	Grey	622mm dia, 38mm high	-	\$30.00	\$POA
264000	*BRUTE® Dolly to suit Brute Containers	Black	464mm dia, 168mm high	90kg	\$55.00	\$POA
*This doll	y doesn't fit the 261000 container					



Rubbermaid Wagon Truck

Great for moving heavy loads across rough surfaces both indoor and out



Rubbermaid Heavy Duty Utility Carts

Perfect for transporting materials, supplies, and heavy loads in almost any environment

- Castors: 127mm rubber
- Variable grip-height handle improves control and worker safety
- Integrated V-notch to hold pipe and conduit securely for safe cutting

2 Tier Utility Cart 990x454x84

Deep pocket shelves to keep loads secure

Description

< €	eep loads secure			
		U	Price E	ach
	Dimensions (LxWxH)	Capacity	1-3	4+
	990x454x845mm	227kg	\$295.00	\$POA
	1118x641x991mm	227ka	\$335.00	\$POA

Code

450088

Rubbermaid High Capacity Cleaning Cart

Flexible, high capacity storage solutions and tool organisation

- Storage space 40% more than 617388
- 20% more waste capacity than 617388
- Non-rusting and easy clean aluminum and structural web plastic construction
- Non-marking 200mm wheels and 116mm castors
- Plastic buckets which fit neatly and tight on the top shelf
- Cart Dimensions: 1264x552x975mm (LxWxH)



Price Each

Code	Description	1-3	4+
9T7200	Rubbermaid Cleaning Cart	\$389.00	\$POA
9T8200	9.5 Litre Buckets to fit 9T7200	\$19.00	\$POA
9T8000	Vinyl Replacement Bag for 9T7200	\$50.00	\$POA

Rubbermaid Collapsible X-Carts

The Collapsible X-Cart is a versatile system you can rely on for efficient performance without compromising image.


- Compact, collapsible frame enables efficient storage for improved organisation. The cart's footprint reduces by 75% to just 115mm wide when collapsed
- Cart stands upright in the collapsed position
- Load Capacity: 90kg
- Capacity: 150L
- Dimensions: 612x516x864mm





Rubbermaid Panel & 'A' Frame Carts

Ideal for moving large, hard-to-handle items including sheet panels, doors, lumber, tables, mattresses, and cubicle walls





Price Ea	ich
----------	-----

Code	Description	Dimensions (LxWxH)	1-3	4+
446300	A-Frame Panel Truck	1220x616x1140mm	\$661.00	\$POA
446800	Sheet & Panel Truck	1220x616x1012mm	\$759.00	\$POA

Rubbermaid Mega Brute Mobile Collector

Great for waste and linen collection and fits through standard doors and off/on elevators

- High Capacity: 454L / 180kg
- Back castor is lockable
- Overall Size: 1333x699x1080mm (LxWxH)
- Rear doors ease handling of heavy filled liners







Rubbermaid Platform Truck

Duramold™ precision engineered resin and metal composite structure for unsurpassed durability and service life Platform Size: 610x910mm (WxL) Load Capacity: 450kg Castors: 150mm - 2 fixed, 2 swivel Handle Height: 1000mm Unit Weight: 22.7kg



RRP \$687 Code: 440300



Powered Platform Trolley

- Available also with a removable guard rail (as pictured) to avoid items falling off while moving.
- Platform has an anti-slip grip so that items don't slide off easily in transit.
- Rubber bumper edge
- Emergency stop button
- Comes with forward and reverse drive options
- Variable speed controller
- Powered by 2 x 12V / 33Ah batteries
- Net Weight: 110kg
- Platform Size: 630x1280mm (WxL)
- Load Capacity: 500kgs
- Handle Height: 1080mm
- Cage Height: 600mm







Stainless Steel Platform Trolley

- Heavy duty stainless steel platform trolley ideal for food and medical areas
- Available in 2 sizes
- Fixed handle



Code	Load Capacity	Castors	Net Weight	Handle Height	Platform Size
ST615	600kg	200mm	41kg	905mm	610x915mm
ST616	600kg	200mm	46kg	905mm	760x1220mm

Price Each

Code	Description	Was	Now
ST615	Stainless Steel Platform Trolley	\$592.00	\$533.00
ST616	Stainless Steel Platform Trolley	\$635.00	\$571.50

Self Propelled Electric Scissor Lift Trolley

These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift.

With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow eisles or tight spaces.

- Comes complete with side cage as pictured which can be easily removed if not required
- Overall Size: 1240x600x1100mm
- Min Table Height: 460mm
- Max Table Height: 900mm
- Unit Weight: 180kg
- Max Capacity: 400kg
- Batteries: 2x12V 33Ah
- Controller: 70A
- Min Plate Height: 460mm
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Cage Height: 600mm





3 Step Foldable Picking Ladder Trolley

- Strong 2 tier steel construction for easy goods picking from height
- Foldable function to reduce the transportation cost and storage space
- The steps act as a brake when the trolley is in operation
- Anti-slip steps which ensure safe operation
- Quality castors for smooth and effortless moving
- Dimensions: 1000x500x1090mm (LxWxH) Folded Dimensions: 1000x580x470mm (LxWxH)
- Capacity: 200kg
- Wheel Diameter: 100mm
- Lockable castors
- Unit Weight: 45kg

Durolla



Heavy Duty Steel Platform Trolley



Heavy Duty Sloping 4 Shelf Trolley

- Welded construction heavy duty trolley which is great for stock picking
- · 4 sloping backwards shelves which prevents items falling off the shelves
- Shelves are removable
- 350mm space between each shelf
- Push/pull handles on each end
- Castors: 2 fixed, 2 swivel with brakes
- Overall Size: 1470x670x1740mm (LxWxH)
- Load Capacity: 500kg
- Shelf Size: 610x1220mm
- Net Weight: 102kg





Heavy Duty Sloping 4 Shelf Trolley

- Welded construction heavy duty trolley which is great for stock picking
- 4 sloping backwards shelves which prevents items falling off the shelves
- Shelves are removable
- 350mm space between each shelf
- Push/pull handles on each end
- Castors: 2 fixed, 2 swivel with
- Overall Size: 1770x820x1740mm (LxWxH)
- Load Capacity: 500kg
- Shelf Size: 760x1520mm
- Net Weight: 122kg





Aluminium Hand Trolleys

- Available in standard and folding toe plate
- Extremely lightweight only 8.5kgs
- Overall Dimensions: 540x560x1300mm (WxDxH)
- Pneumatic tyres 260mm diameter
- Toe Plate Size: 280x280 (fix plate version)
- Toe Plate Size: 280x240 (folding plate version)
- Unit Weight: 8.5kgs
- Load Capacity: 200kgs





Price Each

Code	Description	Was	Now
T8470	Aluminium Hand Trolley (fixed toe plate)	\$176	\$149
T8471	Aluminium Hand Trolley (folding toe plate)	\$194	\$164

Prestige 2 & 3 Tier Trolleys

Heavy Duty steel trolleys which are great for dozens of uses in warehouses, schools, hospitals etc.

- Supplied flat packed however can be assembled on request
- Finish: Powdercoat blue
- The internal shelves can be used as a flat shelf or turned unside down and used as a trav shelf
- Fixed 100mm castors at front and swivel castors on the rear
- Trolley Size: 820x500x910mm (LxWxH)
- Load Capacity: 200kg



3 Step Picking Ladder Trolley

- Strong 3 step ladder which folds up when not required
- Great for picking stock when you need to reach up high
- Middle shelf has 3 shelf positions
- Ladder is connected with the brake to stop wheels turning which enhances security when using the ladder
- Anti-slip steps which ensure safe operation
- Quality castors for smooth and effortless moving
- Dimensions: 1100x520x1140mm (LxWxH) • Capacity: 500kg
- Wheel Diameter: 100mm
- Lockable castors • Unit Weight: 45kg

Durolla



Durolla

Fully Welded Cage Trolley

Heavy duty cage and tub trolleys which are ideal for order picking and general warehouse applications.

- Welded steel construction
- Powder coat finish
- Non-marking swivel castors
- Size: 910x900x600mm (WxLxH)





Multi-Purpose Folding Handle Trolleys

- General purpose industrial quality trolleys for transporting goods safely in the workplace 3 deck sizes available
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Foot brake option
- Back wheels are fixed castors and front



Code	Load Capacity	Castors	Net Weight	Handle Height	Platform Size	Platform Height
T9320	150kg	100mm	12.5kg	860mm	480x740mm	145mm
T9330	300kg	125mm	18.6kg	860mm	610x920mm	180mm
T9340	370kg	125mm	16.2kg	1000mm	610x915mm	210mm

Price Each

APACITY!

Code	Description	Was	Now
T9320	One Folding Handle Trolley	\$137.00	\$123.00
T9330	One Folding Handle Trolley	\$194.00	\$175.00
T9340	One Folding Handle Trolley	\$242.00	\$209.00
T9341	Brake Kit to suit T9340	\$95.40	\$83.00

Multi-Purpose Fixed Handle Trolley

- Multi purpose industrial quality trolleys for transporting goods safely in the workplace
- Heavy duty castors
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Ergonomically designed with fixed handle at optimum height
- Back wheels are fixed castors and front wheels are swivel castors
- Load Capacity: 370kg
- Castors: 130mm
- Net Weight: 24.5kg
- Handle Height: 1000mm
- Platform Size: 610x920mm
- Platform Height: 210mm



Code	Description	Was	Now
T9332	2 Fixed Handle Trolley	\$298.00	\$258.00
T9341	Brake Kit to suit T9332	\$95.40	\$83.00

Heavy Duty Aluminium Platform Trolley

Strong and lightweight aluminium platform trolleys which are great for general transportation of goods around warehouses, shopping centres and courier goods delivery.

- · Lightweight and corrosion resistant
- Highly manoeuvrable heavy duty construction
- · Checker plate deck
- Removable handles (option of 1 or 2 handles)
- 3 standard sizes available



Price Each

Code	Details	Was	Now
17260	Aluminium Platform Trolley 610x920mm	\$388	\$295
17261	Aluminium Platform Trolley 610x1220mm	\$453	\$392
17262	Aluminium Platform Trolley 760x1525mm	\$526	\$439
17263	Optional extra handle to suit	\$63	\$48
WKP10	Pneumatic Wheel Kit (includes 2 wheels with brakes)	\$279	\$259
BKP10	Brake Kit (includes 2 wheels with brakes)	\$143	\$115

Extra Heavy Duty Steel Platform Trolleys (Fully Welded)

- Extra large heavy duty steel platform trolleys are ideal for demanding warehouse uses
- Available with single or 2 handle versions
- Heavy duty polyurethane castors (front fixed and back swivel)
- Optional centre wheel kit available

Powdercoated - Blue Handle Height: 980mm



Price	Fach

Code	Description	Was	Now
T3080	Extra Heavy Duty Steel Platform Trolley (1 handle)	\$553	\$497
T3083	Extra Heavy Duty Steel Platform Trolley (2 handles)	\$595	\$533
T3085	Centre Wheel Kit to suit T3080 & T3083	\$89	\$79









- 2 tier heavy duty steel platform trolley
- Heavy duty polyurethane castors
- Fully welded steel construction
- Powdercoated Blue (other colours can be made to order)
- Capacity: 500kgs
- Platform Size: 600x1100mm Platform Heights: 210 + 710mm





Heavy Duty Steel 3 Tier Platform Trolley

- 3 tier heavy duty steel platform trolley
- Heavy duty polyurethane castors
- Fully welded steel construction
- Powdercoated Blue (other colours can be made to order)
- Capacity: 500kgs
- Platform Size: 600x900mm



General Purpose 2 Tier Trolley

Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.

- Bolted steel construction
- Finish: Powdercoated safety yellow
- Fixed castors at front and lockable swivel castors on the rear
- Load Capacity: 250kg
- Castors: 125mm
- Unit Weight: 44kg
- Shelf Heights: 200 + 790mm



General Purpose 3 Tier Trolley

Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.

- Bolted steel construction
- Finish: Powdercoated safety yellow
- Fixed castors at front and lockable swivel castors on the rear
- Shelf Heights: 230 + 660 + 1080mm
- Handle Height: 920mm
- Load Capacity: 350kg
- Castors: 165mm

Code: T0252

Unit Weight: 58kg



General Purpose 2 Tier Trolley (with writing shelf)

Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.

- Bolted steel construction
- Finish: Powdercoated safety yellow
- Fixed castors at front and lockable swivel castors on the rear
- Shelf Heights: 200 + 790mm
- Handle Height: 980mm
- Load Capacity: 250kg • Unit Weight: 43kg
- · Castors: 125mm

Was \$398 Code: T0253

• This heavy duty cage bin trolley is great for storage and transport of items throughout a

• 50x50mm mesh sides

· Heavy duty castors

• Finish: Powdercoated yellow

Internal Size: 900x900x700mm (LxWxH)

Overall Size: 1000x1000x1015mm (LxWxH)

• Load Capacity: 1000kg

Now Only Was \$1270 Code: T8436



Heavy Duty Goods Trolley

This goods trolley is able to be folded when not in use.

Suitable for many uses in transporting goods safely and securely.

Castors: 150mm swivel and 2 with brakes

Optional pneumatic wheel kit available

Overall Dimensions: 1100x825x990mm (LxWxH)

Internal Dimensions: 1030x750x750mm (LxWxH)

Load Capacity: 500kgs

Unit Weight: 75kg

Finish: Powdercoat blue

Gates: Lockable



Optional pneumatic wheel kit includes 2 swivel wheels with brakes and 2 fixed wheels

Was \$765

Heavy Duty Cage Bin Trolley

· Doors are hinged both sides for easy loading and access

Crane lugs for lifting by overhead crane if required



350 Litre Plastic Bin Trolley

• These bin trolleys are made from tough, impact resistant polyethylene

Tapered sides

• Bins can contain liquids • All bins are food grade

• Come standard with 4 heavy duty swivel castors (2 lockable)

• Rim Size: 1020x720mm

• Base Size: 880x580mm

• Height Incl castors: 775mm

Capacity: 350L

• Colour: Blue

Other colours and sizes available - please visit our website for details



Cage Trolleys (with fold down side)

- Great for stock picking in the warehouse or for linen collection in hospitals and nursing homes
- Available in 3 different versions to suit your particular application
- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- External Dimensions: 1200x700x850mm (LxWxH)
- Internal Dimensions: 1040x635x625mm (LxWxH)
- Capacity: 500kg
- Wheel Diameter: 150mm
- Quality powdercoated finish
- 2 Lockable castors







Price Each

	Code	Description	Туре	Unit Weight	Was	Now
TM	T5200	Cage Trolley (with fold down side)	Wire cage open top	48kg	\$881	\$825
urolla	T5201	Cage Trolley (with fold down side)	Wire cage with hinged lid	52kg	\$896	\$842
	T5203	Cage Trolley (with fold down side)	Solid sides	65kg	\$935	\$878

Du

Heavy Duty Cage Trolley (with padlockable doors)

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up (as pictured) for compact storage which is great if you have multiple trolleys so they can be stored in a compact
- Quality lockable castors for smooth and effort less movina
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in

- Quality powdercoated finish



Load Shifting Skates (2.5 Tonne & 6 Tonne Capacity)

- These shifting skates can be used wherever heavy objects need to be moved
- Large diameter nylon rollers ensure ease of movement and spread the load to protect floors from damage caused from high load points
- Fitted with a rubber surface to protect the objects being moved
- 2.5 tonne and 6 tonne options

Code	Load Capacity	Wheels	Net Weight	Dimensions (LxWxH)
SS2000	2.5 Tonne	2 x 85mm	4kg	210x100x105mm
SS6000	6.0 Tonne	6 x 85mm	12kg	260x230x105mm







Code	Description	Was	Now
SS2000	Shifting Skates -2500kg capacity	\$139.00	\$119
SS6000	Shifting Skates - 6000kg capacity	\$179.00	\$145

Steel Triangular Frame Panel Cart

- Great for use on construction sites
- Triangular framed panel cart
- Convenient tool tray located in between triangle frame upright
- Deck Size: 520x1200mm
- Overall Size: 580x1200x1180mm (WxLxH)
- Load Capacity: 500kgs
- Unit Weight: 40kgs





Steerable Load Skates

- The steerable skate can be used to move heavy objects up to 3 tonne
- 1 metre long drawbar for steering
- The rubber padded platform swivels on a thrust bearing allowing easy movement around corners
- Wheel Type: 85mm nylon wheels
- Dimensions: 185x150x105mm
- Unit Weight: 15kg







Enviro Plastic Stack & Nest Crates

- These recycled stack and nesting crates are injection moulded from tough, durable, UV resistant polypropylene and are great for storing parts and products in the warehouse
- Crates can stack or nest depending on which way around they are stored
- Please note: Recycled crates are not suitable for food products
- Size: 645x413x276mm (LxWxD) 52 Litres

Price Each

Code	Description	1-49	50-99	100+
10410RC	No.10 Bins (Black recycled)	\$14.10	\$12.80	Please call
10417RC	No.10 Lid (Black recycled)	\$8.60	\$7.75	Please call



Plastic Stack & Nest Crates

- These stack and nest crates are injection moulded from tough, durable, UV resistant polypropylene they are suitable for food handling, engineering, warehousing or distribution
- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only
- Available in 5 colours (please specify your preferred colour when ordering)

Colours Available (in all sizes)



Code	Bin	Size (LxWxD)	Volume	1-20	21-49	50+
10404	*Bin #4	430x323x127mm	13.5L	\$9.50	\$8.55	\$POA
10405	*Bin #4D	430x323x210mm	22L	\$11.35	\$10.20	\$POA
10407	*Bin #7	645x413x210mm	32L	\$20.50	\$18.45	\$POA
10410	*Bin #10	645x413x276mm	52L	\$24.50	\$22.10	\$POA
10415	*Bin #15	645x413x397mm	68L	\$41.10	\$38.40	\$POA
10412	Lid to suit N	Lid to suit No.4 crates (white)			\$7.10	\$POA
10417	Lid to suit N	lo.7-15 crates (white)		\$11.85	\$10.65	\$POA

Price Each

*Please specify bin colour when placing your order



Cantilever Racking



The most efficient solution for storing irregular awkward or long items such as bulky furniture, timber lengths, PVC and steel pipes, carpet rolls, plasterboard, windows and doors, long wooden pallets and much more.

The arm locations can be easily and efficiently adjusted without any tools required to suit your specific height or length requirements. So no matter how large, small, long or short your storage problems are, this cantilever racking system will provide you with the most economical and practical solution.

Available in both single and double sided configurations in both medium duty and heavy duty versions. Our cantilever racking is also available in galvanised finish which is great for outdoor storage areas.





Standard Sizes Available

	Powder Coated	Galvanised
Post Height	3658mm 4267mm 4877mm 6096mm	2000mm 2400mm
Arm Length	900mm 1200mm 1500mm	700mm
Bracing / Spacing	900mm 1200mm 1500mm 1800mm 2100mm	1200mm 1500mm 1800mm

Contact us for pricing on your particular requirements and for pricing on installation

1800 750 900

Heavy Duty Longspan Shelving





This heavy duty longspan shelving system is a strong and versatile shelving system which is great for storing small parts and archives.

The Stormax longspan system is a heavy duty system which is similar to pallet racking just in a smaller profile.

- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Available in 2 shelf options, steel or mesh
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
- Shelf Capacity: 375kg per shelf (evenly distributed)
- On site installation available contact us for a quotation
- Steel and mesh shelves are supplied as 2 seperate pieces per level
- Standard Shelf Depths: 450mm and 600mm
- Standard Heights: 1800mm and 2400mm
- Standard Widths: 1800mm and 2400mm



Initial Bay











Please Note:

To order the 'Add on Bays' add an 'A' to the end of the code number To order an 'Extra Shelf Level' add an 'E' to the end of the code number

1800mm Wide Longspan Sets (3 Steel shelf levels provided with longspan sets) Price Per Set								
Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets
LS1800S	Longspan Shelving Set	1800mm	1800mm	450mm	\$254.80	\$218.25	\$60.50	15% less
LS1801S	Longspan Shelving Set	1800mm	1800mm	600mm	\$286.00	\$247.80	\$69.85	15% less
LS1802S	Longspan Shelving Set	2400mm	1800mm	450mm	\$273.35	\$227.50	\$60.50	15% less
1518035	Longspan Shelving Set	2400mm	1800mm	600mm	\$305.10	\$257.30	\$69.85	15% less



1800mm Wide Longspan Sets (3 Mesh shelf levels provided with longspan sets) **Price Per Set**

Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets
LS1800M	Longspan Shelving Set	1800mm	1800mm	450mm	\$268.60	\$224.65	\$60.20	15% less
LS1801M	Longspan Shelving Set	1800mm	1800mm	600mm	\$293.30	\$247.35	\$67.10	15% less
LS1802M	Longspan Shelving Set	2400mm	1800mm	450mm	\$290.75	\$235.75	\$60.20	15% less
LS1803M	Longspan Shelving Set	2400mm	1800mm	600mm	\$316.10	\$258.80	\$67.10	15% less

2400mm	2400mm Wide Longspan Sets (3 Steel shelf levels provided with longspan sets) Price Per Set								
Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets	
LS2400S	Longspan Shelving Set	1800mm	2400mm	450mm	\$330.50	\$293.90	\$85.80	15% less	
LS2401S	Longspan Shelving Set	1800mm	2400mm	600mm	\$371.20	\$333.00	\$98.25	15% less	
LS2402S	Longspan Shelving Set	2400mm	2400mm	450mm	\$349.00	\$303.00	\$85.80	15% less	
LS2403S	Longspan Shelving Set	2400mm	2400mm	600mm	\$390.30	\$342.50	\$98.25	15% less	



2400mm Wide Longspan Sets (3 Mesh shelf levels provided with longspan sets) **Price Per Set**

Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets
LS2400M	Longspan Shelving Set	1800mm	2400mm	450mm	\$349.00	\$305.00	\$78.80	15% less
LS2401M	Longspan Shelving Set	1800mm	2400mm	600mm	\$381.20	\$335.00	\$85.60	15% less
LS2402M	Longspan Shelving Set	2400mm	2400mm	450mm	\$371.00	\$316.00	\$78.80	15% less
LS2403M	Longspan Shelving Set	2400mm	2400mm	600mm	\$404.00	\$346.70	\$85.60	15% less



Fork Extension Slippers / Tines

- Fork slippers extend the versatility of your lift truck.
- 5 tine sizes available up to a maximum tine size of 160mm wide x 65mm thick
- The safe working load (SWL) is measured per pair at 600mm load centre
- Slippers conform to AS2359.15



	Code	Description	Length	Max	Weight	SWL	Was	Now
				Tine Size	Per Pair			
	F2936	Extension Slippers	1800mm	130x50mm	66kg	4000kg	\$495.00	\$425.00
•	F2937	Extension Slippers	2400mm	130x50mm	88kg	4000kg	\$675.00	\$575.00
	F2938	Extension Slippers	1800mm	160x65mm	133kg	8000kg	\$995.00	\$845.00
	F2939	Extension Slippers	2400mm	160x65mm	177kg	8000kg	\$1235.00	\$995.00
	F2940	Extension Slippers	3000mm	160x65mm	221kg	8000kg	\$1485.00	\$1185.00

Mesh Stillage / Transport Cages

Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor.

- These cages can also be stored on pallet racking
- Drop down removable front gate
- Cages can be stacked 2 high when loaded and 4 high unloaded
- Internal Dimensions: 1080x1080x825mm
- External Dimensions: 1160x1200x1000mm Supplied flatpacked
- (can be assembled on request) • Optional floor available
- Finish: Zinc plated
- Load Capacity: 1000kg
- Unit Weight: 65kg

Now Only \$486 +GST

> Was \$540 Code: SC825



Floor Pallet Scales

- Great for weighing pallets and large bulky and heavy items
- Platform Size: 1200x1200mm
- Adjustable levelling feet for uneven ground • Can be pit mounted so that it sits flush with the ground
- Low Profile 70mm height from ground level
- · Construction: Mild Steel
- Power Supply: 240v
- Comes with digital display unit as pictured
- Capacity: 2000kg
- Scale Incremenets: 0.5 kgs









Gas Storage Cage

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Full metal roof which provides weather protection
- Cage comes with securing load binder to prevent cylinders from moving during transport
- Safe Working Load: 750kg
- Overall Size: 1060x1060x1800mm (WxDxH) Unit Weight: 180kg
- Finish: Zinc plated



Dangerous Goods Cabinets

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- FLAMMABLE LIQUID · All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- All our flammable liquids cabinets are made to AS 1940-2004 • Internal Size: 1503x1018x420mm (HxWxD)
- External Size: 1750x1100x500mm (HxWxD)
- Storage Capacity: 250L
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- No. of Shelves: 3 • Unit Weight: 123kg
- (STORMAX







Expanding Skate Conveyors

Expandable and flexible

- Self tracking flexible conveyor which expands from 1100mm to 4000mm and can be joined to make 1 continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels
- Capacity: 100kg per metre
- Length Retracted: 1100mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm





Price Each

Code	Conveyor Width	Was	Now
40125	460mm wide	\$1570	\$1397
40129	610mm wide	\$1765	\$1570
40130	760mm wide	\$1985	\$1766

Expanding Roller Conveyors

Expandable and flexible

- The flexible roller conveyor expands from 1500mm to 4000mm and can be joined to make 1 continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods for which the skate wheel conveyor wont work
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers
- Capacity: 130kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm




rı	c		c	h

Code	Conveyor Width	Was	Now
40123	460mm wide	\$1590	\$1425
40124	610mm wide	\$1792	\$1595
40128	760mm wide	\$1925	\$1729



Ladderweld Access Platform



- Access Platform 2-In-1 With Bonus Work Shelf
- Super strong 'fully welded' design fabricated from heavy duty aluminium
- Steel bracing under bottom tread and side bracing provides additional protection from impact damage
- 100mm deep treads improve safety and comfort when climbing
- Suited to 'high frequency' use
- Walk-thru' design for stock picking and access to mezzanine floors, vehicle access and warehousing
- Large 125mm wheels improved portability and 'easy glide' action
- Large stable work platform (safe and stable) 590mm x 800mm
- Manually operated braking system with high-vis powder coated activation arm helps minimize unauthorised access
- Two safety gates fitted (a 2 in 1 product allowing for walk-thru access)
- Toeboard on three sides (helps secure tools/accessories)
- Shelf included
- Made to AS/NZS 1892.1
- 170kg load rating
- Industrial duty rating for use on commercial sites
- Meets Work Cover requirements (safety gate + 900mm handrail, toeboard)
- Supplied as a 'flat pack' for optimal transporting however can be assembled on request









Code	Description	No. Of Steps	Platform Height	Reach Height	Fully Open Size	Unit Weight	Price Each	2+
13591	Ladderweld Access Platform	3	828mm	2.8m	724x1168mm	38.1kg	\$1764.00	\$POA
13592	Ladderweld Access Platform	4	1104mm	3.1m	764x1309mm	40.6kg	\$1860.00	\$POA
13593	Ladderweld Access Platform	5	1381mm	3.4m	804x1451mm	43kg	\$1910.00	\$POA
13594	Ladderweld Access Platform	6	1656mm	3.7m	844x1592mm	46kg	\$1961.00	\$POA
13595	Ladderweld Access Platform	7	1933mm	3.9m	884x1733mm	48.5kg	\$2072.00	\$POA
13596	Ladderweld Access Platform	8	2209mm	4.2m	924x1875mm	51kg	\$2223.00	\$POA
13597	Ladderweld Access Platform	10	2761mm	4.8m	1003x2157mm	62kg	\$2778.00	\$POA
13598	Ladderweld Access Platform	12	3313mm	5.3m	1083x2440mm	69kg	\$3083.00	\$POA
13599	Ladderweld Access Platform	14	3866mm	5.9m	1164x2723mm	76.4kg	\$3423.00	\$POA
LWASS	Assembly of Access Platform						\$150.00	\$POA

Reach height assumes a 1.70m person with a vertical 0.30m reach



Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post and panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled and disassembled rail system
- Supplied with all necessary bolts and fixings
- Installation available Contact us for a quotation
- Galvanised finish available on request



Corner Post

Comes with bolt holes on two adjoining sides

Centre Post

Comes with bold holes on two opposite sides

Post Base Size

254x254x16mm





Single Height Post











Double H	eight Rail		
	_	-	-
3	==		
	-		



				Title	-acii
Code	Description	Height	Length	Was	Now
SG401	Single Height Corner Post (100x100mm)	470mm	-	\$90.00	\$81.00
SG402	Single Height Centre Post (100x100mm)	470mm	-	\$90.00	\$81.00
SG403	Double Height Corner Post (100x100mm)	1085mm	-	\$130.00	\$117.00
SG404	Double Height Centre Post (100x100mm)	1085mm	-	\$198.00	\$178.30
SG405	Safety Rail Section	370mm	1120mm	\$130.00	\$117.00
SG406	Safety Rail Section	370mm	1730mm	\$160.00	\$144.00
SG407	Safety Rail Section	370mm	2340mm	\$190.00	\$171.00
SG408	Safety Rail Section	370mm	2945mm	\$258.00	\$232.00

Large Galvanised Fixed Safety Bollard

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- Galvanised for extra protection against rust
- Bollards are supplied with Dyna bolts for easy installation
- Bollard Height: 1200mm
- Bollard Diameter: 165mm
- Base Plate Size: 200x200mm
- Wall Thickness: 3mm
- · Base Plate Thickness: 3mm





Large Extra Heavy Duty Powder Coated Fixed Safety Bollard

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- Galvanised then powder coated for extra protection against rust
- Bollards are supplied with Dyna bolts for easy installation
- Bollard Height: 1200mm
- Bollard Diameter: 165mm
- Base Plate Size: 280x280mm
- Wall Thickness: 3mm
- Base Plate Thickness: 10mm

Now Only \$195+GSTea Was \$285 Code: AB8073GF



Fixed Yellow Bollards

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- 3 standard sizes available however other sizes can be made to order to your particular specifications



2 & 4 Drum Bunded Pallets

According to EPA recommendations, bunding should be used for the storage of all liquids except rainwater. These bunded pallets provide an economical and simple solution that complies with Australian Standards 3780 which

specifies a bund should contain 110% of the capacity of the largest stored container, should it spill.

- Heavy duty bunded pallets made from polyethylene
- Available in 2 sizes (2 drum and 4 drum)
- Removable grate
- Easy forklift and pallet truck entry
- 100% Australian made
- Corrosion Resistant

2 Drum Pallet Specifications

- Bund Capacity: 230L
- Pallet Weight: 23kg
- Size: 1275x815x400mm (WxDxH)

4 Drum Pallet Specifications

- Bund Capacity: 240L
- Pallet Weight: 33kg
- Size: 1275x1275x310mm (WxDxH)



		Price	Each
Code	Description	Was	Now
SB3101	2 Drum	\$415.00	\$369
SB3102	4 Drum	\$525.00	\$467
			1

Single IBC Bunded Pallet

- Offers a cost effective IBC bunding area
- Tough and durable polyethylene construction
- Fully compliant to Australian Standards
- Easy forklift and pallet truck entry

Specifications

- Bund Capacity: 1300L
- Pallet Weight: 138kg
- Size: 1760x1350x875mm (LxWxH)





Double IBC Bunded Pallet

- IBC bunding area which fits 2 IBC's side by side
- Tough and durable polyethylene construction
- Fully compliant to Australian Standards
- Easy forklift and pallet truck entry

Specifications


- Bund Capacity: 1300L
- Pallet Weight: 175kg
- Size: 2550x1350x610mm (LxWxH)











Price Fach

STORMAX

Code	Bin	Size (WxDxH)	Volume	Ctn Qty	Ctn Buy	10+ Ctns
IH-060	*Bin #5	100x115x60mm	0.5L	12	\$2.60	\$2.10
IH-061	*Bin #10	100x170x85mm	1.0L	6	\$3.55	\$2.95
IH-062	*Bin #25	133x220x125mm	2.5L	6	\$5.60	\$4.95
IH-063	*Bin #60	200x275x165mm	6.0L	6	\$10.75	\$8.90
IH-064	*Bin #120	410x275x165mm	12L	5	\$16.20	\$13.70
IH-065	*Bin #240	410x440x210mm	24L	4	\$28.50	\$23.80
IH-058	Dividers to s	uit bins #60 and #120		40	\$2.50	\$1.95
IH-057	Dividers to s	uit bins #240		45	\$4.50	\$3.90

*Please specify bin colour when placing your order

Spare Parts Trays

- **Fischer**
- Strong polypropylene oil resistant trays which are supplied with
- · Extra dividers are available to create more compartments in the trays
- Ideal for small parts storage
- Hospital grade material bacterial free and chemical free
- Can be used with steel shelving as pictured to create a neat and organised parts storage area
- Our standard spare parts tray colour is grey as pictured however other colours are available on request (blue, green, red, yellow)



rice E	ach
--------	-----

(STORMAX

Code	Tray	Size (LxWxH)	Dividers Supplied	Ctn Qty	Ctn Buy	4+ Ctns
IH-012	Size #12	300x100x100mm	2	24	\$5.65	\$4.80
IH-017	Size #17	400x100x100mm	2	24	\$6.85	\$5.90
IH-027	Size #27	600x100x100mm	5	12	\$10.75	\$9.10
IH-024	Size #24	300x200x100mm	2	12	\$8.70	\$7.50
IH-025	Size #25	400x200x100mm	2	12	\$10.45	\$8.80
IH-028	Size #28	600x200x100mm	5	6	\$14.60	\$12.60
IH-014	Spare Parts	Spare Parts Tray Dividers -100mm wide			\$0.50	\$0.40
IH-026	Spare Parts	Tray Dividers -200mm	wide	12	\$0.75	\$0.65

Louvre & Square Hole Panel Trolleys

- Strong metal panel trolleys which are ideal for storing either Stor-Pak bins or tools on hooks
- Fitted with 2 lockable castors
- · Powdercoated grey colour
- Can be fitted one side with louvre panel and one side with square hole metal pegboard or a mix of both on each side on request
- Dimensions: 980x600x1540mm (WxDxH)



Pallet Racking Column Guard

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts
- No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking - You can avoid major injuries and pallet rack damage by installing these protection guards
- Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs
- Conforms to AS4084:2012
- Size: 400mm high x 220mm deep



Pallet Racking End Protectors

Pallet Racking End Protectors are a highly effective solution for preventing damage to racking and inventory by forklifts.

No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking. You can avoid major injuries and pallet rack damage by installing these protection guards.

Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.

- Single Bay End Protector to suit 838mm frame
- Double Bay End Protector to suit 838mm frame + 430mm space + 838mm frame
- Conforms to AS4084:2012



Code	Description	Height	Overall Length	Was	Now
11240	Stormax End Protectors (to suit single bay of racking)	400mm	1080mm	\$188	\$159
11241	Stormax End Protectors (to suit double bay of racking)	400mm	2350mm	\$260	\$215

STORMAX

Heavy Duty Stationery Cupboards

- Versatile, functional & practical steel office cabinets which allow freedom to create & configure storage areas to suit your individual requirements
- Supplied fully assembled
- All cupboards are key lockable
- Available in 1/2 height and full height sizes
- Colour: Light grey

Cabinet Sizes: (WxHxD)

Half Height Size: 920x915x450mm Full Height Size: 920x1830x450mm

D	 E -	ch
		cn

Code	Description	Was	Now
10151	Half Height Stationery Cabinet (includes 1 shelf)	\$268.40	\$225.50
10152	Full Height Stationery Cabinet (includes 3 shelves)	\$328.90	\$303.60
10153	Extra Shelf to suit Stationey Cabinet	\$32.50	\$29.25



Heavy Duty Personal Lockers

- Ideal for the secure storage of personal items for employees and visitors etc
- Available in 5 different configurations as standard however other sizes and configurations can be made order
- 2 standard widths available (305 & 380mm)
- Reinforced doors for increased strength and security
- Ventilation louvers are fitted to all doors
- Choice of key or padlock lockable
- Manufactured from powdercoated steel
- 10 year warranty
- Colour: Standard is light grey however other colours are available on request



Padlockable Lockable



Key Lockable



Code	Description	Dimensions (Width x Depth x Height)	Colour	Price Each	4+
PL1003	Personal Locker (1 door)	305x457x1830mm	Light Grey	\$243.10	\$POA
PL1001	Personal Locker (1 door)	380x457x1830mm	Light Grey	\$258.00	\$POA
PL1005	Personal Locker (2 door)	305x457x1830mm	Light Grey	\$251.60	\$POA
PL1002	Personal Locker (2 door)	380x457x1830mm	Light Grey	\$270.30	\$POA
PL1007	Personal Locker (3 door)	305x457x1830mm	Light Grey	\$275.00	\$POA
PL1008	Personal Locker (3 door)	380x457x1830mm	Light Grey	\$278.00	\$POA
PL1009	Personal Locker (4 door)	380x457x1830mm	Light Grey	\$306.00	\$POA
PL1010	Personal Locker (6 door)	305x457x1830mm	Light Grey	\$324.70	\$POA
PL1011	Personal Locker (6 door)	380x457x1830mm	Light Grey	\$343.40	\$POA
Please specif	y lock type when placing your order (p	adlock or key)			

Scissor Lift Trolleys

These units help take the strain out of loading and unloading items from raised levels. The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger. The double scissor model, gives the added advantage of elevating loads of up to a height of 1575mm.

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder-coated finish
- Stepless rate of lowering regardless of load weight
- The 150kg version has a foldable handle as per image





Price Eac	P	rice	Łac	:h
-----------	---	------	-----	----

Code	Description	Capacity	Table Size	Unit Weight	Min Height	Max Height	Was	Now
LT8701	Scissor Lift Trolley - Single Scissor	150kg	450x700mm	46kg	265mm	780mm	\$375.00	\$337
LT8702	Scissor Lift Trolley - Single Scissor	300kg	500x850mm	77kg	340mm	880mm	\$565.00	\$498
LT8704	Scissor Lift Trolley - Double Scissor	350kg	500x910mm	105kg	335mm	1300mm	\$710.00	\$639
LT8707	Scissor Lift Trolley - Double Scissor	500kg	520x1010mm	118kg	440mm	1575mm	\$1089.00	\$979
LT8703	Scissor Lift Trolley - Single Scissor	500kg	500x850mm	81kg	340mm	880mm	\$624.00	\$558
LT8705	Scissor Lift Trolley - Double Scissor	700kg	610x1220mm	195kg	445mm	1500mm	\$1469.00	\$1310
LT8708	Scissor Lift Trolley - Single Scissor	750kg	510x1000mm	175kg	420mm	990mm	\$835.00	\$745



Extra Large Scissor Lift Trolley

The extra large scissor lift trolleys are excellent for handling large bulky items.

The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder-coated finish
- Stepless rate of lowering regardless of load weight
- Load Capacity: 500kg
- Table Size: 810x1600mm
- Unit Weight: 154kg
- Min Height: 290mm
 Max Height: 915mm





Galvanised Scissor Lift Trolley

Galvanised version which is great for food and medical areas

- Foot operated hydraulic operation
- Lever release control
- Double scissor lift version
- Safety overload bypass valve
- 100mm castors with brakes on rear wheels
- Stepless rate of lowering regardless of load weight
- 150kg load capacity
- Table Size: 500x830mm (WxL)
- Minimum Height: 435mm
- Maximum Height: 1430mm
- Unit Weight: 80kg





Low Profile Pallet Lift Table **IFTEX**

- Low clearance only 85 mm
- Supplied with entry ramp to allow pallet truck entry
- Can be supplied with optional rotator ring
- Tables are specially made for handling pallets, no need for a pit or load ramps
- Upper platform fitted with safety perimeter to prevent descent on contact with obstructions
- 24v control box with UP and DOWN buttons and emergency stop
- External power pack equipped with a relief valve against overloading and a compensating flow valve for controlling lowering speed
- Power Supply: 240v
- Hose burst safety valve to stop the lift table lowering in case of hose breakage
- Removable lifting eyes to facilitate handling and installation of the lift table
- Oil-less bushings on pivot points
- Load Capacity: 1000kg
- Platform Size: 1140x1420mm
- Lift Height: 85mm (min), 880mm (max)
- Ramp supplied with lift table



Bishamon Pneumatic Rotating Pallet Positioner

The most advanced pallet positioner available!

- EZ Loaders are designed to eliminate worker bending by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs, motors or hydraulics.
- The new EZ loader can now handle a wide range of weight capacities from 110 kilos to 1800 kilos.
- The EZ Adjust knob a three position knob that allows adjustment of the collapsed capacity without changing the air pressure.
- EZ Loaders also allow easy pallet rotation for near-side loading so the worker does not have to reach or strain.
- As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.
- The patented pneumatic system found only on the EZ Loader has proven to be the choice of industry professionals worldwide.
- Load Capacity: 110-1800kgs
- Low Height: 267mm
- Max Height: 775mm
- Base Frame Size: 617x1245mm



EZ adjust knob provides up to 550kgs of capacity adjustment with the turn of a knob



Patented self-contained pneumatic system offers unsurpassed performance



Rollers are entrapped in the base frame and platform for added stability



this in operation on our website here



Spring Loaded Rotating Pallet Tables



- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting.
- It proves highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg.
- Turntable allows the operator to rotate the load with minimal stretching and reaching.
- No ground fixing required
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Low Height: 230mm
- Max Height: 705mm Base Size: 915x935mm















Fully loaded

Price Each

Code	Description	Was	Now
31031A	Spring Pallet Elevator (Powdercoated)	\$1980.00	\$1584.00
31032A	Spring Pallet Elevator (Galvanised)	\$2235.00	\$1788.00



2000KG Pallet Truck With Load Scales

Our scale pallet trucks are extremely reliable and highly accurate in measuring your pallet weight. This fork truck has a totalising function which adds up multiple pallet weights giving the total weight per shipment or order.

- The weighing unit uses four AA batteries which give approx 4200 weighing actions
- The unit gives a low battery warning and shuts off after 3 minutes
- The digital display can be read from any angle in ambient light conditions

Optional scale printer unit available on request



Scale Increments: 1kg

Scale Functions: Zero correction, gross/net weight, total weight

• Overall Fork Width: 690mm

Minimum Fork Height: 76mm

Overall Fork Length: 1220mmOverall Truck Length: 1650mm

Tine Size: 50x182mm

Steering Wheel Size: 50x180mm





Galvanised Pallet Trucks

- These galvanised pallet trucks are available in both standard size 680mm wide and Euro pallet size 520mm
- Ideal for the food, chemical and pharmaceutical industry or outdoor use
- Tine Size: 60x160mm
- Steering Wheel Size: 50x200mm
- Nylon wheels

Code	Lift Capacity	Width	Length	Min Fork Height
PT7211	2000kg	520mm	1150mm	85mm
PT7210	2000kg	685mm	1220mm	85mm





		Ε		

Code	Description	Was	Now
PT7211	Galvanised Pallet Truck (Euro size)	\$865	\$759
PT7210	Galvanised Pallet Truck (Standard size)	\$865	\$759

4.5 Tonne Fixed Long Jib

This 4500kg long jib is a general purpose jib which is great for reaching across pits and areas where the forklift cant drive up to as it has a 3.5 metre reach when fully extended.

- Jib Length (when closed): 2.0m
- Jib Length (when extended): 3.5m
- Safe Working Load: 4500kg
 (SWL load chart is shown on jib)
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 290mm
- Unit Weight: 140kgFinish: Zinc plate
- \$1493 +GST ea
 Was \$1678
 Code: JL4500

Now Only

4.5 Tonne Fixed Short Jib

This 4500kg short fixed jib is designed as an affordable general purpose jib which is great for confined spaces and has a 1.9 metre reach when fully extended.

- Jib Length (when closed): 1.25m
- Jib Length (when extended): 1.9m
- Safe Working Load: 4500kg (SWL load chart is shown on jib)
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 290mm
- Unit Weight: 95kg
- Finish: Zinc plated











electric pallet truck.

The stand-on platform is great for use in large warehouses where pallets need to be moved long distances or this platform can be folded for walk behind use.

Load Capacity: 2000kgs

Min Fork Height: 82mm

Overall Truck Length: 1710mm (excluding stand on platform)

Overall Truck Width: 775mm

Overall Fork Width: 685mm

Fork Dimensions: 53x180x1100mm Wheel Type: Polyurethane

Travel Speed (unloaded): 7.1 Km/h

Standing Platform Size: 490x462mm (Width x Depth) Electromagnetic Brake

Battery: 24v, 210Ah

Brushless AC motor Emergency stop button Total Unit Weight: 710kg





Battery Electric Work Positioner

- Highly manoeuvrable, lightweight lifter, designed to take the strain out of any lifting job from ground level to over shoulder height.
- Ideal for use in narrow aisles and confined spaces. Perfect for all applications from pharmaceutical to catering, from packing line to food processing.
- Automatic electric overload protection system ensures safe operation.
- Quick change attachment options available
- Battery electric with built in charger that you can plug in anywhere
- EN1757 compliant. CE marked
- Load Centre: 235mm



Low Height: 130mm

Max Height: 1700mm

Load Capacity: 100kg





Attachment Options (please contact us for pricing on these attachments)







Double Prong



Reel Handler Rotator



IIFTEX

Code	Was	Now
AT503	\$2968	\$2573
AT504	\$3283	\$2889

Freestanding Jib Crane

These free standing jib cranes are ideal for use in workshops using vacuum lifters, chain hoists, lever blocks and air hoists.

Designed for machinery and maintenance industries for safe and easy moving of heavy or awkward items.

Can be bolted down for indoor or outdoor use

- · Capacity: 250kg
- · Height: 4.5 metres
- Turning Radius: 4.0 metres
- Rotating Angle: 360 degrees
- Other sizes available on request up to lift capacity of 500kgs





Range of manual and electric hosits available. Contact us today to discuss your requirements

FREECALL 1800 750 900



150KG Fork/Platform Trolley

Aluminium Lift Assist Devices

These aluminium lifters are great for assisting

Ideal for lifting items into ceiling spaces or

All units fold for easy storage and transport.

Manual hand winch control with automatic braking action

Width: 750mm (comes with a straddle attachment which makes it 1880mm wide in operation)

Unit Weight

185kg

205kg

Operating Length

2080mm

2080mm

Max Height

6500mm

7900mm

in the lifting, positioning and

installation of goods at height.

handling machine parts at height.

Fits through standard doorways.

Quick set up - requires no tools.

Legs fold up for easy storage.

Generic Specifications

Stowed Height: 2000mm

Ground Clearance: 50mm

• Minimum Height: 150mm Arm Length: 800mm

Load

Capacity

200kg

200ka

AT503

AT504

• Robust, light weight steel construction platform lift trolley which is ideal for lifting heavy items to a work bench level for working on.

The platform is removable and has 2 adjustable fork tines under platform for lifting small skids

• Lift Height: 1100mm

Capacity: 150kg

Platform Size: 500x530mm (WxD)

Overall Width: 550mm Overall Height: 1470mm

Overall Length: 865mm

Fork Length: 500mm

Net Weight: 62kgs













Code	Description	Lift Capacity	Overall Width	Overall Length	Overall Height	Minimum Fork Height	Maximum Fork Height	Was	Now
S3856	Standard Leg Stacker	500kg	805mm	1600mm	2000mm	90mm	1600mm	\$1012	\$910
S3857	Straddle Leg Stacker	500kg	1500mm	1600mm	2000mm	70mm	1500mm	\$1243	\$1089
S7256	Standard Leg Stacker	1000kg	1000mm	1640mm	2085mm	90mm	1600mm	\$1462	\$1286
S7258	Straddle Leg Stacker	1000kg	1450mm	1560mm	2050mm	70mm	1560mm	\$1650	\$1452

Fully Auto Electric Fork Stacker

These fully auto fork stackers have the latest technology and safety functions. They are fully automatic and have both electric drive and electric up/down.

The motor structure is both dust and water proof which makes it functional to load or unload trucks in wet conditions.

They have an adjustable fork tines straddle leg which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.



Semi Auto Electric Fork Stacker

These semi auto fork stackers are the ideal machine for any warehouse. They are manual push and electric up/down with handle-chain assisted steering which greatly reduces operator labour intensity.

They have adjustable fork tines & straddle legs which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.



• Lift Height: 3000mm

Overall Height (with mast lowered): 2145mm Overall Height (with mast extended): 3600mm

Overall Length: 1835mm

Overall Width: 1532mm (maximum)





5.5 Tonne Capacity Container Ramp

This container ramp is a great general purpose ramp for unloading containers using pallet trucks or forklifts.

This is a one piece unit with forklift slots at the front for easy transport.

Specifications

- · Capacity: 5500kgs
- Unit Weight: 160kgs
- Finish: Painted yellow
- Width: 2200mm
- Height: 160mm
- Length: 1200mm

• Supplied with chain & D-shackle as pictured



7.5 Tonne Capacity Container Ramp

This container ramp is a heavy duty ramp for unloading containers of heavy products and machinery using a forklift.

This is a one piece unit with forklift slots at both the side and front for easy transport.

Specifications

- Capacity: 7500kgs
- Unit Weight: 240kgs
- Finish: Painted yellow
- Width: 2300mm
- Height: 160mm
- Length: 1730mm
- Fork Pocket Size (side): 80x165mm
- Supplied with chain & D-shackle as pictured







7 Tonne Capacity Folding **Container Ramp**



This container ramp has a self-levelling lip that is designed for bridging into a standard container even if the ground is not level.

The ramp foot has handles which allow it to be easily folded back for access to the fork

Specifications

- Capacity: 7000kgs
- Unit Weight: 275kgs
- · Finish: Painted yellow
- Width: 2200mm
- Length: 2000mm
- Fork Pocket Size: 165x60mm
- · Fork Pocket Centres: 775mm




8 Tonne Heavy Duty Container Ramp (extra long)

The R2908 extra long container ramp has an overall length of 3 metres (1.5 metres of which is horizontal allowing easy placement and removal of the first and second line of pallets in a container

This ramp has been designed for fast positioning and removal with tine pockets on the side plus pop up tine slots in the top for front removal.

Comes standard with 100mm raised side plates which ensure the forklift remains on the ramp





Zinc Plated Forklift Waste Tipping Bins

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout the workplace
- Manual push over for tipping into larger bins
- Available in 2 standard sizes
- Drain plug fitted as standard
- Safe Working Load: 350kg
- Finish: Zinc plated
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 367mm
- Available in 350 and 650 litre sizes



Price	Eaci	1

Code	Dimensions	Size	Unit Weight	Now
WB2940	1120x860x580mm	350L Bin	65kg	\$759.00
WB2941	1120x860x900mm	650L Bin	90kg	\$829.00

Forklift Safety Cage/Work Platform

- Manufactured to meet Australian Standards AS 2359-1
- Zinc plated finish
- Designed to carry 2 persons (250kg max)
- Mesh safety screen
- Toe boards all sides with skid resistant floor plate
- Inward opening, self closing door
- Internal handrail with safety loops to hook safety harness
- · Full length fork sleeves
- Castors can be fitted to the bottom of cage for easy maneuverability in warehouse or yard
- Floor Dimensions Inside: 1000x1100mm
- · Overall Height: 2000mm
- Height to Railing: 1000mm
- Fork Pocket Size: 160x60mm
- Fork Pocket Centres: 640mm
- Unit Weight: 110k
- Supplied as flatpack for easy storage and transport however can be ordered with assembly



NO MORE THAN 2 PERSONS MAY BE LIFTED.
WEIGHT OF PLATFORM 110KG.
THE LOAD INCLUDING PERSONNEL & EQUIPMENT
SHALL NOT EXCEED 250KG
USE ONLY ON INDUSTRIAL TRUCKS HAVING A
CAPACITY OF 1800KG (COUNTERBALANCED) OR
1080KG (REACH TRUCK) AS APPROVED.
DO NOT USE IN PROXIMITY TO LIVE ELECTRICAL
EQUIPMENT.
FOR USE ONLY AS APPROVED BY STATE
STATUTORY AUTHORITY.



troder





Self Dumping 1500kg Capacity Tipping Bins

- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Drain plug fitted as standard
- Optional wheel kits available
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x75mm
- Fork Pocket Centres: 380mm (WB2920)
- Fork Pocket Centres: 680mm (WB2921 & WB2922)







Price Fach

Code	Description	Dimensions (WxLxH)	Bin Capacity	Unit Weight	Was	Now
WB2920	Self Dumping Tipping Bin	1010x1570x1010mm	950L	180kg	\$1387	\$1178
WB2921	Self Dumping Tipping Bin	1310x1570x1010mm	1250L	205kg	\$1535	\$1305
WB2922	Self Dumping Tipping Bin	1910x1570x1010mm	1850L	245kg	\$1940	\$1649
WB29K	Wheel Kit to suit (includes 4 wheels)				\$305	\$259



Industrial Tooling Drawer Unit

• These industrial tooling drawers are a heavy duty drawer cabinet for industrial applications

• The 1/2 height industrial cabinet can be mounted on top of the tooling cabinet (as per image shown below)

- Finish: Powdercoated light grey with light blue coloured drawers
- Drawer Capacity: 75kgs
- 2 x 100mm deep drawers
- 3 x 200mm deep drawers
- Drawers have adjustable dividers
- Dimensions: 900x900x450mm (HxWxD)











- Shelf Capacity: 150kgs
- 4 adjustable shelves as standard
- 3 point key lock system
- Optional drawer units available which fit inside unit so doors can he locked

Code: C8120



1/2 Height Caninet

- Shelf Capacity: 150kgs
- 2 adjustable shelves as standard
- 3 point key lock system
- Optional drawer units available which fit inside unit so doors can be locked

Code: C8121



Peg Board Tool Trolley Great tool trolley for general workshop use

- Comes with metal pegboard on back as well as the sides which can be used to hold tools and equipment
- Overall Width: 415mm
- Overall Length: 670mm Overall Height: 1730mm
- Back Panel Width: 605mm
- Back Panel Height: 440mm
- Top Shelf Height: 900mm
- Middle Shelf Height: 510mm
- Bottom Shelf Height: 160mm
- 4 heavy duty castors
- (2 swivel and lockable and 2 fixed)
- Load Capacity: 250kg
- Finish: Powdercoated light grey
- Handle Height: 825mm





Industrial Tooling Cabinet on Wheels

- · Heavy duty tooling cabinets, ideal for industrial applications and serious workshops
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% drawer access
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- 2 fixed & 2 swivel 125mm castor wheels
- All drawers come with adjustable steel dividers
- Drawer Capacity: 100kg each
- Size: 565x580x900mm (WxDxH)
- 6 Drawers
- 2 Drawers x 75mm
- 2 Drawers x 100mm 2 Drawers x 150mm
- Unit Weight: 100kg





Industrial Storage & Tool Cabinets

- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Full height cabinets come standard with 4 adjustable shelves and 1/2 height cabinet comes standard with 2 adjustable shelves
- Extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Drawers come standard with adjustable dividers as pictured)
- Finish: Powdercoated light grey with light blue coloured doors

ORN	IAX

Price Each Code Description Dimensions Was Now C8121 1/2 Height Industrial Cabinet 900x900x450mm (HxWxD) \$268 C8120 Full Height Industrial Cabinet 1800x900x450mm (HxWxD) \$489 C8123 Small Drawer Unit 100mm deep (fits inside cabinets) \$120 \$108 C8124 Large Drawer Unit 200mm deep (fits inside cabinets) \$159 \$143 C8144 Extra Shelves (to suit cabinets) \$39.50

C8123 & C8124 Drawer Units

Industrial Tooling Workstation

- Heavy duty tooling cabinets for industrial workshop applications
- The sliding drawers have quality smooth operation bearings
- 5 lockable drawers and cupboard
- Draw Capacity: 100kg per drawer
- Finish: Powdercoated light grey and blue
- Bench Height: 950mm
- 2 lockable castors
- · Fixed metal peg board panel
- Dimensions: 1100x580x950mm (Length x Width x Height)





(STORMAX





Tooling Cabinet - Code: C8125

- Drawer Capacity: 100kg each
- Size: 881x653x1200xmm (WxDxH)
- Drawer 1 to 6 150mm high
- Drawer 7 200mm high
- Unit Weight: 100kg





Code	Description	Dimensions	1-49	50-99	100+
C8204	Single Hook	25mm long	\$3.00	\$2.70	\$2.20
C8205	Single Hook	75mm long	\$3.00	\$2.70	\$2.20
C8206	Single Hook	150mm long	\$3.50	\$3.15	\$2.65
C8207	Double Hook	25mm long	\$3.50	\$3.15	\$2.65
C8208	Double Hook	75mm long	\$4.00	\$3.60	\$3.05
C8209	U Shape Hook	23x35mm (LxW)	\$3.50	\$3.15	\$2.65
C8210	U Shape Hook	70x25mm (LxW)	\$3.50	\$3.15	\$2.65
C8211	3 Prong Hook	150mm long	\$5.90	\$5.30	\$4.50
C8212	Round Hook	23x55mm	\$3.50	\$3.15	\$2.65
C8213	Spanner Holder	135mm long	\$11.00	\$9.90	\$8.35
C8214	Screwdriver Holder	390mm long	\$13.00	\$11.70	\$9.85

7 Drawer Industrial Tooling Cabinet

- Heavy duty tooling cabinets, ideal for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% drawer access
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers

Heavy Duty Industrial Work Benches

- Heavy duty steel industrial work bench with optional back board panel and lockable drawer set
- This work bench has a 1000kg bench capacity
- Comes standard with adjustable feet for levelling on uneven floors
- Finish: Powdercoated light grey
- Drawer Capacity: 100kg per drawer
- Metal peg and louvre panel is great for storing parts bins and tools and bottom tray for additional off-bench storage space
- 2 Size benches available, 1800mm and 2100mm long



Code	Description	Dimensions	Price Each
B8101	Work Bench-1800mm	1800x750x900mm (LxWxH)	\$385
B8102	Back Panel (for B8101)	1735x205x825mm (LxWxH)	\$225
B8107	Work Bench -2100mm	2100x750x900mm (LxWxH)	\$425
B8108	Back Panel (for B8107)	2035x205x825mm (LxWxH)	\$249
B8100	Drawer Unit (2 drawer)	565x580x280mm (WxDxH)	\$175
B8103	Drawer Unit (6 drawer)	565x580x750mm (WxDxH)	\$560
B8101C	Castor Kit to fit benches	includes 4 swivel castors with brakes	\$165

Please Note: Bench shown in image includes optional back panel and drawer unit





B8103 Drawer Unit Specs Drawer No. Drawer Depth

> 75mm 100mm

150mm


1 & 2

5 & 6

B8100 Drawer Unit Each drawer is 100mm high

















Drum Palletiser Stackers

- These drum palletisers stackers are great for loading and unloading both plastic and steel drums onto pallets
- Can also be used to stack drums on top of another drum or to place on a truck or ute
- DL6967 comes with a battery operated weighing scale which gives you accurate measurement of the drums weight

Specifications

- Load Capacity: 450kgs Max Lift Height: 1100mm Overall Height: 1870mm
- Overall Width: 950mm Overall Length: 1140mm





Steel & Plastic Drum Lifter & Rotator

This drum lifter can pickup and rotate both steel and plastic drums with ease and lock the drum in vertical or horizontal position.

- Manual foot or handle hydraulic pump for lifting
- Worm drive handle for drum tilting
- Distance Between Straddle Legs: 700mm
- Capacity: 400kg
- Lifting Height: 1350mm
- Overall Height: 1960mm
- Overall Width: 806mm Unit Weight: 190kg









Electric Drum Lifter & Rotators (with weighing scale)

Available for both steel and plastic drums

These electric drum lifters pickup, rotate and weigh drums using battery electric power for both up and down and for tilting.

- Available for both steel and plastic drums
- Both come standard with a drum weighing scale
- Lifting Speed: 120mm per second
- Distance Between Straddle Legs: 630mm
- Lifting Height: 1450mm
- Overall Height: 2060mm





Galvanised Parrot Beak Drum Lifter

- Suitable for both steel and plastic 210 litre drums
- Simple auto clamp operation no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Available in single and double drum pickups
- Fork Pocket Size: 185x60mm (LxWxH)
- Fork Pocket Centres: 250mm
- Finish: Zinc plated
- Load Capacity: 1000kg
- Unit Weight: 72kg







weighing scale comes as standard



Battery Operated Strapping Machines

- These battery operated strapping tools tension, weld and cut all in one tool!
- Brushless motor, provides long service life
- Li-lon 18 volt, 4.0Ah Battery, Bosch 30 minutes charger
- Patented strap grippers design
- Single-handed operation
- Pre-programmed touch panel
- Lightest model, easy removal of tool
- Unique rear-end roller, soft-mode
- Conforms to CE safety directive
- Battery complies with UN38.3 safety requirements
- Max. tension 400 KGS (4000N) ZP97 heavy duty model
- Max. tension 250 KGS (2500N) ZP93 standard duty model.
- Unit Weight: 3.5kgs







Now Only

Was \$ 4990

Code: ZP97

Fully Automatic Strapping Machine

The TRS-600 is an economical automatic strapping machine for wide straps (8-15.5 mm). With proven quality and competitive price, it is the most cost effective solution for wide straps general purpose application.

- Easy operation, simple maintenance
- Opening Size: 850mm wide x 600mm high
- Tension can be easily set with a dial
- Table Height: 810mm
- Overall Length: 1430mm
- Overall Height: 1450mm
- Overall Width: 620mm

Strap Width: Strap Thickness: Strap Tension: Speed Per Minute (60Hz):

8 mm-15.5 mm 0.55 mm-0.75 mm 10-70 kg 27 strans

Net Weight:

220 kg 220V 50Hz single phase



Semi Automatic Strapping Machine

The TMS-300 machine is an affordable, portable, and compact semi-auto strapping machine. They are designed for general

purpose and can meet your various applications. With thousands of machines exported to the world every year, the quality of the TMS-300 machine is highly proven.

This machine is compact and light-weight, enabling easy transportation and only requires a small space for installation.

A single motor powers the machine. Stable operation is assured even if the voltage drops.

Adjustment for use of any strap in a width up to 15.5 mm can be made by slackening off only four screws.

Overall Length: 902mmOverall Height: 760mmOverall Width: 586mm

Strapping Speed: 2.5 sec/strap 2.5 sec/strap Dimension: 910mm(L) x 582mm(W) x 785mm(H)

Net Weight: 100 kg

Max Tension: 45 kg

Strap Width: 6, 9, 12, 15.5 mm

Power: AC230V(50Hz), Single phase







PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

Sydney Tel: (02) 8865 1800 Fax: (02) 8865 1830 Melbourne

Tel: (03) 9982 4570 Fax: (03) 9982 4575 Brisbane

3 Digit Security Code:

Tel: (07) 3181 5630 Fax: (07) 3181 5635

Your Compar	ny Details	Please photoc	copy for future use
Company Name	e:		
Invoice Address	Si		
Delivery Addres	ss:		
ABN:	Tel: ()	Fax: ()	
Contact Name:	Position:		
Contact Email:	Accounts Email:		
Your Order Nur	mber: Date:		
Code	Description Qty	Unit price	Total price
Freight Charge	S	Sub Total	
Free delivery to Sy	dney, Melbourne and Brisbane metro areas for orders over \$3000 ex GST.	Freight	
	\$45.00 (ex GST) applies for orders under this amount.	GST	
	regional and other areas will be quoted prior or upon receipt of your order.	r Total (inc GST)	
to processing your	ges will apply for bulky or large items however we will confirm this with you prior order.	Total (IIIC GST)	
Payment Op	tions (Please tick)		Order form MJ2017
Please email Please invoic Please invoic		ept VISA, MASTERCARD &	
VISA	MASTERCARD AMEX Card Holder's Signature		
Card Holder's Full	I Name:	Card Expiry Date:	<i>I</i>

Orbitwrap 1000 Semi-Auto Stretch Wrapping Machines orbitwrap

The ORBITWRAP machines have been designed and built with economy, efficiency and safe operation in mind.

These stretch wrapping machines will give you all of the features you need to wrap pallet loads quickly and efficiently. The OR-1000 can dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) stretch wrapping.

- Forklift relocation slots for easy machine transportation
- Automatic and manual wrapping programs
- Includes ramp for pallet truck access
- User friendly 'Soft Touch' controls
- Eliminate the need for labour intensive, inefficient manual hand wrapping

2200 mm

- Rugged steel construction for long-term reliability
- Photocell eye for automatic height detection

Standard Features

- Electronic screen with 'Soft Touch' control
- Variable film carriage and turntable speeds
- Forklift relocation slots
- Photocell eye for automatic height detection
- Automatic and Manual wrapping programs
- Soft-start and stop turntable drive
- Ramp can be fixed to the table at 3 different angles
- Includes pallet truck access ramp
- Adjustable friction brake stretch system
- Heavy-duty industrial chain driven turntable
- · Safety crush prevention device fitted to carriage
- Standard 12 month warranty

Techinical Data

Max height of wrapping:

 Ramp Size:
 1070x1325mm (WxL)

 Max pallet size:
 1200 x 1200 mm

 Turntable diameter:
 1520 mm

Turntable diameter: 1520 mm Turntable speed: 1-10 RPM Stretch film size: 500 mm Load capacity: 1500 kg

Power supply: 240v, single phase

Warranty: 1 Year Machine weight: 450 kg







