



PLATFORM TRUCKS

Convertible A-Frame Truck 208
 Convertible Platform Trucks 209
 Heavy-Duty Platform Trucks 210
 Caster Guide 211
 Sheet and Panel Trucks and
 A-Frame Panel Trucks 212
 Work-Height Platform Trucks 213
 5th Wheel Wagon Trucks 214
 Side-Panel Platform Trucks 215
 Stanchion Platform Trucks 216
 Semi-Live Skids 217
 Dunnage Racks 217
 StockMate® Restocking Trucks 218
 Triple® Trolley 218
 Heavy-Duty Dollies 218

WORKSTATIONS

TradeMaster® Mobile Cabinets
 and Work Centers 219
 Trades Carts 220
 5-Drawer Mobile Work Center 220
 Ladder Cart 221

UTILITY AND SERVICE CARTS

Heavy-Duty Utility and Service Carts 222
 Convertible Utility Cart 224
 Executive Service Cart 225
 Service Carts 226
 Xtra™ Carts 227

SHELVING AND AUDIO-VISUAL CARTS

Shelving Systems 228
 Media Master® Audio-Visual Carts 228
 Cart Accessories 229

BULK TRUCKS

Structural Foam Tilt Trucks 231
 Rotomolded Tilt Trucks 232
 Heavy-Duty Towable Tilt Trucks 233
 Heavy-Duty Forkliftable Tilt Trucks 233
 Heavy-Duty Tilt Truck Lids 233
 Self-Dumping Hoppers 234
 Cube Trucks 235

STORAGE

BRUTE® Totes 236
 Stack and Nest Palletote® Boxes 236
 Tool Boxes 236
 Tack Box with Padded Top 236
 ActionPacker® Storage Containers 237

FARM AND GARDEN

Stock Tanks 237
 Heavy-Duty Tractor Carts 238
 Big Wheel® Carts 238
 Heavy-Duty Big Wheel® Cart 239
 Contractor-Grade Wheelbarrows 239
 Utility Lawn Carts 239

Sydney
 Tel: (02) 8865 1800
 Fax: (02) 8865 1830

Melbourne
 Tel: (03) 9982 4570
 Fax: (03) 9982 4575

Brisbane
 Tel: (07) 3181 5630
 Fax: (07) 3181 5635



ABN: 38 368 064 476

Material Handling



Smart. Rugged. Trusted.

A New Standard of Excellence in Heavy-Duty Platform Trucks and Carts

We've significantly redesigned and expanded our material handling line with new categories, new products, and new innovations that help you work smarter, faster, and safer.



DURAMOLD™ REAL WORLD RUGGED — TESTED TOUGH

Rubbermaid's exclusive Duramold™ technology exceeds the highest performance standards in the industry. We test and retest our products to meet rigorous durability standards, and our new material handling products are no exception. Real-world rugged durability, innovative technology, and best-in-class features combine to create longer-lasting products that carry heavy loads—and make your work easier.

DURAMOLD™
precision engineered resin and steel composite decks
HOLD & TRANSPORT UP TO

2500 lbs.
of weight load capacity



40 buckets of sheetrock compound weigh over 2,400 lbs—that's a load!



Duramold™ decks are formed from a precision-engineered resin and metal composite structure that is lighter than typical steel/wood products without sacrificing strength, which enables weight reduction and improved ergonomics.

WILL NOT WARP, DENT, SPLINTER, RUST, OR ROT

Tough, resilient surface absorbs impact and provides quiet operation. Virtually maintenance-free; resistant to most chemicals, impervious to water damage, and easily cleaned.



Metal—dents and rusts




Wood—splinters and rot

MOVE LOADS SAFELY AND EFFICIENTLY


The variable grip-height handle on our carts and trucks improves maneuverability and reduces muscle strain for most every user, regardless of height.



TRADITIONAL CART HANDLE DESIGN



Angled handle helps keep wrist and bones in forearm aligned for optimum leverage while turning.



IMPROVED VARIABLE GRIP-HEIGHT HANDLE

PUT YOUR EFFORT INTO MOVING YOUR PAYLOAD, NOT YOUR TRUCK

DURAMOLD™ HAS THE HIGHEST STRENGTH-TO-WEIGHT RATIO

when compared to metal, wood, and solid plastic decks.

35%

lighter weight construction to transport the same payload



Duramold™ resin and metal composite structure is recyclable.

Convertible A-Frame Truck

Our unique design combines the bulk load capacity of standard panel trucks and bar stock trucks with the functionality of a heavy-duty two-shelf cart. Saves time and money by transporting oversized, heavy loads to your work site in one trip.

DURAMOLD

DECK SIZE:

27 1/4" X 56 1/2"

MAX. CAPACITY (lbs)

2000

See it in ACTION

www.rcpmaterialhandling.com

CASTER DESCRIPTIONS See "Caster Guide"



TWO FIXED AND TWO LOCKING SWIVEL CASTERS

Two locking polyolefin casters allow for added stability when loading and unloading.

KEEP TOOLS AND SUPPLIES ORGANIZED

Independent fold-down top shelves hold small items, tools, and supplies; 100-lb capacity per side.

KEEP LOADS SECURE

A-frame configuration holds sheet goods securely in place.

EASY CONVERTIBILITY

Spring-loaded release latches safely allow one or both top shelves to be folded down.

HANDLE OVERSIZED LOADS

Four independent articulating outrigger arms fold down to cradle lumber, pipe, and bar stock; 100 lb capacity per arm.

IMPROVE PRODUCTIVITY

Large deck surface holds up to 12" depth of sheet goods, 6" on either side.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



FG446500

MULTIPLE CART & TRUCK CONFIGURATIONS IN ONE PRODUCT!

MULTIPLE CONFIGURATIONS TO HANDLE ANY JOB



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG446500	BLA	Convertible A-Frame Truck (24" x 44")	51.125" l x 28.125" w x 17.25" h	2,000 lb	133.0 lb	129.9 cm x 71.4 cm x 43.8 cm	907.2 kg	60.3 kg	8" Polyolefin	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Convertible Platform Trucks

Work more efficiently by transporting heavy loads, tools, and supplies with a single product.

- Three-in-one convertible design
- Quickly transforms from a standard platform truck or U-boat configuration into a two-shelf cart

DURAMOLD

DECK SIZE:

CART
24" X 44"
TRUCK
24" X 52"

Max. Capacity: 750 lbs cart;
1000 lbs truck

CAPACITY RANGE (lbs)
750-1000

See it in ACTION

www.rcpmaterialhandling.com

CASTER DESCRIPTIONS
See "Caster Guide"

CART CONFIGURATION

Two-shelf heavy-duty cart holds up to 750 lbs.

U-BOAT CONFIGURATION

U-boat configuration helps keep stacked or bulky goods in place; 1,000-lb capacity.

BUILT-IN SAFETY FEATURES

Unique slide-locking latches prevent unintended handle removal.

QUICK CONVERSION

Push-button release latch makes conversion from heavy-duty cart to platform truck effortless.



FG449700



FG449700

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



FG449700

PLATFORM TRUCK CONFIGURATION

Removable handle can be repositioned to create a heavy-duty platform truck.



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG449600	BLA	Convertible Platform Truck (24" x 52")	61.5" l x 24.25" w x 42.125" h	750 lb as cart, 1,000 lb as platform	106.0 lb	156.2 cm x 61.6 cm x 107.0 cm	340.2 kg as cart, 453.6 kg as platform	48.1 kg	6" TPR	1
FG449700	BLA	Convertible Platform Truck (24" x 52")	61.5" l x 24.25" w x 44.625" h	750 lb as cart, 1,000 lb as platform	121.0 lb	156.2 cm x 61.6 cm x 113.3 cm	340.2 kg as cart, 453.6 kg as platform	54.9 kg	8" Pneumatic	1

Heavy-Duty Platform Trucks

Ideal for moving large, heavy, oversized loads in a variety of environments from retail to construction.

DURAMOLD

DECK SIZES:

- 24" X 36"
- 24" X 48"
- 30" X 60"

CAPACITY RANGE (lbs)
1000-2500

See it in ACTION

www.rcpmaterialhandling.com

CASTER DESCRIPTIONS
See "Caster Guide"



IMPROVED MANEUVERABILITY
Variable grip-height handle improves control and worker safety.

VIRTUALLY MAINTENANCE-FREE
Powder-coated steel creates a hard finish that is far tougher than conventional paint.



BUILT-IN SAFETY FEATURES
Retainer clips prevent unintended handle removal.

SECURE SMALL ITEMS
Perimeter deck channel retains small items.

KEEP LOADS IN PLACE
Textured deck surface reduces load slippage.

RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



BETTER LOAD RETENTION
Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG440300	BLA	Heavy-Duty Platform Truck	36" l x 24" w	1,000 lb	50.0 lb	91.4 cm x 61 cm	453.6 kg	22.7 kg	6" TPR	1
FG440600	BLA	Heavy-Duty Platform Truck	36" l x 24" w	2,000 lb	50.0 lb	91.4 cm x 61 cm	907.2 kg	22.7 kg	6" Polyolefin	1
FG443600	BLA	Heavy-Duty Platform Truck	48" l x 24" w	2,000 lb	70.0 lb	121.9 cm x 61 cm	907.2 kg	31.8 kg	8" TPR	1
FG443610	BLA	Heavy-Duty Platform Truck	48" l x 24" w	1,200 lb	75.0 lb	121.9 cm x 61 cm	544.3 kg	34 kg	8" Pneumatic	1
FG444100	BLA	Heavy-Duty Platform Truck	48" l x 24" w	2,500 lb	69.0 lb	121.9 cm x 61 cm	1,134.0 kg	31.3 kg	8" Polyolefin	1
FG446600	BLA	Heavy-Duty Platform Truck	60" l x 30" w	2,000 lb	87.9 lb	152.4 cm x 76.2 cm	907.2 kg	39.9 kg	8" TPR	1
FG446610	BLA	Heavy-Duty Platform Truck	60" l x 30" w	1,200 lb	90.0 lb	152.4 cm x 76.2 cm	544.3 kg	40.8 kg	8" Pneumatic	1
FG447100	BLA	Heavy-Duty Platform Truck	60" l x 30" w	2,500 lb	84.0 lb	152.4 cm x 76.2 cm	1,134.0 kg	38.1 kg	8" Polyolefin	1
FG9T1100	BLA	Heavy-Duty Platform Truck	70" l x 40" w	1,000 lb	126.5 lb	177.8 cm x 101.6 cm	453.6 kg	57.4 kg	6" TPR	1
FG9T1200	BLA	Heavy-Duty Platform Truck	70" l x 40" w	1,000 lb	126.5 lb	177.8 cm x 101.6 cm	453.6 kg	57.4 kg	8" Pneumatic	1
FG9T2100	BLA	Heavy-Duty Platform Truck	70" l x 40" w	2,000 lb	126.5 lb	177.8 cm x 101.6 cm	907.2 kg	57.4 kg	8" Polyolefin	1
FG9T0900	BLA	Side Panel Package, fits FG9T1100, FG9T1200, FG9T2100 (4 sides and 2 end panels)	N/A	N/A	55.9 lb	N/A	N/A	25.4 kg	N/A	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

CASTERS TO MEET YOUR NEEDS

Rubbermaid's best-in-class heavy-duty casters have been specially chosen for each of our products to meet your most demanding environments.



POLYOLEFIN

Hard-tread polyolefin casters roll easier than soft tread casters. Nonmarking, impact- and chemical-resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris.



PNEUMATIC

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out.



THERMOPLASTIC RUBBER (TPR)

TPR casters absorb shock and provide floor surface protection and quiet operation. Chemical- and water-resistant.



Polyolefin



Pneumatic

CASTER PERFORMANCE GUIDE

	CASTER TREAD MATERIAL	MOLD-ON RUBBER (TPR)	POLYOLEFIN	PNEUMATIC
FLOOR SURFACE	ASPHALT	Excellent	Fair	Excellent
	BRICK	Excellent	Fair	Excellent
	CARPET	Excellent	Good	Excellent
	CONCRETE	Excellent	Good	Excellent
	LINOLEUM / COMPOSITION TILE	Excellent	Fair	Excellent
	STEEL – RIBBED	Good	Fair	Excellent
	STEEL – SMOOTH	Good	Good	Excellent
	TERRAZZO	Excellent	Fair	Excellent
	WOOD	Excellent	Good	Excellent
OPERATING CONDITIONS	MILD CHEMICALS	Fair	Good	Good
	HARSH CHEMICALS	Fair	Fair	Good
	METAL SCRAPS – SMALL	Excellent	Good	Good
	METAL SCRAPS – LARGE	Excellent	Fair	Good
	ANIMAL FATS	Good	Good	Good
	OIL AND GREASE	Fair	Good	Fair
	WATER AND STEAM	Good	Excellent	Good
OTHER FACTORS	FLOOR PROTECTION	Excellent	Good	Excellent
	QUIET OPERATION	Excellent	Fair	Excellent
	CUSHION LOAD	Excellent	N/A	Excellent
	IMPACT RESISTANCE	Excellent	Good	Excellent
	ROLLING EASE	Fair	Excellent	Fair
	ABRASION RESISTANCE (NONCHIPPING)	Fair	Good	Fair
	NON-FLAT-SPOTTING (UNDER STATIC LOAD)	Fair	Excellent	N/A

Sheet and Panel Trucks and A-Frame Panel Trucks

Transport large, bulky sheet goods and hard-to-handle loads such as doors, lumber, drywall, tables, and cubicle walls.

DURAMOLD

DECK SIZES:

- 24" X 36"
- 24" X 48"
- 30" X 60"

MAX. CAPACITY (lbs)

2000


CASTER DESCRIPTIONS
See "Caster Guide"



MOVE HARD-TO-HANDLE LOADS
Three removable powder-coated steel vertical frames provide support for bulky loads. Frames can be removed as needed based on load requirements.



RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



BUILT-IN SAFETY FEATURES
Retainer clips lock frames securely in place and prevent unintended removal. Four tie-down points, two on each side, help with load retention.

FG446800

See it in ACTION
www.rcpmaterialhandling.com



HOLDS SHEET GOODS SECURELY
High-side inclined frame and side rail hold load firmly in place during transit.



FG446300

KEEP LOADS IN PLACE
Textured deck surface reduces load slippage.

SHEET AND PANEL TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG446700	BLA	Sheet and Panel Truck (24" x 36")	38.75" l x 24.25" w x 38" h	2,000 lb	81.0 lb	98.4 cm x 61.6 cm x 96.5 cm	907.2 kg	36.7 kg	6" Polyolefin	1
FG446800	BLA	Sheet and Panel Truck (24" x 48")	47.9" l x 24.25" w x 39.9" h	2,000 lb	98.0 lb	121.7 cm x 61.6 cm x 101.3 cm	907.2 kg	44.5 kg	8" Polyolefin	1
FG446900	BLA	Sheet and Panel Truck (30" x 60")	59.9" l x 30.25" w x 39.9" h	2,000 lb	117.0 lb	152.1 cm x 76.8 cm x 101.3 cm	907.2 kg	53.1 kg	8" Polyolefin	1

A-FRAME PANEL TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG446200	BLA	A-Frame Panel Truck (24" x 36")	35.9" l x 24.25" w x 43" h	2,000 lb	73.0 lb	91.2 cm x 61.6 cm x 109.2 cm	907.2 kg	33.1 kg	6" Polyolefin	1
FG446300	BLA	A-Frame Panel Truck (24" x 48")	47.9" l x 24.25" w x 44.9" h	2,000 lb	87.0 lb	121.7 cm x 61.6 cm x 114 cm	907.2 kg	39.5 kg	8" Polyolefin	1
FG446400	BLA	A-Frame Panel Truck (30" x 60")	59.9" l x 30.25" w x 44.9" h	2,000 lb	106.0 lb	152.1 cm x 76.8 cm x 114 cm	907.2 kg	48.1 kg	8" Polyolefin	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Work-Height Platform Trucks

Unique, adjustable design allows platform deck to be placed at one of three work heights.

DURAMOLD

DECK SIZES:

24" X 36"

24" X 48"

30" X 60"

MAX. CAPACITY (lbs)

2000

See it in ACTION

www.rcpmaterialhandling.com

CASTER DESCRIPTIONS
See "Caster Guide"



REDUCE LIFTING AND BENDING

Easily moveable platform adjusts to three work heights, helping to safeguard user well-being and improve productivity.



CHEMICAL- AND WATER-RESISTANT CASTERS


TPR casters absorb shock, and provide floor surface protection and quiet operation.



FG447300

HEIGHT ADJUSTMENT

Adjustable platform deck reduces the strain of bending and lifting. SKUs FG447300 and FG447400 (shown) adjust from 29" to 35" high in 3" increments. SKU FG447200 adjusts from 27" to 33" high in 3" increments.




No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG447200	BLA	Work-Height Platform Truck (24" x 36")	40.1" l x 24.25" w x 38.9" h	2,000 lb	86.0 lb	101.9 cm x 61.6 cm x 98.8 cm	907.2 kg	39 kg	6" TPR	1
FG447300	BLA	Work-Height Platform Truck (24" x 48")	52.1" l x 24.25" w x 40.9" h	2,000 lb	102.0 lb	132.3 cm x 61.6 cm x 103.9 cm	907.2 kg	46.3 kg	8" TPR	1
FG447400	BLA	Work-Height Platform Truck (30" x 60")	64.1" l x 30.25" w x 40.75" h	2,000 lb	115.0 lb	162.8 cm x 76.8 cm x 103.5 cm	907.2 kg	52.2 kg	8" TPR	1

5th Wheel Wagon Trucks

Move heavy loads across rough surfaces, indoors and out.

DURAMOLD

DECK SIZES:



CAPACITY RANGE (lbs)
1200-2000

CASTER DESCRIPTIONS
See "Caster Guide"

WHEEL OPTIONS



MOR wheels absorb shock and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



Pneumatic wheels provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



BETTER CONTROL

The pivoting 5th wheel design provides a tight turning radius for maximum maneuverability.

See it in ACTION

www.rcpmaterialhandling.com



MOVE LOADS SAFELY

Turn stop prevents tipping/dumping of load.

EASY TO USE

Vinyl grip handle stays upright when not in use.

KEEP LOADS SECURE

Four tie-down points, two on each side, help with load retention.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.


TOWABLE AND TRAINABLE

- T-bar is removable for towing by a single truck up to 5 mph
- Tow Hitch Kit available (FG9T1000, sold separately) with pintle-style and clevis pin-mount tow hitches
- Rear tow hitch allows training with other trucks



T-Handle

Pintle



Clevis Pin

Rear Tow Hitch

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG447500	BLA	5th Wheel Wagon Truck (24" x 36")	45" l x 24.25" w x 16.75" h	1,200 lb	86.0 lb	114.3 cm x 61.6 cm x 42.5 cm	544.3 kg	39 kg	10" Pneumatic	1
FG447600	BLA	5th Wheel Wagon Truck (24" x 36")	45" l x 24.25" w x 16.5" h	2,000 lb	86.0 lb	114.3 cm x 61.6 cm x 41.9 cm	907.2 kg	39 kg	10" TPR	1
FG447700	BLA	5th Wheel Wagon Truck (24" x 48")	56.25" l x 24.25" w x 17.5" h	2,000 lb	98.0 lb	142.9 cm x 61.6 cm x 44.5 cm	907.2 kg	44.5 kg	12" Pneumatic	1
FG447800	BLA	5th Wheel Wagon Truck (24" x 48")	56.25" l x 24.25" w x 17.5" h	2,000 lb	98.0 lb	142.9 cm x 61.6 cm x 44.5 cm	907.2 kg	44.5 kg	12" TPR	1
FG447900	BLA	5th Wheel Wagon Truck (30" x 60")	70.1" l x 30.25" w x 17.5" h	2,000 lb	117.0 lb	178.1 cm x 76.8 cm x 44.5 cm	907.2 kg	53.1 kg	12" Pneumatic	1
FG448000	BLA	5th Wheel Wagon Truck (30" x 60")	70.1" l x 30.25" w x 17.5" h	2,000 lb	117.0 lb	178.1 cm x 76.8 cm x 44.5 cm	907.2 kg	53.1 kg	12" TPR	1
FG9T0600	BLA	5th Wheel Wagon Truck with 16" (40.6 cm) Pneumatic Wheels	70" l x 40" w	2,000 lb	130.0 lb	177.8 cm x 101.6 cm	907.2 kg	59 kg	16" Pneumatic	1
FG9T0700	BLA	5th Wheel Wagon Truck with 12" (30.5 cm) Pneumatic Wheels	70" l x 40" w	2,000 lb	125.0 lb	177.8 cm x 101.6 cm	907.2 kg	56.7 kg	12" TPR	1
FG9T0900	BLA	Side Panel Package, Converts Truck to Platform Convertible Wagon (4 sides and 2 end panels), fits FG9T0600, FG9T0700	N/A	N/A	55.9 lb	N/A	N/A	25.4 kg	N/A	1
FG9T1000	0000	Tow Package, fits all 5th Wheel Wagon Trucks	N/A	N/A	2.8 lb	N/A	N/A	1.3 kg	N/A	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Side Panel Platform Trucks

Ideal for transporting small packages and materials.

DURAMOLD

DECK SIZES:

24" X 36"

24" X 48"

30" X 60"

CAPACITY RANGE (lbs)

1000-2000

See it in ACTION

www.rcpmaterialhandling.com

CASTER DESCRIPTIONS
See "Caster Guide"



CUSTOMIZABLE

Remove one, two, three, or all four side panels to accommodate any size load.

ENHANCE USER COMFORT

Side panel cutouts allow easy access to load.



BUILT-IN SAFETY FEATURES

Retainer clips prevent unintended handle removal.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

3" X 3" GRID SIDE PANELS

Heavy-duty wire side panels retain small packages and items.

BETTER LOAD RETENTION

Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

FG448600


No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG448400	BLA	Side Panel Platform Truck (24" x 36")	44" l x 24.25" w x 39.25" h	1,000 lb	85.0 lb	111.8 cm x 61.6 cm x 99.7 cm	453.6 kg	38.6 kg	6" TPR	1
FG448500	BLA	Side Panel Platform Truck (24" x 36")	44" l x 24.25" w x 41.5" h	1,200 lb	105.0 lb	142.2 cm x 61.6 cm x 105.4 cm	544.3 kg	47.6 kg	8" Pneumatic	1
FG448600	BLA	Side Panel Platform Truck (24" x 48")	56" l x 24.25" w x 41.25" h	2,000 lb	105.0 lb	142.2 cm x 61.6 cm x 104.8 cm	907.2 kg	47.6 kg	8" TPR	1
FG448700	BLA	Side Panel Platform Truck (30" x 60")	68.1" l x 30.25" w x 41.4" h	1,200 lb	126.0 lb	173 cm x 76.8 cm x 105.2 cm	544.3 kg	57.2 kg	8" Pneumatic	1
FG448800	BLA	Side Panel Platform Truck (30" x 60")	68.1" l x 30.25" w x 41.4" h	2,000 lb	126.0 lb	173 cm x 76.8 cm x 105.2 cm	907.2 kg	57.2 kg	8" TPR	1

Stanchion Platform Trucks

Safely transport long, bulky loads such as roll goods, pipe, lumber, carpet, and linoleum.

DURAMOLD

DECK SIZES:



MAX. CAPACITY (lbs)

2500

CASTER DESCRIPTIONS
See "Caster Guide"

See it in ACTION
www.rcpmaterialhandling.com



EASY LOADING AND UNLOADING

Removable heavy-duty steel corner posts allow access to load. Corner post retainer clips prevent unintended removal.

FG448200

PROTECT FLOORS

Hard-tread polyolefin casters roll easier than soft tread casters. Nonmarking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.

KEEP LOADS SECURE

Four molded-in tie-down points provide additional load security.

REDUCE LOAD SLIPPAGE

Textured deck surface reduces load slippage.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG448100	BLA	Stanchion Platform Truck (24" x 36")	35.9" l x 24.25" w x 38.9" h	2,500 lb	67.0 lb	91.2 cm x 61.6 cm x 98.8 cm	1,134 kg	30.4 kg	6" Polyolefin	1
FG448200	BLA	Stanchion Platform Truck (24" x 48")	47.88" l x 24.25" w x 42.5" h	2,500 lb	78.0 lb	121.6 cm x 61.6 cm x 108 cm	1,134 kg	35.4 kg	8" Polyolefin	1
FG448300	BLA	Stanchion Platform Truck (30" x 60")	59.9" l x 30.25" w x 42.5" h	2,500 lb	92.0 lb	152.1 cm x 76.8 cm x 108 cm	1,134 kg	41.7 kg	8" Polyolefin	1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Semi-Live Skids

Ideal for temporary transport and storage of materials and supplies.

DURAMOLD

DECK SIZES:

- 24" X 36"
- 24" X 48"
- 30" X 60"

CAPACITY RANGE (lbs)
1500-2000

CASTER DESCRIPTIONS
See "Caster Guide"

See it in ACTION
www.rcpmaterialhandling.com



REMOVABLE JACK HANDLE
Provides tight turning radius for easy maneuverability in confined spaces (Jack Handle sold separately).

BETTER LOAD RETENTION
Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG449300	BLA	Semi-Live Skid (24" x 36")	35.9" l x 25.25" w x 12.5" h	2,000 lb	42.0 lb	91.2 cm x 64.1 cm x 31.8 cm	907.2 kg	19.1 kg	8" x 2" TPR	1
FG449400	BLA	Semi-Live Skid (24" x 48")	47.9" l x 25.25" w x 12.5" h	2,000 lb	51.0 lb	121.7 cm x 64.1 cm x 31.8 cm	907.2 kg	23.1 kg	8" x 2" TPR	1
FG449500	BLA	Semi-Live Skid (30" x 60")	59.9" l x 30.25" w x 12.5" h	2,000 lb	64.0 lb	152.1 cm x 76.8 cm x 31.8 cm	907.2 kg	29 kg	8" x 2" TPR	1
FG449200	RED	Semi-Live Skid Jack Handle	49.9" l x 11.75" w x 10.25" h	N/A	38.0 lb	126.7 cm x 29.8 cm x 26 cm	N/A	17.2 kg	8" x 2" TPR	1

Dunnage Racks

Perfect for storing frozen, cold, or dry goods off of the floor.

NSF

MEETS NSF FOOD SAFETY GUIDELINES

12" high deck meets food safety guidelines; NSF approved.



HELPS ENSURE PRODUCT QUALITY

Slotted deck allows maximum air circulation for perishable or dry goods.

FREEZER-SAFE
Withstands temperatures from -20° to 120°F.



RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG448900	BLA	Dunnage Rack (24" x 36")	35.9" l x 24.25" w x 12.5" h	1,500 lb	28.0 lb	91.2 cm x 61.6 cm x 31.8 cm	680.4 kg	12.7 kg	1
FG449000	BLA	Dunnage Rack (24" x 48")	47.88" l x 24.25" w x 12.5" h	2,000 lb	35.0 lb	121.6 cm x 61.6 cm x 31.8 cm	907.2 kg	15.9 kg	1
FG449100	BLA	Dunnage Rack (30" x 60")	59.9" l x 30.25" w x 12.5" h	2,000 lb	44.0 lb	152.1 cm x 76.8 cm x 31.8 cm	907.2 kg	20.0 kg	1

StockMate® Restocking Trucks

A complete system to transport cartons, stock shelves, manage cardboard, and address aisle safety.

- Ideal for stocking shelves and picking inventory
- Steel reinforced molded structural foam decks won't rust, dent, or require painting
- BoxMate™ Cardboard Management System helps keep aisles clear
- Dry erase identification placard and work surface available on some models
- Up to 1,800-lb load capacity
- Hinged Deck model (FG9T4500) easily converts from full-size to half-size truck
- Wide range of accessories to enhance productivity and safety
- Optional Refuse Bin (FG335388)



FG9T4500 / FG9T4800 / FG335388



FG9T4800 Wire Shelf

Provides additional surface to help organize and transport smaller cartons.



FG9T4500



FG9T5200 / FG335388



FG9T5600

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T4500	BLA	StockMate® ES Restocking Truck with Hinged Deck	63" l x 19.25" w x 19.25" h	1,800 lb	75.1 lb	160 cm x 48.9 cm x 48.9 cm	816.5 kg	34.1 kg	1
FG9T5000	BLA	StockMate® Restocking Truck, Standard Deck	63" l x 19.13" w x 33.63" h	1,800 lb	75.1 lb	160 cm x 48.6 cm x 85.4 cm	816.5 kg	34.1 kg	1
FG9T5200	BLA	StockMate® Restocking Truck, Standard Deck with Cardboard Management System, Polyurethane Wheels and Casters	63" l x 18" w x 64.25" h	1,800 lb	84.9 lb	160 cm x 45.7 cm x 163.2 cm	816.5 kg	38.5 kg	1
FG9T5600	BLA	StockMate® Restocking Truck, Utility Deck, Olefin Wheels and Casters	63" l x 18" w x 64.25" h	1,500 lb	84.9 lb	160 cm x 45.7 cm x 163.2 cm	680.4 kg	38.5 kg	1
FG9T4800	BLA	StockMate® Wire Shelf	64" l x 15" w x 3" h	N/A	4.3 lb	162.6 cm x 38.1 cm x 7.6 cm	N/A	2 kg	1

Triple® Trolley

Efficiently transports large, bulky loads, then folds flat for easy storage.

- Sturdy structural foam deck won't rust, dent, chip, or peel
- Nonskid platform surface helps prevent load shifting
- Three-position handle lets users push, pull, or fold flat for use as a dolly
- Casters are nonmarking



Three-position handle provides better mobility and convenient storage.



FG440000

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG440000	BLA	Triple® Trolley, Utility-Duty with Straight Handle and 3" (7.6 cm) Casters	32.5" l x 20.5" w	250 lb	20.6 lb	82.6 cm x 52.1 cm	113.4 kg	9.3 kg	1
FG440100	BLA	Triple® Trolley, Standard Duty with User-Friendly Handle and 5" dia x .875" w (12.7 cm x 2.22 cm) Casters	32.5" l x 20.5" w	500 lb	25.4 lb	82.6 cm x 52.1 cm	226.8 kg	11.5 kg	1

Heavy-Duty Dollies

Steel-reinforced, molded dollies perform a wide variety of moving tasks.

- Durable, one-piece molded polyethylene decks are lightweight and easy to clean
- Sturdy plastic construction won't rot, mildew, warp, rust, or splinter
- Easy-rolling, 4" nonmarking swivel casters
- FG9T5500 features 1" thick rubber pads to protect load and minimize slippage



FG9T5500

FG9T5400

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T5400	RED	Polyethylene Dolly, Flush Deck	30" l x 18" w	1,000 lb	19.7 lb	76.2 cm x 45.7 cm	453.6 kg	8.9 kg	1
FG9T5500	RED	Polyethylene Dolly, Padded Deck	30" l x 18" w	1,000 lb	23.7 lb	76.2 cm x 45.7 cm	453.6 kg	10.8 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

TradeMaster® Mobile Cabinets and Work Centers

Easily transport tools and supplies where you need them.

- Features locking cabinet doors and 4" deep drawers for versatile tool and supply storage and organization
- Drawers feature commercial-quality, ball-bearing slides
- Metal-reinforced structural foam shelves engineered for durability
- Arrives 90% assembled



CART ACCESSORIES
See "Cart Accessories"

See it in ACTION

www.rubbermaidtrademaster.com



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG451288	BLA	TradeMaster® Cart with 2-Door Cabinet, Small	41.63" l x 18.25" w x 38.38" h	500 lb	57.1 lb	105.7 cm x 46.4 cm x 97.5 cm	226.8 kg	25.9 kg	1
FG451388	BLA	TradeMaster® Cart with 4 Drawers	40.63" l x 18.38" w x 33.38" h	500 lb	86.9 lb	103.2 cm x 46.7 cm x 84.8 cm	226.8 kg	39.4 kg	1
FG453288	BLA	TradeMaster® Cart with 2-Door Cabinet, Large	49" l x 26.25" w x 38.25" h	750 lb	83.8 lb	124.5 cm x 66.7 cm x 97.2 cm	340.2 kg	38 kg	1
FG453388	BLA	TradeMaster® Cart with 4 Drawers and Cabinet, Small	49" l x 26.25" w x 38" h	750 lb	123.0 lb	124.5 cm x 66.7 cm x 96.5 cm	340.2 kg	55.8 kg	1
FG453588	BLA	TradeMaster® Professional Contractors' Cart	52.5" l x 38.63" w x 37.88" h	500 lb	84.7 lb	133.4 cm x 98.1 cm x 96.2 cm	226.8 kg	38.4 kg	1
FG454888	BLA	TradeMaster® Cart with 4 Drawers and Cabinet, Large	58.63" l x 26.38" w x 33.25" h	750 lb	126.5 lb	148.9 cm x 67 cm x 84.5 cm	340.2 kg	57.4 kg	1

Trades Carts

Moves productivity right to the work site—a complete tool storage and mobile workbench system.

- Four compartmentalized boxes for storing assorted parts and hardware
- Fully enclosed, lockable storage compartment helps keep tools and materials secure (FG618088)
- Two storage bins hold essential hand tools and supplies
- Carts move easily over hard surfaces and through elevators and doorways
- Flat surface at user-friendly height provides convenient work area
- Nonmarking, 5" casters for easy mobility
- Optional Refuse Bin (FG335388) and Utility Bin (FG335488)



CART ACCESSORIES
See "Cart Accessories"



FG618000



FG618088



Convenient lockable cabinet.



Four compartment drawers for assorted parts.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG618000	BLA	Trades Cart with 5" (12.7 cm) Casters includes 2 parts boxes and 4 parts bins	38" l x 19.25" w x 33.38" h	180 lb top shelf, 150 lb bottom shelf	50.3 lb	96.5 cm x 48.9 cm x 84.8 cm	81.6 kg top shelf, 68 kg bottom shelf	22.8 kg	1
FG618088	BLA	Trades Cart with Locking Cabinet includes 2 parts boxes and 4 parts bins	38" l x 19.25" w x 33.38" h	180 lb top shelf, 150 lb bottom shelf	68.0 lb	96.5 cm x 48.9 cm x 84.8 cm	81.6 kg top shelf, 68 kg bottom shelf	30.8 kg	1

5-Drawer Mobile Work Center

Heavy-duty work surface supports up to 250 lbs.

- Built-in cord wrap provides neat, convenient storage of power tools and work lights
- Casters allow easy maneuverability and are lockable for safety
- Locking bar provides security and keeps drawers from sliding open during transport
- Pegboard side panels provide convenient tool organization



FG773488



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG773488	BLA	5-Drawer Mobile Work Center	32.63" l x 19.9" w x 33.5" h	250 lb	69.0 lb	82.9 cm x 50.5 cm x 85.1 cm	113.4 kg	31.3 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Ladder Cart

Provides greater mobility, enhanced access, safe ladder handling, and minimal storage requirements.

- Carries a 6' ladder through standard doorways, down halls, and into elevators
- Commercial-grade hybrid construction of powder-coated steel and structural foam holds up to 500 lbs
- Tall profile for a more comfortable work height
- Easily adaptable to work site requirements, including long-item storage, tool holders, and locking cabinets




See it in ACTION
www.rubbermaidladdercart.com




FASTENER CADDY
Empty caddy can be flipped over to create a level work surface.



LOCKING STRAP
Secure ladders with a simple snap.




TOOL HOLDER
Keeps small tools handy.



CONDUIT/PIPE HOLDER
Molded handle holds pipe or conduit for clamping and trimming.

DURABLE STRUCTURAL FOAM CONSTRUCTION



PERFORATED DOOR AND SIDE PANELS
Accommodate 1/4" tool hooks on 1" centers.



CONVERTIBLE TO TRANSPORT/CHANGE FLUORESCENT LIGHTBULBS

STANDARD 5" LOCKING CASTERS
Can be fitted with FG459200 Pneumatic Casters (sold separately).



FG9T5700
Ladder Cart



FG9T5800
Ladder Cart with Cabinet

COMPACT AND MANEUVERABLE

Small footprint with unique recessed central ladder storage improves cornering and stability. The 42" working height means less bending down and easier handling. Efficient size for closet storage.



Smaller Turning Radius

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T5700	BLA	Ladder Cart	31.5" l x 27" w x 42" h	500 lb	69.0 lb	80 cm x 68.6 cm x 106.7 cm	226.8 kg	31.3 kg	1
FG9T5800	BLA	Ladder Cart with Cabinet	31.5" l x 27" w x 42" h	500 lb	99.0 lb	80 cm x 68.6 cm x 106.7 cm	226.8 kg	44.9 kg	1
FG459200	0000	8" (20.3 cm) Pneumatic Caster Kit	56.88" l x 19.2" w x 33.3" h	N/A	25.6 lb	144.5 cm x 48.8 cm x 84.6 cm	N/A	11.6 kg	1

Heavy-Duty Utility Carts

Transport materials, supplies, and heavy loads securely in almost any environment.



- Available in pocket-shelf or flat-shelf models
- Variable grip-height handle improves control and worker safety
- Executive Series™ version features Quiet Casters

Pocket-shelf models feature:

- Integrated V-notch to hold pipe and conduit securely for safe cutting
- Deep pocket shelves to keep loads secure

Flat-shelf models feature:

- Large, flat top shelf for oversize loads and smarter work surface
- Lower pocket shelf to keep loads secure




STAY ORGANIZED
Easy-reach tool/accessory hooks provide additional storage.



WORK MORE EFFICIENTLY
Built-in tool holster and caddy keep items at hand and in place during transport.



CUSTOMIZABLE
Molded-in fittings allow you to add pipe or rods to hold wire spools and other roll-type goods.



BUILT-IN PRODUCTIVITY
V-notch holds pipe securely for safe cutting.

MANEUVER SAFELY
Variable grip-height handle improves control and worker safety.

LARGE WORK SURFACE
Flat top shelf for oversized loads and smarter work surface.

KEEP LOADS SECURE
Deep pocket shelves keep contents in place.

WORK MORE EFFICIENTLY
Built-in tool holster and caddy keep items at hand and in place during transport.

CUSTOMIZABLE
Molded-in fittings allow you to add pipe or rods to hold supplies and roll goods.

CASTER OPTIONS ARE AVAILABLE ON MEDIUM AND LARGE CARTS



Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



TPR casters absorb shock and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

CART SIZES:

- 17 1/8" X 38 1/2"
- 25 1/4" X 44"
- 25 1/4" X 54"

CAPACITY RANGE (lbs)
500-750

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.



New!

LIPPED-SHELF CARTS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG450088	BLA, BEIG	Utility Cart	39" l x 17.88" w x 33.25" h	500 lb	30.8 lb	99.1 cm x 45.4 cm x 84.5 cm	226.8 kg	14 kg	5" TPR	1
FG452088	BLA, BEIG	Utility Cart	44" l x 25.25" w x 39" h	500 lb	42.8 lb	111.8 cm x 64.1 cm x 99.1 cm	226.8 kg	19.4 kg	5" TPR	1
1867535	BLACK	Executive Series™ Utility Cart w/ 5" Quiet Casters	36" l x 24" w x 32.25" h	500 lb	42.8 lb	91.4 cm x 61 cm x 81.9 cm	226.8 kg	19.4 kg	5" Quiet	1
FG452010	BLA, BEIG	HD 2-Shelf Utility Cart w/ Lipped Shelf (Med) with Pneumatic Casters	45.25" l x 25.88" w x 37.12" h	500 lb	63.0 lb	114.9 cm x 65.7 cm x 94.3 cm	226.8 kg	28.6 kg	8" Pneumatic	1
FG454600	BLA, BEIG	HD 2-Shelf Utility Cart w/ Lipped Shelf (Large)	55" l x 26" w x 33.25" h	750 lb	52.4 lb	139.7 cm x 66 cm x 84.5 cm	340.2 kg	23.8 kg	5" TPR	1
FG454610	BLA, BEIG	HD 2-Shelf Utility Cart w/ Lipped Shelf (Large) with Pneumatic Casters	55" l x 26" w x 33.25" h	750 lb	71.0 lb	139.7 cm x 66 cm x 84.5 cm	340.2 kg	32.2 kg	8" Pneumatic	1
FG450089	BLA, BEIG	Utility Cart	39" l x 17.88" w x 33.25" h	500 lb	31.1 lb	99.1 cm x 45.4 cm x 84.5 cm	226.8 kg	14.1 kg	5" TPR	1
FG452089	BLA, BEIG	Utility Cart	45.25" l x 25.88" w x 33.25" h	500 lb	44.7 lb	114.9 cm x 65.7 cm x 84.5 cm	226.8 kg	20.3 kg	5" TPR	1
FG9T6600*	BLA	2 Shelf Utility Cart, 5" Casters	40.25" l x 25.63" w x 32.5" h	500 lb	30.8 lb	102.2 cm x 65.1 x 99.1 cm	226.8 kg	14.0 kg	5" (12.7 cm)	12
FG9T6700*	BLA	2 Shelf Utility Cart, 5" Casters	34.25" l x 17.375" w x 31.5" h	500 lb	42.8 lb	80 cm x 68.6 cm x 106.7 cm	226.8 kg	19.4 kg	5" (12.7 cm)	10

*Pallet Pack

FLAT-SHELF CARTS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG450500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Small)	37.88" l x 19.2" w x 33.3" h	500 lb	29.5 lb	96.2 cm x 48.8 cm x 84.6 cm	226.8 kg	13.4 kg	5" TPR	1
FG452500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Med)	43.88" l x 25.88" w x 33.3" h	500 lb	41.0 lb	111.5 cm x 65.7 cm x 84.6 cm	226.8 kg	18.6 kg	5" TPR	1
FG454500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Large)	54" l x 25.25" w x 36" h	750 lb	52.4 lb	137.2 cm x 64.1 cm x 91.4 cm	340.2 kg	23.8 kg	5" TPR	1
FG450589	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Small)	37.88" l x 19.2" w x 33.3" h	500 lb	29.5 lb	96.2 cm x 48.8 cm x 84.6 cm	226.8 kg	13.4 kg	5" TPR	1
FG452589	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Med)	43.88" l x 25.88" w x 33.3" h	500 lb	41.0 lb	111.5 cm x 65.7 cm x 84.6 cm	226.8 kg	18.6 kg	5" TPR	1

ACCESSORIZE AND CUSTOMIZE FOR YOUR NEEDS



FG459000 3-OUTLET POWER STRIP



FG335388 8-GALLON REFUSE BIN



FG459300 SINGLE FULL EXTENSION DRAWER (see Cart Accessories)

Convertible Utility Cart

Converts from a utility cart to a platform truck in just seconds.

- Innovative design
- Multifunctional productivity with improved worker well-being—saving you time and money



PUSH BUTTONS

Depress buttons to easily convert from utility cart to platform truck.



LOCKING CASTERS

Rear wheel locks keep cart safely in place while loading and unloading.



FOOT PEDAL

Depress foot pedal to fold cart for storage.



RECESSED TOP
Helps retain items on shelf during transport.

NARROW PROFILE
Easily navigate through doorways and hallways.

ERGONOMIC HANDLE
Designed for comfort.

EXTENDED DECK
Makes loading the lower shelf easier.

CASTERS (2 FIXED, 2 SWIVEL)
Four 5" nonmarking (two rear locking) casters help cart move easily, even through tight spaces.

QUICK CONVERSION

Easily converts from a utility cart to a platform truck and then folds flat for storage.

FOLDS FROM 34 3/8" TO 10 7/8" FOR EASY STORAGE



UTILITY CART



PLATFORM TRUCK



34 3/8" High

10 7/8" High

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG430000	BLA	Convertible Utility Cart	45.2" l x 23.8" w x 34.4" h (Utility)	400 lb	52.0 lb	115 cm x 60.5 cm x 87.4 cm (Utility)	181 kg	23.6 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Executive Service Cart

The Executive Service Cart is an elegant and versatile solution for back- and front-of-house tasks. With 20% more top-shelf capacity, it's constructed of durable, recyclable polyethylene and it's easy to clean—keeping your business looking smart for years.



ERGONOMIC ROUNDED HANDLES

Improves maneuverability and comfort.

WRAPAROUND END PANELS

Conceals cart contents.

SOLID ROUNDED BUMPER

Gentle on walls and furniture.



300-LB LOAD CAPACITY

Holds 100 lbs per shelf.



FG9T6800



FG9T6800

ATTRACTIVE STYLING

Ideal for front-of-house use.



INCREASED CAPACITY

Accommodates two standard bus boxes on top shelf.

No.	Color	Description	Dimensions	US Capacity	US Ship Wt.	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
New! ES FG9T6800	BLA, PLAT	Executive Service Cart	39" l x 21" w x 38" h	300 lbs	31.5 lb	99.1 cm x 53.3 cm x 96.5 cm	136 kg	14.3 kg	1

ACCESSORIES

No.	Color	Description	Dimensions	US Capacity	US Ship Wt.	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG335388	BLA	Refuse Bin	12" l x 17" w x 22" h	8 gal	9.0 lb	30.5 cm x 43.2 cm x 55.9 cm	30.3 L	4.1 kg	2
FG335488	BLA	Utility Bin	12.13" l x 17" w x 10.5" h	4 gal	5.4 lb	30.8 cm x 43.2 cm x 26.7 cm	15.1 L	2.4 kg	2
FG334900*	WHT, GRAY	Bus/Utility Box	20" l x 15" w x 5" h	4.625 gal	20.6 lb	50.8 cm x 38.1 cm x 12.7 cm	17.5 L	9.3 kg	12

*Certified to NSF Standard #2 for food contact.


Service Carts

Versatile, durable carts perform a wide variety of tasks.

- Molded shelves won't rust, dent, or require painting
- Plastic construction is easy to clean and minimizes noise
- Convenient handles and compact size enhance maneuverability
- Assists in complying with HACCP guidelines
- Nonmarking swivel casters reduce touch-up cleaning



FG345700 Utility Cart includes lockable doors and sliding drawer.



FG342488

Stylish utility cart with metal uprights and large 4" casters holds up to 200 lb (90.7 kg).



FG9T6571



FG342100



FG345700



FG335588

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T6571 ^a	BEIG	Utility Cart with 3" dia (7.6 cm) Swivel Casters	31.5" l x 16.25" w x 36" h	100 lb	212.0 lb	80 cm x 41.3 cm x 91.4 cm	45.3 kg	96.2 kg	6
FG342100	PLAT, BLA	Utility Cart with 3" dia (7.6 cm) Swivel Casters and End Panels	33.63" l x 18.63" w x 36.63" h	150 lb	34.0 lb	85.4 cm x 47.3 cm x 93 cm	68.0 kg	15.4 kg	1
FG342488	RED, PLAT, OWHT, BLA	Utility Cart with 4" dia (10.2 cm) Swivel Casters	33.63" l x 18.63" w x 37.75" h	200 lb	30.0 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	13.6 kg	1
FG345700	BLA	Utility Cart with Lockable Doors, Sliding Drawer, and 4" dia (10.2 cm) Swivel Casters	33.63" l x 18.63" w x 37.75" h	200 lb	44.8 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	20.3 kg	1
FG335588	PLAT	Utility Cart with Enclosed End Panels	31" l x 18" w x 37.5" h	300 lb	37.5 lb	78.7 cm x 45.7 cm x 95.3 cm	136.1 kg	17.0 kg	1

^aPallet Pack

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Xtra™ Carts

Durable and attractive carts storage and transportation for front- and back-of-house applications.

- Metal uprights and molded shelves engineered for durability and appearance
- Nonmarking 4" swivel casters
- Wide shelves hold a variety of equipment and supplies, up to 300 lbs
- Available with locking doors and enclosure panels
- Accessories include refuse and utility bins (see page 229)



CART ACCESSORIES
See "Cart Accessories"



FG409400



Medical Solutions

Check out
RubbermaidMedical.com
for other healthcare carts!



FG409100

Antistatic design for use with sensitive electronics.



FG409200



FG409300



FG409400



FG409500



FG409600

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG409100	OWHT, GRAY, BLA	Utility Cart, Open-Sided	40.63" l x 20" w x 37.8" h	300 lb	43.4 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	19.7 kg	1
FG409200	OWHT	Utility Cart with Enclosed End Panels on 2 Sides	40.63" l x 20" w x 37.8" h	300 lb	45.8 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	20.8 kg	1
FG409300	OWHT, BLA	Utility Cart with Enclosed End Panels on 3 Sides	40.63" l x 20" w x 37.8" h	300 lb	51.6 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	23.4 kg	1
FG409400	GRAY	Instrument Cart with Lockable Doors and Sliding Drawers	40.63" l x 20" w x 37.8" h	300 lb	52.0 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	23.6 kg	1
FG409500	BLA	Equipment Cart	40.63" l x 20.75" w x 37.8" h	300 lb	58.5 lb	103.2 cm x 52.7 cm x 96 cm	136.1 kg	26.5 kg	1
FG409600	BLA	4-Shelf Cart, Open-Sided	40.63" l x 20" w x 51" h	300 lb	52.0 lb	103.2 cm x 50.8 cm x 129.5 cm	136.1 kg	23.6 kg	1

Shelving Systems

Store, organize, and transport in style with these durable and attractive shelving units.



- Stationary shelves feature molded feet for added stability
- Mobile shelf trucks come with 4" swivel nonmarking casters (two with brakes)
- Units are available with four, five, or six shelves and a variety of heights up to 72"
- Cabinet Kit with locking doors is available for several models
- Shelves feature metal uprights and steel-reinforced molded shelves



FG9T3600



FG9T3700



FG9T4300

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T3600	BLA	Shelving, 4-Shelf Unit	35.13" l x 20" w x 45.88" h	800 lb	53.7 lb	89.2 cm x 50.8 cm x 116.5 cm	362.9 kg	24.4 kg	1
FG9T3700	BLA	Shelving, 5-Shelf Unit	35.13" l x 20" w x 60" h	800 lb	66.8 lb	89.2 cm x 50.8 cm x 152.4 cm	362.9 kg	30.3 kg	1
FG9T3800	BLA	Shelving, 4-Shelf Unit	35.13" l x 20" w x 71.38" h	800 lb	58.7 lb	89.2 cm x 50.8 cm x 181.3 cm	362.9 kg	26.6 kg	1
FG9T3900	BLA	Shelving, 5-Shelf Unit	35.13" l x 20" w x 71.38" h	800 lb	69.1 lb	89.2 cm x 50.8 cm x 181.3 cm	362.9 kg	31.3 kg	1
FG9T4000	BLA	Shelving, 6-Shelf Unit	35.13" l x 20" w x 72.75" h	800 lb	80.8 lb	89.2 cm x 50.8 cm x 184.8 cm	362.9 kg	36.7 kg	1
FG9T4200	BLA	Mobile Shelf Truck, 5-Shelf Mobile Truck with 5" dia (12.7 cm) Casters, 2 with Locks	35.13" l x 20" w x 62.38" h	800 lb	67.0 lb	89.2 cm x 50.8 cm x 158.4 cm	362.9 kg	30.4 kg	1
FG9T4300	BLA	Mobile Shelf Truck, 4-Shelf Mobile Truck with 5" dia (12.7 cm) Casters, 2 with Locks	35.13" l x 20" w x 72.13" h	800 lb	59.2 lb	89.2 cm x 50.8 cm x 183.2 cm	362.9 kg	26.9 kg	1

Media Master® Audio-Visual Carts

Audio-Visual carts in a variety of sizes and configurations to handle any presentation need.



- Available in 33", 42", and 48" heights
- Cord wrap helps organize wires and cords
- User-friendly handle and four swivel casters for easy maneuverability
- Built-in, 3-outlet, surge-suppressing power strip (UL/CSA listed) with 10-ft cord
- Durable and attractive molded shelves and metal uprights
- Optional locking cabinet sliding drawer provides extra security



FG9T3300



FG9T2800



FG9T2900

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Max TV Size	Pack
FG9T2800*	BLA	Audio-Visual Cart, Open Cart with 3 Shelves, 3" dia (7.6 cm) Casters	32.5" l x 18.63" w x 32.13" h	150 lb	30.1 lb	82.6 cm x 47.3 cm x 81.6 cm	68 kg	13.7 kg	24" diagonal 61 cm diagonal	1
FG9T2900*	BLA	Audio-Visual Cart, 3 Shelves with Cabinet, 3" dia (7.6 cm) Casters	32.5" l x 18.63" w x 32.13" h	150 lb	35.9 lb	82.6 cm x 47.3 cm x 81.6 cm	68 kg	16.3 kg	24" diagonal 61 cm diagonal	1
FG9T3000*	BLA	Audio-Visual Cart, Open Cart with 3 Shelves, 4" dia (10.2 cm) Casters	32.5" l x 18.63" w x 42.38" h	200 lb	30.9 lb	82.6 cm x 47.3 cm x 107.6 cm	90.7 kg	14 kg	24" diagonal 61 cm diagonal	1
FG9T3200*	BLA	Audio-Visual Cart, 3 Shelves with Cabinet, 4" dia (10.2 cm) Casters	32.5" l x 18.63" w x 42.38" h	200 lb	36.9 lb	82.6 cm x 47.3 cm x 107.6 cm	90.7 kg	16.7 kg	24" diagonal 61 cm diagonal	1
FG9T3300*	BLA	Audio-Visual Cart, Open Cart with 3 Shelves, 4" dia (10.2 cm) Casters	36.5" l x 20" w x 48.13" h	300 lb	42.6 lb	92.7 cm x 50.8 cm x 122.3 cm	136.1 kg	19.3 kg	32" diagonal 81.3 cm diagonal	1
FG9T3400*	BLA	Audio-Visual Cart, 3 Shelves with Cabinet, 4" dia (10.2 cm) Casters	36.5" l x 20" w x 48" h	300 lb	51.1 lb	92.7 cm x 50.8 cm x 121.9 cm	136.1 kg	23.2 kg	32" diagonal 81.3 cm diagonal	1
FG9T3500*	BLA	Audio-Visual Cart, 4 Shelves with Cabinet, 4" dia (10.2 cm) Casters	36.5" l x 20" w x 48" h	300 lb	61.7 lb	92.7 cm x 50.8 cm x 121.9 cm	136.1 kg	28 kg	32" diagonal 81.3 cm diagonal	1

*UL/CSA-listed.

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Cart Accessories



Cart No.	FG335388 8-Gal (30.3 L) Refuse Bin Ship Weight: 9 lb/4.1 kg Pack: 2 Color: B/LA U.S. List Price: 98.20 ea	FG335488 4-Gal (15.5 L) Utility Bin Ship Weight: 5.4 lb/2.4 kg Pack: 2 Color: B/LA U.S. List Price: 46.80 ea	FG459000 3-Outlet, Surge-Protected Power Strip with 10' Cord Color: B/LA Ship Weight: 3.4 lb/1.5 kg Pack: 1 U.S. List Price: 67.80 ea	FG459100 Hook Kit (Set of 4) Ship Weight: 3.3 lb/1.5 kg Pack: 1 Color: B/LA U.S. List Price: 61.40 ea	FG459200 8" Pneumatic Caster Kit Ship Weight: 25.6 lb/11.6 kg Pack: 1 Color: 0000 U.S. List Price: 414.00 ea	FG459300 Single Full-Extension Drawer Ship Weight: 13.5 lb/6.1 kg Pack: 1 Color: RED U.S. List Price: 119.50 ea	FG61900 Utility Sliding Drawer Ship Weight: 4.5 lb/2 kg Pack: 1 Color: BRN, B/LA U.S. List Price: 87.80 ea
FG335588	✓	✓					
FG342100	✓	✓					
FG342488	✓	✓					
FG345700							
FG409100	✓	✓					✓
FG409200	✓	✓					✓
FG409300	✓	✓					✓
FG409400	✓	✓					✓
FG409500	✓	✓					✓
FG409600	✓	✓					✓
FG450088	✓	✓	✓	✓	✓		
FG451288	✓	✓	✓	✓	✓		
FG451388	✓	✓	✓	✓	✓		
FG452010	✓	✓	✓	✓	✓		
FG452088	✓	✓	✓	✓	✓	✓	
FG453288	✓	✓	✓	✓	✓		
FG453388	✓	✓	✓	✓	✓		
FG454600	✓	✓	✓	✓	✓	✓	
FG454610	✓	✓	✓	✓	✓	✓	
FG454888	✓	✓	✓	✓	✓		
FG9T2800							
FG9T2900							
FG9T3000							
FG9T3200							
FG9T3300							✓
FG9T3400							✓
FG9T3500							✓
FG9T6600			✓	✓	✓		
FG9T6700			✓	✓	✓		
FG9T6800	✓	✓					



Specifically designed for controlled dumping by one person.



Versatile solutions for any environment.



Rugged construction combined with ergonomic design to get the job done.



Durable construction and large capacities to handle big loads.

WHY STRUCTURAL FOAM?

STRENGTH

Superior strength without the need for a metal frame.

DURABILITY

Seamless structures won't leak, rust, chip, dent, or peel, even under the heaviest use.

EFFICIENCY

Lighter weight means easier to operate.
Structural foam construction minimizes maintenance.



WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Structural Foam Tilt Trucks

Durable molded trucks handle heavy loads with ease.

- Durability of modern structural foam technology
- Ergonomic "steering wheel" handle for better handling
- Nonmarking casters (FG101100, FG9T1300, FG9T1500 only)
- Frameless design supports USDA Meat and Poultry Equipment Compliance
- Unibody design promotes a more discreet appearance in public areas
- Fits through standard commercial doorways and onto elevators easily
- Optional hinged domed lid available
- Available in 1/2, 3/4, and 1 cu yd sizes
- Capacities up to 2,100 lbs



FG9T1600



The ergonomically designed "steering wheel" handle provides excellent handling and maneuvering.



Inset wheel position prevents damage to surroundings.

FG9T2200 Lid



1/2 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T1300	BLA	Structural Foam Tilt Truck, Utility-Duty	57.38" l x 26.88" w x 33.88" h	1/2 cu yd	450 lb	86.9 lb	145.7 cm x 68.3 cm x 86.1 cm	0.4 m ³	204.1 kg	39.4 kg	1
FG9T1400	BLA	Structural Foam Tilt Truck, Standard-Duty	57.38" l x 26.88" w x 33.88" h	1/2 cu yd	850 lb	95.9 lb	145.7 cm x 68.3 cm x 86.1 cm	0.4 m ³	385.6 kg	43.5 kg	1
FG9T2200	BLA	Lid for 1/2 Cubic Yard Tilt Trucks	52" l x 27.88" w x 9" h	N/A	N/A	25.3 lb	132.1 cm x 70.8 cm x 22.9 cm	N/A	N/A	11.5 kg	1

3/4 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG101100	BLA	Structural Foam Tilt Truck, Utility-Duty	64.5" l x 30.25" w x 38" h	3/4 cu yd	600 lb	92.0 lb	163.8 cm x 76.8 cm x 96.5 cm	.6 m ³	272.1 kg	41.7 kg	1
FG101300	BLA	Structural Foam Tilt Truck, Standard-Duty	64.5" l x 30.25" w x 38" h	3/4 cu yd	1,000 lb	101.0 lb	163.8 cm x 76.8 cm x 96.5 cm	.6 m ³	453.6 kg	45.8 kg	1
FG102800	BLA	Domed Lid for 3/4 Cubic Yard Tilt Trucks	61" l x 31.75" w x 8.75" h	N/A	N/A	24.8 lb	154.9 cm x 80.6 cm x 22.2 cm	N/A	N/A	11.2 kg	1

1 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T1500	BLA	Structural Foam Tilt Truck, Standard-Duty	70.75" l x 33.5" w x 42.25" h	1 cu yd	1,250 lb	139.1 lb	179.7 cm x 85.1 cm x 107.3 cm	.8 m ³	566.9 kg	63.1 kg	1
FG9T1600	BLA	Structural Foam Tilt Truck, Heavy-Duty	70.75" l x 33.5" w x 42.25" h	1 cu yd	2,100 lb	141.1 lb	179.7 cm x 85.1 cm x 107.3 cm	.8 m ³	952.5 kg	64 kg	1
FG9T2300	BLA	Lid for 1 Cubic Yard Tilt Trucks	66.88" l x 34.5" w x 9" h	N/A	N/A	36.6 lb	169.9 cm x 87.6 cm x 22.9 cm	N/A	N/A	16.6 kg	1

Rotomolded Tilt Trucks

- Manufactured with traditional rotational molding technology
 - Easy to handle and maneuver
- Forkliftable model fully compatible with forklifts and many automated lifters
Towable/Trainable models with pneumatic wheels for smooth movement over a variety of surfaces (5 mph maximum)
USDA, FDA-compliant materials
Recycling tilt truck comes standard with a permanent hot stamp of the universal recycle symbol
Inset wheels on ½ and 1 cu yd models protect walls, fixtures, and patrons
Smooth surface is easy to clean and resists pitting and corroding
Optional hinged domed lid available on most models
Available in ½, 1, 1½, 2 and 2½ cu yd sizes
Capacities up to 2,300 lbs



FG130573

AVAILABLE IN SIZES FROM ½ TO 2½ CUBIC YARDS.



FG130500

FG131400

FG102600

FG103500

FG104500

½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T1700	BLA	Tilt Truck (RM)	56.75" l x 28" w x 38.63" h	½ cu yd	300 lb	138.5 lb	144.1 cm x 71.1 cm x 98.1 cm	0.4 m ³	136.1 kg	62.8 kg	3
FG130400	BLA	Tilt Truck, Utility-Duty (RM)	56.75" l x 28" w x 38.63" h	½ cu yd	450 lb	62.5 lb	144.1 cm x 71.1 cm x 98.1 cm	0.4 m ³	204.1 kg	28.3 kg	1
FG130500	YEL, RED, DBLUE, BLA	Tilt Truck, Standard-Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	77.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m ³	385.6 kg	34.9 kg	1
FG130573	BLUE	Recycling Tilt Truck, Standard-Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	77.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m ³	385.6 kg	34.9 kg	1
FG130600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	1,400 lb	88.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m ³	635 kg	39.9 kg	1
FG130700 ^a	BLA	Lid for ½ Cubic Yard Tilt Trucks	56.5" l x 28.5" w x 9" h	N/A	N/A	22.3 lb	143.5 cm x 72.4 cm x 22.9 cm	N/A	N/A	10.1 kg	1

1 CUBIC YARD TILT TRUCKS

FG9T1800	BLA	Tilt Truck	72.25" l x 33.5" w x 43.75" h	1 cu yd	600 lb	259.5 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m ³	272.1 kg	117.7 kg	3
FG131400	BLA	Tilt Truck, Utility-Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	850 lb	111.0 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m ³	385.6 kg	50.3 kg	1
FG131500	YEL, RED, DBLUE, BLA	Tilt Truck, Standard-Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	1,250 lb	111.0 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m ³	567.0 kg	50.3 kg	1
FG131600	BLA	Tilt Truck, Heavy-Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	2,100 lb	120.0 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m ³	952.5 kg	54.4 kg	1
FG131700 ^a	BLA	Lid for 1 Cubic Yard Tilt Trucks	69.5" l x 34" w x 8.5" h	N/A	N/A	24.0 lb	176.5 cm x 86.4 cm x 21.6 cm	N/A	N/A	10.9 kg	1

1½ CUBIC YARD TILT TRUCKS

FG102500 ^a	BLA	Tilt Truck, Standard-Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	1,200 lb	212.0 lb	204.5 cm x 109.2 cm x 125.7 cm	1.1 m ³	544.3 kg	96.2 kg	1
FG102600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	2,100 lb	213.0 lb	204.5 cm x 109.2 cm x 125.7 cm	1.1 m ³	952.5 kg	96.6 kg	1
FG102700	BLA	Lid for 1½ Cubic Yard Tilt Trucks	82.9" l x 44.5" w x 3" h	N/A	N/A	32.8 lb	210.5 cm x 113 cm x 7.6 cm	N/A	N/A	11.5 kg	1

2 CUBIC YARD TILT TRUCKS

FG103500 ^a	BLA	Tilt Truck, Standard-Duty (RM)	81.25" l x 46.75" w x 50" h	2 cu yd	1,900 lb	215.0 lb	206.4 cm x 118.7 cm x 127 cm	1.5 m ³	861.8 kg	97.5 kg	1
FG103600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	81.25" l x 46.75" w x 50" h	2 cu yd	2,300 lb	238.5 lb	206.4 cm x 118.7 cm x 127 cm	1.5 m ³	1043.3 kg	108.2 kg	1

2½ CUBIC YARD TILT TRUCKS

FG104500 ^a	BLA	Tilt Truck, Standard-Duty (RM)	81.5" l x 55.5" w x 50" h	2½ cu yd	1,900 lb	233.5 lb	207 cm x 141 cm x 127 cm	1.9 m ³	861.8 kg	105.9 kg	1
FG104600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	81.5" l x 55.5" w x 50" h	2½ cu yd	2,300 lb	231.4 lb	207 cm x 141 cm x 127 cm	1.9 m ³	1043.3 kg	105.0 kg	1

^aRequires up to 3 weeks lead time and is not returnable.

^aCustom colors available; contact Rubbermaid Customer Service for details.

*Pneumatic Wheels RM = Rotational Molded

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Heavy-Duty Tilt Trucks

Towable and trainable tilt trucks for heavy-duty use:

- Heavy-duty tow bar, hitch, and frame for multiple truck towing and training up to 5 mph
- Pneumatic wheels provide smooth movement over rough terrain
- Available in ½, 1, and 1½ cu yd sizes

Forkliftable tilt trucks:

- Heavy-duty welded fork pockets allow easy transportation by forklift
- Suitable for a variety of work environments
- Available in ½, 1, and 1½ cu yd sizes



FG131641
Towable/
Trainable
Tilt Truck



FG131542
Forkliftable
Tilt Truck



½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG130641*	BLA	Towable Trainable Tilt Truck, Heavy-Duty (RM)	64" l x 29" w x 40" h	½ cu yd	1,400 lb	92.2 lb	162.6 cm x 73.7 cm x 101.6 cm	0.4 m³	635.0 kg	41.8 kg	1
FG130542	BLA	Forkliftable Tilt Truck, Standard-Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	77.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m³	385.6 kg	34.9 kg	1

1 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG131641*	BLA	Towable Trainable Tilt Truck, Heavy-Duty (RM)	72.5" l x 33.5" w x 42.25" h	1 cu yd	2,100 lb	178.0 lb	184.2 cm x 85.1 cm x 107.3 cm	0.8 m³	952.6 kg	80.7 kg	1
FG131542	BLA	Forkliftable Tilt Truck, Standard-Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	1,250 lb	124.0 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m³	567.0 kg	56.2 kg	1

1½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG102641*	BLA	Towable Trainable Tilt Truck, Heavy-Duty (RM)	91.25" l x 45" w x 51.75" h	1½ cu yd	2,100 lb	243.8 lb	231.8 cm x 114.3 cm x 131.4 cm	1.1 m³	952.5 kg	110.6 kg	1
FG102542*	BLA	Forkliftable Tilt Truck, Standard-Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	1,200 lb	212.0 lb	204.5 cm x 109.2 cm x 125.7 cm	1.1 m³	544.3 kg	96.2 kg	1

*Requires 3-week lead time and is not returnable.

*Pneumatic Wheels RM = Rotational Molded

Heavy-Duty Tilt Truck Lids

Domed, hinged lids provide convenient access to contents without reducing overall capacity.



FG102700

HEAVY-DUTY TILT TRUCK LIDS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG130700	BLA	Lid for ½ Cubic Yard Tilt Trucks	56.5" l x 28.5" w x 9" h	N/A	N/A	22.3 lb	143.5 cm x 72.4 cm x 22.9 cm	N/A	N/A	10.1 kg	1
FG131700	BLA	Lid for 1 Cubic Yard Tilt Trucks	69.5" l x 34" w x 8.5" h	N/A	N/A	24.0 lb	176.5 cm x 86.4 cm x 21.6 cm	N/A	N/A	10.9 kg	1
FG102700	BLA	Lid for 1½ Cubic Yard Tilt Trucks	82.88" l x 44.5" w x 3" h	N/A	N/A	32.8 lb	210.5 cm x 113 cm x 7.6 cm	N/A	N/A	14.9 kg	1

Self-Dumping Hoppers

Large-capacity hoppers store and dump heavy loads with ease.

- Forklift-compatible for elevated dumping
- Tilts a full 30° below horizontal to ensure complete dumping
- Pull-release safety latch prohibits premature dumping
- Rugged, functional plastic body positioned on heavy-duty metal frame
- Resists rusting, denting, and pitting that can affect metal hoppers
- Mobile models use four 6" polyolefin casters
- Optional lid available for FG106400 and FG106443 models



FG106400



FG105443

½ CUBIC YARD HOPPERS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG105400	BLA	Self-Dumping Hopper	55" l x 26.25" w x 40" h	½ cu yd	750 lb	194.0 lb	139.7 cm x 66.7 cm x 101.6 cm	.4 m ³	340.2 kg	88 kg	1
FG105443	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	55" l x 26.25" w x 47.63" h	½ cu yd	750 lb	212.0 lb	139.7 cm x 66.7 cm x 121 cm	.4 m ³	340.2 kg	96.2 kg	1
FG130700	BLA	Lid for ½ Cubic Yard Hoppers	56.5" l x 28.5" w x 9" h	N/A	N/A	22.3 lb	143.5 cm x 72.4 cm x 22.9 cm	N/A	N/A	10.1 kg	1

1 CUBIC YARD HOPPERS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG105900	BLA	Self-Dumping Hopper	71.5" l x 31.25" w x 44.88" h	1 cu yd	1,000 lb	230.0 lb	181.6 cm x 79.4 cm x 114 cm	.8 m ³	453.6 kg	104.3 kg	1
FG105943	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	71.5" l x 31.25" w x 52.5" h	1 cu yd	1,000 lb	247.0 lb	181.6 cm x 79.4 cm x 133.4 cm	.8 m ³	453.6 kg	112 kg	1
FG131700	BLA	Lid for 1 Cubic Yard Hoppers	69.5" l x 34" w x 8.5" h	N/A	N/A	24.0 lb	176.5 cm x 86.4 cm x 21.6 cm	N/A	N/A	10.9 kg	1

1½ CUBIC YARD HOPPERS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG106400 ^a	BLA	Self-Dumping Hopper	83.63" l x 42.88" w x 49.13" h	1½ cu yd	1,000 lb	307.0 lb	212.4 cm x 108.9 cm x 124.8 cm	1.1 m ³	453.6 kg	139.3 kg	1
FG106443 ^a	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	83.63" l x 42.88" w x 56.25" h	1½ cu yd	1,000 lb	360.5 lb	212.4 cm x 108.9 cm x 142.9 cm	1.1 m ³	453.6 kg	163.5 kg	1
FG102700	BLA	Lid for 1½ Cubic Yard Hoppers	82.88" l x 44.5" w x 3" h	N/A	N/A	32.8 lb	210.5 cm x 113 cm x 7.6 cm	N/A	N/A	14.9 kg	1

2 CUBIC YARD HOPPERS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG106900 ^a	BLA	Self-Dumping Hopper	83.88" l x 46" w x 49.5" h	2 cu yd	1,000 lb	303.2 lb	213.1 cm x 116.8 cm x 125.7 cm	1.5 m ³	453.6 kg	137.5 kg	1
FG106943 ^a	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	83.88" l x 46" w x 57.63" h	2 cu yd	1,000 lb	353.0 lb	213.1 cm x 116.8 cm x 146.4 cm	1.5 m ³	453.6 kg	160.1 kg	1

2½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG107400 ^a	BLA	Self-Dumping Hopper	83.5" l x 55" w x 49.5" h	2½ cu yd	1,000 lb	304.5 lb	212.1 cm x 139.7 cm x 125.7 cm	1.9 m ³	453.6 kg	138.1 kg	1
FG107443 ^a	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	83.5" l x 55" w x 56.63" h	2½ cu yd	1,000 lb	376.0 lb	212.1 cm x 139.7 cm x 143.8 cm	1.9 m ³	453.6 kg	170.5 kg	1

^aCustom colors available; contact Rubbermaid Customer Service for details.

^aRequires 3 weeks lead time and are non-returnable.

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Cube Trucks

A complete line of trucks for waste collection, material transport, and laundry handling, with the durability of Rotational Molding technology.

- Diamond caster pattern provides superior maneuverability
- Towable trainable model offers corner casters
- Assists in complying with HACCP guidelines
- Spring platform option elevates contents for easier loading and unloading
- Heavy-duty utility models include metal body support band
- Optional hinged domed lid available



8 CUBIC FOOT (6.4 BUSHEL)

No.	Color	Description	U.S. Dimensions	U.S. Bushel (BU)	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG460800	WHT, DBLUE, BLA, YEL, RED	Cube Truck	38" l x 26" w x 28.13" h	6.4	8 cu ft	300 lb	36.0 lb	96.5 cm x 66 cm x 71.5 cm	.2 m ³	136.1 kg	16.3 kg	1
FG470800	BLA	Utility Truck, Heavy-Duty with 4" dia (10.2 cm) Casters	38.38" l x 26" w x 28.25" h	6.4	8 cu ft	700 lb	48.0 lb	97.5 cm x 66 cm x 71.8 cm	.2 m ³	317.5 kg	21.8 kg	1
FG460900 ^a	BLA	Lid for 8 ft. ³ Cube Trucks	38.38" l x 25.75" w x 8.5" h				13.5 lb	97.5 cm x 65.4 cm x 21.6 cm			6.1 kg	1

12 CUBIC FOOT (9.6 BUSHEL)

FG461200	WHT, DBLUE, YEL, RED, BLA	Cube Truck	42.75" l x 28" w x 33" h	9.6	12 cu ft	400 lb	40.0 lb	108.6 cm x 71.1 cm x 83.8 cm	.3 m ³	181.4 kg	18.1 kg	1
FG471200	BLA	Utility Truck, Heavy-Duty with 4" dia (10.2 cm) Casters	43.25" l x 28" w x 33.88" h	9.6	12 cu ft	800 lb	62.3 lb	109.9 cm x 71.1 cm x 86.1 cm	.3 m ³	362.9 kg	28.3 kg	1
FG461300 ^a	BLA	Lid for 12 ft. ³ Cube Trucks	43.13" l x 27.5" w x 8.5" h				15.1 lb	109.6 cm x 69.9 cm x 21.6 cm			6.8 kg	1

14 CUBIC FOOT (11.3 BUSHEL)

FG461100	BLA	Spring Platform Truck	44.13" l x 31" w x 32.5" h	11.3	14 cu ft	500 lb	60.0 lb	112.1 cm x 78.7 cm x 82.6 cm	.4 m ³	226.8 kg	27.2 kg	1
FG461400	WHT, BLUE, BLA, YEL, RED	Cube Truck	44.13" l x 31" w x 32.5" h	11.3	14 cu ft	500 lb	47.0 lb	112.1 cm x 78.7 cm x 82.6 cm	.4 m ³	226.8 kg	21.3 kg	1
FG461500 ^a	BLA	Lid for 14 ft. ³ Cube Trucks	44.13" l x 31" w x 8.5" h				17.2 lb	112.1 cm x 78.7 cm x 21.6 cm			7.8 kg	1

16 CUBIC FOOT (12.9 BUSHEL)

FG461600	WHT, DBLUE, BLA, YEL, RED	Cube Truck	43.75" l x 31" w x 37" h	12.9	16 cu ft	500 lb	51.0 lb	111.1 cm x 78.7 cm x 94 cm	.5 m ³	226.8 kg	23.1 kg	1
FG461673	BLUE	Recycling Cube Truck	43.75" l x 31" w x 37" h	12.9	16 cu ft	500 lb	51.0 lb	111.1 cm x 78.7 cm x 94 cm	.5 m ³	226.8 kg	23.1 kg	1
FG471600	BLA	Utility Truck, Heavy-Duty with 5" dia (12.7 cm) Casters	44.38" l x 31" w x 38.25" h	12.9	16 cu ft	1,000 lb	74.3 lb	112.7 cm x 78.7 cm x 97.2 cm	.5 m ³	453.6 kg	33.7 kg	1
FG461500 ^a	BLA	Lid for 16 ft. ³ Cube Trucks	44.13" l x 31" w x 8.5" h				17.2 lb	112.1 cm x 78.7 cm x 21.6 cm			7.8 kg	1

20 CUBIC FOOT (16.1 BUSHEL)

FG461900	BLA, BLUE, YEL, RED	Cube Truck	48" l x 34.1" w x 36.5" h	16.1	20 cu ft	600 lb	60.0 lb	121.9 cm x 86.7 cm x 92.7 cm	.6 m ³	272.2 kg	27.2 kg	1
FG461800	BLA	Spring Platform Truck	48" l x 34.1" w x 36.5" h	16.1	20 cu ft	600 lb	75.0 lb	121.9 cm x 86.7 cm x 92.7 cm	.6 m ³	272.2 kg	34.0 kg	1
FG472000	BLA	Utility Truck, Heavy-Duty with 5" dia (12.7 cm) Casters	48.25" l x 34.1" w x 37.9" h	16.1	20 cu ft	1,200 lb	84.8 lb	122.6 cm x 86.7 cm x 96.2 cm	.6 m ³	544.3 kg	38.5 kg	1
FG461700 ^a	BLA	Lid for 20 ft. ³ Cube Trucks	48.5" l x 34" w x 8.5" h				18.8 lb	123.2 cm x 86.4 cm x 21.6 cm			8.5 kg	1

27 CUBIC FOOT (21.7 BUSHEL)

FG472700	BLA	Utility Truck, Heavy-Duty with 5" dia (12.7 cm) Corner Casters	59" l x 34" w x 42.9" h	21.7	27 cu ft	1,200 lb	105.0 lb	149.9 cm x 86.4 cm x 108.9 cm	.8 m ³	544.3 kg	47.6 kg	1
FG472741*	BLA	Towable Utility Truck, Heavy-Duty	59" l x 34" w x 42.9" h	21.7	27 cu ft	1,200 lb	120.0 lb	149.9 cm x 86.4 cm x 108.9 cm	.8 m ³	544.3 kg	54.4 kg	1
FG472600	BLA	Lid for 27 ft. ³ Cube Trucks	59.88" l x 34.5" w x 5" h				19.9 lb	152.1 cm x 87.6 cm x 12.7 cm			9.0 kg	1

*Requires 2 weeks lead time and are nonreturnable.

^aCustom colors available; contact Customer Service for details.

REPLACEMENT SPRING KIT

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack
FG461000	0000	Spring Kit for FG461100, FG461400 Trucks	34.2" l x 21.2" w x 0.5" h	12.0 lb	5.4 kg	1
FG462500	0000	Spring Kit for FG461800, FG461900 Trucks	37.7" l x 24" w x 0.5" h	15.0 lb	6.8 kg	1

BRUTE® Totes

The ultimate storage and transport container.

- Reinforced ribbed bottom protects container during dragging
- User-friendly grip handles decrease potential for back injury and finger strain
- Lid snaps tight, keeping contents secure



FG9S3000 / FG9S3100



FG9S3000 / FG440000

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9S3000	WHT, GRAY	BRUTE® Tote with Lid	27.88" l x 16.5" w x 10.7" h	14 gal	46.0 lb	70.8 cm x 41.9 cm x 27.2 cm	53 L	20.9 kg	6
FG9S3100	WHT, GRAY	BRUTE® Tote with Lid	27.88" l x 17.38" w x 15.13" h	20 gal	53.0 lb	70.8 cm x 44.1 cm x 38.4 cm	75.7 L	24 kg	6

Stack and Nest Palletote® Boxes

For cost-effective storage and transportation.

- Fits 40" and 48" pallets with no overhang
- Nestable for efficient storage and transport, stackable with and without lids
- All plastic construction won't rust, dent, chip, or peel
- Rounded corners and smooth surfaces are easy to clean
- USDA 3A (Dairy) Sanitary Standards and Meat and Poultry Equipment Group Listed
- Slip-resistant, extended bottom
- Materials are FDA-compliant for food contact and certified to NSF Std. #2



FG172100

FG173200



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG172100	GRAY	Palletote® Box	19.5" l x 15.5" w x 10" h	1.3 cu ft	42.6 lb	49.5 cm x 39.4 cm x 25.4 cm	.04 m³	19.3 kg	10
FG172200	GRAY	Palletote® Box	19.5" l x 15.5" w x 13" h	1.6 cu ft	57.9 lb	49.5 cm x 39.4 cm x 33.0 cm	.05 m³	26.3 kg	10
FG173100	GRAY	Palletote® Box	23.5" l x 19.5" w x 10" h	2 cu ft	60.6 lb	59.7 cm x 49.5 cm x 25.4 cm	.06 m³	27.5 kg	10
FG173200	GRAY	Palletote® Box	23.5" l x 19.5" w x 13" h	2.6 cu ft	92.2 lb	59.7 cm x 49.5 cm x 33.0 cm	.07 m³	41.8 kg	10

LIDS

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG172000	GRAY	Palletote® Lid for FG172100, FG172200	19.63" l x 15.63" w x 1" h	16.1 lb	49.9 cm x 39.7 cm x 2.5 cm	7.3 kg	10
FG173000	GRAY	Palletote® Lid for FG173100, FG173200	23.75" l x 19.75" w x 1" h	22.1 lb	60.3 cm x 50.2 cm x 2.5 cm	10 kg	10

Tool Boxes

Professional-grade tool boxes for commercial/industrial use.

- Made of sturdy structural foam construction that won't rust, dent, chip, or peel
- Removable trays provide added compartmentalized storage area
- Metal latches can be padlocked for security



FG780200



FG780400

Tack Box with Padded Top

Super-tough structural foam construction for durable, all-purpose storage at the work site, in the stable, or on the water.

- Padded 2" cushion for comfortable seating
- Heavy-duty structural foam construction
- Two interior trays provide storage for small items
- Castor kit available (FG772100)
- Lockable for added security
- Molded-in side handles make lifting and transporting of heavy loads easier



FG772000

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG780200	BLA	Tool Box	26" l x 11.5" w x 11.13" h	21.7 lb	66.0 cm x 29.2 cm x 28.3 cm	9.8 kg	2
FG780400	BLA	Tool Box	36" l x 18.5" w x 20.13" h	33.0 lb	91.4 cm x 47 cm x 51.1 cm	15 kg	1
FG772000	BLA	Structural Foam Tack Box	36" l x 18.5" w x 22.375" h	36.2 lb	91.4 cm x 45.7 cm x 61.0 cm	16.4 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

ActionPacker® Storage Containers

Organized tool storage and transportation for industry professionals.


- Durable, weather-resistant construction
- Tough, lockable latches keep contents secure
- Stackable containers are easily tied down with bungee cords



FG11720438



FG11920138



FG11920138

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG11720438	BLA	ActionPacker® Storage Container	26.1" l x 16.9" w x 18.6" h	24 gal	45.4 lb	66.3 cm x 42.9 cm x 47.2 cm	90.8 L	20.6 kg	4
FG11910138	BLA	ActionPacker® Cargo Box	34.5" l x 16.38" w x 18.5" h	35 gal	24.0 lb	87.6 cm x 41.6 cm x 47 cm	132.5 L	10.9 kg	1
FG11920138	BLA	ActionPacker® Cargo Box	43.75" l x 17.2" w x 20.5" h	48 gal	28.9 lb	111.1 cm x 43.7 cm x 52.1 cm	181.6 L	13.1 kg	1

Stock Tanks

Super-tough structural foam construction for superior performance and durability in all kinds of weather.

- Five sizes to fit all your watering needs, from 50 to 300 gallons
- Seamless construction for outstanding durability
- Oversize 1½" drain plug for easy draining and cleaning
- All-plastic anti-siphon float valve provides constant water level

FLOAT VALVE OPTION



FG424806 fits all Rubbermaid® Stock Tanks.

STEPPED SIDEWALLS ■
Resist bowing and provided added stability.

SEAMLESS DESIGN ■
Prevents leaking and cracking.

REINFORCED RIBBING ■
Provides added strength and durability.



FG424288

FG424700

FG424500

FG424400

FG424300

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG424288	BLA	100 U.S. gal Stock Tank	53" l x 31" w x 25" h	100 gal	32.4 lb	134.6 cm x 78.7 cm x 63.5 cm	378.5 L	14.7 kg	1
FG424300	BLA	50 U.S. gal Stock Tank	52" l x 31" w x 12" h	50 gal	23.5 lb	132.1 cm x 78.7 cm x 30.5 cm	189.2 L	10.7 kg	1
FG424400	BLA	70 U.S. gal Stock Tank	40.5" l x 32" w x 24" h	70 gal	24.0 lb	102.9 cm x 81.3 cm x 61 cm	265.0 L	10.9 kg	1
FG424500	BLA	150 U.S. gal Stock Tank	58" l x 39" w x 25" h	150 gal	53.0 lb	147.3 cm x 99.1 cm x 63.5 cm	567.8 L	24.0 kg	1
FG424700	BLA	300 U.S. gal Stock Tank	63.25" l x 69" w x 25" h	300 gal	83.0 lb	160.7 cm x 175.3 cm x 63.5 cm	1135.5 L	37.6 kg	1
FG424806	BLA	Stock Tank Float Valve	9" l x 5" w x 6.25" h	N/A	12.0 lb	22.9 cm x 12.7 cm x 15.9 cm	N/A	5.4 kg	6
FG505012		Stock Tank Drain Plug Kit	N/A	N/A	2.5 lb	N/A	N/A	1.1 kg	12

Heavy-Duty Tractor Carts

Versatile carts to carry almost any load.

- Three sizes to suit a variety of uses
- Smooth, seamless interior makes dumping and cleaning easy
- Heavy-duty structural foam construction for durability
- Oversized pneumatic tires easily maneuver through rough terrain
- Hefty carbon-steel axle helps increase load-bearing effectiveness



FG566261



FG566000

No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG566000	BLA	10 Cu. Ft. Tractor Cart (Assembled)	68" l x 35.5" w x 29.5" h	1,200 lb	10 cu ft	101.7 lb	172.7 cm x 90.2 cm x 74.9 cm	554 kg	.28 m ³	46.1 kg	1
FG566261	BLA	8 Cu. Ft. Tractor Cart (Unassembled)	60" l x 39.25" w x 25" h	750 lb	8 cu ft	62.5 lb	152.4 cm x 99.7 cm x 63.5 cm	340.2 kg	.226 m ³	28.3 kg	1
FG566361	BLA	15 Cu. Ft. Tractor Cart (Unassembled), Black	75.9" l x 39.5" w x 33.25" h	1,500 lb	15 cu ft	111.7 lb	192.8 cm x 100.3 cm x 84.5 cm	680 kg	.424 m ³	50.7 kg	1
51566000		Axle for FG566000, FG566061	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
M1566000		Wheel for FG566000, FG566061	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
M1566200		Wheel for FG566261	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
20566300		Wheel for FG566361	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
50566200		Axle for FG566261	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
50566300		Axle for FG566361	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1

Big Wheel® Carts

Designed for heavy-duty, long-lasting use.

- Smooth, all-plastic, one-piece tub construction is easy to dump and clean
- Large pneumatic wheel provides maneuverability (FG564200)
- Large 20" semi-pneumatic wheels roll smoothly over rough surfaces (FG565461)
- FG565461 has a weighted load capacity of 200 lbs and holds up to 3.5 cu ft (.09 m³) level capacity or 4.0 cu ft (.11 m³) heaped capacity
- FG564200 has a weighted load capacity of 300 lbs and holds up to 7.5 cu ft (.2 m³) level capacity or 8.75 cu ft (.25 m³) heaped capacity



FG564200



No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG564200	BLA	7.5 Cu. Ft. Big Wheel® Cart	58" l x 32.75" w x 28.25" h	300 lb	7.5 cu ft	45.2 lb	147.3 cm x 83.2 cm x 71.8 cm	136 kg	.21 m ³	20.5 kg	1
FG564261	BLA	7.5 Cu. Ft. Big Wheel® Cart (Unassembled)	58" l x 32.75" w x 28.25" h	300 lb	7.5 cu ft	49.3 lb	147.3 cm x 83.2 cm x 71.8 cm	136 kg	.21 m ³	22.4 kg	1
FG565461	BLA	3.5 Cu. Ft. Big Wheel® Cart (Unassembled)	47" l x 27.5" w x 24.75" h	200 lb	3.5 cu ft	38.2 lb	119.4 cm x 69.9 cm x 62.9 cm	90.7 kg	.09 m ³	17.3 kg	1
M1564200		Wheel for FG564200, FG564261	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
M1565400		Wheel for FG565461	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
22564210		Wheel for FG564210	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
50565400		Axle for FG565461	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
52564200		Axle for FG564200, FG564261	N/A	N/A	N/A	4.93 lb	N/A	N/A	N/A	N/A	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. REFER TO THE PRODUCT COLOR GUIDE AT THE BACK OF THE CATALOG.



Check out the items marked with this symbol for our new line of Executive Series™ products.

Heavy-Duty Big Wheel® Cart

Suitable for industrial, commercial, and agricultural work.

- Lightweight Low Wheel Cart (FG564000) carries loads up to 300 lbs
- Strong, durable one-piece construction carries up to 700 lbs (FG564210)
- High-flotation, 8" wide wheels provide easy mobility over most surfaces
- Reinforced steel axle for heavy-duty hauling



FG564210



FG564000

No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG564000	BLA	7.5 Cu. Ft. Low Wheel Cart (Unassembled)	58" l x 33.75" w x 28.25" h	300 lb	7.5 cu ft	45.8 lb	147.3 cm x 85.7 cm x 71.8 cm	136 kg	.21 m ³	20.8 kg	1
FG564210	BLA	7.5 Cu. Ft. Heavy-Duty Big Wheel® Cart	57" l x 41" w x 26" h	700 lb	7.5 cu ft	55.0 lb	144.8 cm x 104.1 cm x 66 cm	317 kg	.21 m ³	24.9 kg	1
22564210		Wheel for FG564210	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
20564020		Wheel for FG564000	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1
50564205		Axle for FG564000	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1

Contractor-Grade Wheelbarrows

Engineered for tough, durable performance.

- Smooth, one-piece seamless pan prevents leaking
- Long-lasting hardwood handles for added strength and steady handling
- Durable, oversized pneumatic tire maneuvers easily
- Carries up to 200 lbs



FG565861



FG565961

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG565861	BLA	6.5 Cu. Ft. Contractor Wheelbarrow (Unassembled)	60" l x 27" w x 27.5" h	6.5 cu ft	50.7 lb	152.4 cm x 68.6 cm x 69.9 cm	.18 m ³	23.0 kg	1
FG565961	BLA	6.5 Cu. Ft. Two-Wheel Contractor Wheelbarrow (Unassembled)	60" l x 27" w x 27.5" h	6.5 cu ft	57.5 lb	152.4 cm x 68.6 cm x 69.9 cm	.18 m ³	26.1 kg	1
53565800		Axle for FG565861	N/A	N/A	N/A	N/A	N/A	N/A	1
70565900		Axle for FG565961	N/A	N/A	N/A	N/A	N/A	N/A	1
925658C1	BLA	Axle Retainer for FG565861	N/A	N/A	N/A	N/A	N/A	N/A	2
925659C1	BLA	Axle Retainer for FG565961	N/A	N/A	N/A	N/A	N/A	N/A	2
M1565800		Wheel for FG565861	N/A	N/A	N/A	N/A	N/A	N/A	1
M1565900		Wheel for FG565961	N/A	N/A	N/A	N/A	N/A	N/A	1
NP565804		Wheelbarrow Handle Kit (2 wood handles), fits FG565861 and FG565961	N/A	N/A	N/A	N/A	N/A	N/A	1

Utility Lawn Carts

Designed to move loads quickly and easily.

- Easy to lift and dump; handle features molded-in tool/beverage holder
- Smooth interior is easy to clean
- FG370712 holds up to 3.25 cu ft (.09 m³) level capacity or 4.5 cu ft (.127 m³) heaped capacity
- FG370612 holds up to 4.5 cu ft (.127 m³) level capacity or 5.75 cu ft (.16 m³) heaped capacity



FG370612



FG370712

No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG370612	714	4.5 Cu. Ft. Roughneck Lawn Cart Pallet, Green	48" l x 23.5" w x 28" h	200 lb	4.5 cu ft	235.9 lb	121.9 cm x 59.7 cm x 71.1 cm	90.7 kg	.13 m ³	107 kg	12
FG370712	907	3.25 Cu. Ft. Roughneck Lawn Cart Pallet, Platinum	42.5" l x 21" w x 28" h	200 lb	3.25 cu ft	195.6 lb	108 cm x 53.3 cm x 71.1 cm	90.7 kg	.09 m ³	88.7 kg	12