

INSTANT ASSET WRITE-OFF  
INCREASED TO  
**\$30,000**  
visit [www.ato.gov.au](http://www.ato.gov.au) for more information

# MHA PRODUCTS

MATERIALS HANDLING & STORAGE EQUIPMENT



View and download our full 300 page  
catalogue online,  
[www.mhaproducts.com.au/catalogue](http://www.mhaproducts.com.au/catalogue)

## END OF FINANCIAL YEAR **SPECIALS** 2019



Order Online  
[www.mhaproducts.com.au](http://www.mhaproducts.com.au)

**1800 750 900**


*Specials valid to June 30th 2019 or while current stocks last*

Sydney (02) 8865 1800

Melbourne (03) 9982 4570

Brisbane (07) 3181 5630

# Haven't bought from MHA before?



Contact us for a copy of our full catalogue or download a copy here, [www.mhaproducts.com.au/catalogue](http://www.mhaproducts.com.au/catalogue)



...we've made it easy for you.

Simply fill out the priority order form inside the back cover and fax or email it to us. Alternatively you can place your order online at [www.mhaproducts.com.au](http://www.mhaproducts.com.au)



## Sydney Office

27 Prince William Drive, Seven Hills NSW 2147  
Tel: 02 8865 1800

## Melbourne Office

41 Derrimut Drive, Derrimut VIC 3030  
Tel: 03 9982 4570

## Brisbane Office

161 Railway Parade Thorneside QLD 4158  
Tel: 07 3181 5630

## Heavy Duty Steel Platform Trolleys

- Heavy duty steel platform trolleys are ideal for general warehouse use
- Heavy duty polyurethane castors (front fixed and back swivel)
- Welded steel construction
- Durable baked enamel paint finish
- Castor Size: 200mm
- Platform Height: 280mm
- Handle Height: 970mm
- Capacity: 450kgs



**Durolla** *Prestige*

Price Each

Code	Description	Platform Size	Was	Now
T3051	Heavy Duty Steel Platform Trolley	610x920mm	<del>\$385</del>	<b>\$339</b>
T3052	Heavy Duty Steel Platform Trolley	610x1220mm	<del>\$399</del>	<b>\$352</b>
T3054	Heavy Duty Steel Platform Trolley	760x1525mm	<del>\$469</del>	<b>\$419</b>

## Order Picking Trolleys

- Welded steel construction
- Powder coat finish
- Non-marking swivel castors
- Capacity: 250kgs

- T3091K**
- Overall Dimensions: 860x650x860mm (LxWxH)
  - Supplied with 2x Red No. 10 Tubs and Clipboard

- T3090K**
- Overall Dimensions: 710x420x960mm (LxWxH)
  - Supplied with 1x Red No. 10 Tub and Clipboard



**Now Only \$485 +GST ea**  
~~Was \$546~~  
Code: T3091K



**Now Only \$329 +GST ea**  
~~Was \$370.50~~  
Code: T3090K

**Durolla** *Prestige*

## Extra Large Prestige Platform Trolley (with Cage)

- Wire cage has fold down front to make loading and unloading easier
- Heavy duty castors
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Back wheels are fixed castors and front wheels are swivel castors
- Castor Size: 150mm
- Overall Size: 1280x765x1000mm (LxWxH)
- Platform Size: 1125x720mm (LxW)
- Handle Height: 1000mm
- Load Capacity: 500kg
- Unit Weight: 49.5kg

**Now Only \$679 +GST ea**  
~~Was \$780~~  
Code: T9338



**T9338**

**Durolla** *Prestige*



## General Purpose 3 Tier Trolley

- Strong general purpose warehouse trolleys which are great for order picking and general warehouse applications
- Bolted steel construction
- Finish: Powdercoated blue
- Supplied with 2 swivel castors with brakes and 2 fixed castors
- Castor Size: 200mm
- Lower Shelf Height: 230mm
- Middle Shelf Height: 660mm
- Top Shelf Height: 1080mm
- Handle Height: 920mm
- Removable middle shelf
- Overall Size: 500x900mm (WxL)
- Load Capacity: 350kg
- Unit Weight: 58kg



**Now Only**  
**\$379 +GST ea**  
**Was \$428**  
Code: T0252

**Durolla** *Prestige*

## Multi-Purpose Platform Trolley

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Back wheels are fixed castors and front wheels are swivel castors
- Platform Size: 480x740mm (WxL)
- Platform Height: 145mm
- Handle Height: 860mm
- Castors: 100mm
- Load Capacity: 150kg
- Unit Weight: 12.5kg

**Now Only**  
**\$114 +GST ea**  
**Was \$139**  
Code: T9320



**Durolla** *Prestige*

## Multi-Purpose Cage Trolley

- Industrial quality trolleys with cage stop goods falling off the platform
- The cage has a fold down front for easy loading and unloading
- Powder coated steel construction with vinyl platform
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Back wheels are fixed castors and front wheels are swivel castors
- Platform Height: 210mm
- Platform Size: 610x920mm
- Capacity: 370kg

**Now Only**  
**\$426 +GST ea**  
**Was \$489**  
Code: T9333



## Heavy Duty Sloping 4 Shelf Trolley

- Welded construction heavy duty trolley which is great for stock picking
- 4 sloping backwards shelves which prevents items falling off the shelves
- Shelves are removable but not adjustable
- 350mm space between each shelf
- Push/pull handles on each end
- Castors: 2 fixed, 2 swivel with brakes



**19344**



**19345**

Code	Load Capacity	Shelf Size (WxL)	Net Weight	Overall Size (LxWxH)
19344	500kg	610x1220mm	102kg	1470x670x1740mm
19345	500kg	760x1520mm	122kg	1770x820x1740mm

### Price Each

Code	Description	Was	Now
19344	Heavy Duty Sloping 4 Shelf Trolley	<del>\$839</del>	<b>\$746</b>
19345	Heavy Duty Sloping 4 Shelf Trolley	<del>\$998</del>	<b>\$872</b>

## General Purpose 2 Tier Trolley (with writing shelf)

- Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.
- The T0253 comes with a writing shelf which is very handy for stock picking.
- Bolted steel construction - supplied flatpack.
- Finish: Powdercoated Blue
- 2 Swivel castors with Brakes and 2 fixed castors
- Overall Height: 1070mm
- Platform Size: 500x900mm (WxL)
- Shelf Heights: 200 + 790mm
- Load Capacity: 250kg
- Unit Weight: 43kg
- Castors: 125mm

**Now Only**  
**\$391 +GST ea**  
**Was \$445**  
Code: T0253



## Heavy Duty Cage Trolley (with padlockable doors & roof)

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up (as pictured) for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality lockable castors for smooth and effortless moving
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Door is padlockable
- Comes with signboard area on both sides
- Quality powdercoated finish
- Dimensions: 880x760x1700mm (LxWxH)
- Capacity: 500kg

**Now Only**  
**\$794 +GST ea**  
**Was \$895**  
Code: T5318

**Durolla** *Prestige*



## Shifting Skates 2500KG Capacity

- Large diameter nylon rollers ensure ease of movement and spread the load.
- Fitted with a rubber surface to protect the objects being moved
- Load Capacity: 2500kg
- Wheels: 2x 85mm
- Dimensions: 210x100x105mm (LxWxH)
- Unit Weight: 4kg

**Now Only**  
**\$98 +GST ea**  
**Was \$139**  
Code: SS2000



## Flat Platform Steel Dollie

- Great for moving furniture and equipment due to their low height and high capacity
- Non-Slip vinyl platform with a PVC bumper strip around the edge
- 4 heavy duty swivel castors
- Dimensions: 915x615x180mm (LxWxH)
- Load Capacity: 370kgs



**Now Only**  
**\$169 +GST ea**  
**Was \$195**  
Code: ST4025

## A Frame Panel Cart

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.


- Dimensions: 915x1905mm (WxL)
- Height: 1420mm
- Lockable Castors: 127mm
- Load Capacity: 1000kg

**Now Only**  
**\$619 +GST ea**  
**Was \$689**  
Code: T8668



## Heavy Duty Security Cage (with doors & roof) **Durolla** *Prestige*

- Fully lockable security cages
- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality 150mm swivel rubber castors (front with brakes)
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Comes with signboard area on the side
- Quality powdercoated finish
- Overall Size: 1100x850x1700mm (LxWxH)
- Internal Size: 1020x750mm (WxD)
- Base Height: 225mm
- Distances Between Shelves: 330, 360, 360, 300mm (bottom to top)
- Shelf Capacity: 125kg (evenly distributed)
- Overall Load Capacity: 500kg



**T5315S**



**T5315B**



**T5315M**

Please Note: Picture shown with optional shelves

Price Each

Code	Description	Was	Now
T5315B	Heavy Duty Cage Trolley (Bar Version)	<del>\$879</del>	<b>\$759</b>
T5315M	Heavy Duty Cage Trolley (Mesh Version)	<del>\$1248</del>	<b>\$1039</b>
T5315S	Optional Shelves to suit T5315 Trolleys	<del>\$92.50</del>	<b>\$82</b>

## Heavy Duty Panel Rack Cart

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.

- Dimensions: 750x915mm (WxL)
- Height: 865mm
- Lockable Castors: 127mm
- Load Capacity: 2000kg

**Now Only**  
**\$512 +GST ea**  
**Was \$595**  
Code: T8667





## Large Powered Platform Trolley

**Durolla™**



- Great for both indoor and outdoor use with high load capacity
- Platform has an anti-slip grip so that items don't slide off easily in transit
- Rubber bumper edge
- Emergency stop button
- Comes with forward and reverse drive options
- Variable speed controller
- Powered by 3 x 12V / 55Ah batteries
- Net Weight: 170kg
- Overall Size: 2150x900x1110mm (LxWxH)
- Platform Size: 1600x760mm (LxW)
- Platform Height: 385mm
- Load Capacity: 800kgs
- Wheel Size: 305mm (pneumatic)
- Clearance From Battery Box to Ground: 75mm
- Moving Speed: 5-8km/hr

**Now Only  
\$3134 +GST ea**  
~~Was \$3688~~  
Code: T9308

## Powered Dump Truck

**Durolla™**

- Great for dirt, bark and rubbish removal in outdoor areas
- Emergency stop button
- Comes with forward and reverse drive options
- Variable speed controller
- Powered by 3 x 12V / 55Ah batteries
- Net Weight: 250kg
- Overall Size: 2274x812x1035mm (LxWxH)
- Tray Size: 1511x812x611mm (LxWxH)
- Load Capacity: 800kgs
- Wheel Size: 305mm (pneumatic)
- Moving Speed: 5-8km/h
- Lift Time: 15 secs
- Lift Angle: 45 degrees



**Now Only  
\$5266 +GST ea**  
~~Was \$5485~~  
Code: T9310

## X-Cart Folding Plastic and Aluminium Trolley X-CART

- The X-Cart is a collapsible trolley that can be used for hundreds of applications.
- It is ideal for use in the workplace, schools, home, office, hospitals, courier services, shopping malls, nursing homes and much more!
- Extra baskets are available for use on both platforms or up to 4 baskets can be stacked on the bottom platform (the trolley is supplied with 1 basket)
- Robust foot pedal brake
- The X-Cart can also be used with our standard No.7, No.10, No.15 tubs (see page 28 of this special brochure)

### Specifications

- Total Trolley Capacity: 75kg
- Top Shelf Capacity: 25kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 8.4kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

### Dimensions

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm

View more details here, [www.mhproducts.com.au/xcart](http://www.mhproducts.com.au/xcart)



### Price Each

Code	Description	Was	Now
T9000	X-Cart Folding Plastic & Aluminum Trolley (includes 1 Folding Basket)	\$395	\$299
T9050	X-Cart Extra Basket	\$45	\$38



View video of this in operation here  
[www.mhproducts.com.au/xcart](http://www.mhproducts.com.au/xcart)

## Heavy Duty Goods Trolley With Shelf

An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use. Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.

Unit is powder coat finished, and fitted with 4 x 150mm diameter swivel wheels for easy manoeuvrability. Front wheels fitted with brakes for security.

- Load Capacity: 500kgs
- Overall Height: 1700mm (including wheels)
- Overall Depth: 800mm
- Overall Width: 1100mm
- Clear Internal Dimensions:  
1030mm wide x 750mm deep
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 650mm



Pneumatic wheel kit



**Durolla** *Prestige*

### Price Each

Code	Description	Was	Now
T4975	Heavy Duty Goods Trolley (with fold down shelf)	<del>\$855</del>	<b>\$752</b>
WKP10	Pneumatic Wheel Kit to suit T4975	<del>\$279</del>	<b>\$229</b>

## Heavy Duty Goods Trolley **Durolla** *Prestige*

- This goods trolley is able to be folded when not in use.
- Suitable for many uses in transporting goods safely and securely.
- Castors: 150mm swivel and 2 with brakes
- Optional pneumatic wheel kit available which includes 2 swivel wheels with brakes and 2 fixed wheels.
- Overall Dimensions: 1100x825x990mm (LxWxH)
- Internal Dimensions: 1030x750x750mm (LxWxH)
- Load Capacity: 500kgs
- Unit Weight: 75kg
- Finish: Powdercoat blue
- Gates: Lockable



Pneumatic wheel kit

### Price Each

Code	Description	Was	Now
T4065	Heavy Duty Goods Trolley (with standard Solid Wheels)	<del>\$692</del>	<b>\$615</b>
WKP10	Pneumatic Wheel Kit to suit T4065	<del>\$279</del>	<b>\$229</b>

## Stainless Steel Platform Trolley (Folding Handle)

- Heavy duty stainless steel platform trolley which is great for use in food and hygiene areas.
- Foldable handle
- Load Capacity: 350kg
- Platform Size: 620x920mm (WxL)
- Handle Height: 920mm
- Castor Size: 150mm

**Now Only**  
**\$669 +GST ea**  
**Was \$763**  
Code: ST610



**Durolla** *Prestige*

## Stainless Steel 3 Tier Trolley

- Heavy duty stainless steel 3 tier trolleys which is great for use in hospitality areas.
- Shelves are reversible which means you can have with or without the tray lip.
- Load Capacity: 200kg
- Platform Size: 400x740mm (WxL)
- Tray Dimensions: 400x600x50mm (WxLxH)
- Distance Between Trays: 310mm
- Handle Height: 910mm
- Wheels: lockable 100mm rubber castors
- 304 grade Stainless Steel

**Now Only**  
**\$492 +GST ea**  
**Was \$548**  
Code: ST630





## MobiCrane Portable Vacuum Lifter - 3 Meter Arm

- MobiCrane is designed for mobile and fixed overhead handling of sheet material, sacks, boxes and bespoke products up to 65kg using a range of lifting manipulators including vacuum lifting with standard and bespoke grippers.
- There are a number of lifting device attachments available including mechanical, magnetic or vacuum lifting grippers, suction cups and custom made handling tools.
- This overhead handling application is adaptable to changing requirements and offers flexibility to adjust the MobiCrane to suit your applications.
- Max Load at 3m arm length: 65kg
- Adjustable Tower: Max lifting height: 2716mm (with tower in highest position) Min lifting height: 1816mm (with tower in lowest position)
- Jib arm length/working area: 3 metres (26.6m<sup>2</sup>)
- Operation: Battery Electric motor lift operation with adjustable lift/ lowering speed Vacuum operated by compressed air.
- This particular unit is supplied with the bellow-cups as pictured below which can be adjusted to suit different size objects to lift.
- Easy to move around with pallet truck or forklift
- Quick and easy to use - simply plug in a compressed air line and its ready to go
- Can be used on battery electric power then recharge when not in use

**PRONOMIC**  
Made in Sweden

**Now Only**  
**\$26,850 +GST ea**  
~~Was \$34,850~~  
Code: MC2000P



**No installation  
required - Simply  
plug in and go**



Watch a video of this in operation on  
our website here,  
[www.mhaproducts.com.au/mobicrane](http://www.mhaproducts.com.au/mobicrane)



## Freestanding Jib Crane (Articulated Arm)

These free standing jib cranes are ideal for use in workshops using vacuum lifters, chain hoists, lever blocks and air hoists.

Designed for machinery and maintenance industries for safe and easy moving of heavy or awkward items.

Can be bolted down for indoor or outdoor use.

- Capacity: 250kg
- Overall Height: 4700mm
- Height from ground to under arm: 4300mm
- Overall Length of Arm from post: 4070mm
- Turning Radius: 4.0 metres
- Rotating Angle: 360 degrees
- 2 hook anchor points
- Base Plate Size: 600x600mm

Please Note: The lifting  
hoists are sold separately  
to the crane unit

**Now Only**  
**\$4964 +GST ea**  
~~Was \$5840~~  
Code: JC2500

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



## Fully Auto Electric Fork Stacker

These fully auto fork stackers have the latest technology and safety functions. They are fully automatic and have both electric drive and electric up/down.

The motor structure is both dust and water proof which makes it functional to load or unload trucks in wet conditions.

They have an adjustable fork tines straddle leg which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.

**Now Only**  
**\$11,985 +GST ea**  
~~Was \$14,995~~  
Code: SA550

- Load Capacity: 1500kg
- Lift Height: 3300mm
- Overall Height (with mast lowered): 2295mm
- Overall Height (with mast extended): 3995mm
- Overall Length: 2095mm
- Overall Width: 1595mm (maximum)
- Tine Dimensions: 40x100x1070mm
- Ground Clearance: 35mm
- Wheel Type: Polyurethane
- Ground Clearance: 40mm
- Turning Radius: 1655mm
- Brake: electromagnetic
- Travel Speed: 6km/h
- Battery: 24v, 200Ah
- Unit Weight: 850kg



**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

## Scissor Lift Trolleys

These units help take the strain out of loading and unloading items from raised levels. The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger. The double scissor model, gives the added advantage of elevating loads of up to a height of 1575mm.

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder-coated finish
- Stepless rate of lowering regardless of load weight
- The 150kg version has a foldable handle as per image



							Price Each	
Code	Description	Capacity	Table Size	Unit Weight	Min Height	Max Height	Was	Now
LT8701	Scissor Lift Trolley - Single Scissor	150kg	450x700mm	46kg	265mm	780mm	<del>\$394</del>	<b>\$345</b>
LT8702	Scissor Lift Trolley - Single Scissor	300kg	500x850mm	77kg	340mm	880mm	<del>\$590</del>	<b>\$518</b>
LT8707	Scissor Lift Trolley - Double Scissor	500kg	520x1010mm	118kg	440mm	1575mm	<del>\$1089</del>	<b>\$959</b>
LT8703	Scissor Lift Trolley - Single Scissor	500kg	500x850mm	81kg	340mm	880mm	<del>\$624</del>	<b>\$549</b>
LT8708	Scissor Lift Trolley - Single Scissor	750kg	510x1000mm	175kg	420mm	990mm	<del>\$847</del>	<b>\$745</b>

## Rough Terrain Scissor Lift Trolley



- Capacity: 200kg
- Max. Lift Height: 1000mm
- Min. Height of Table: 330mm
- Table Size: 1000x500mm
- Total Height: 1056mm
- Overall Length: 1120mm
- Foot Pedal Cycles to Max Height: 25
  - Wheel Diameter: 200mm
  - Unit Weight: 71kg

**Now Only \$693 +GST ea**  
**Was \$798**  
 Code: LT8712

## Self Propelled Electric Scissor Lift Trolley (double scissor)

- Overall Size: 1340x600x1100mm (LxWxH)
- Table Deck Size: 600x1100mm (WxL)
- Min Table Height: 460mm
- Max Table Height: 1600mm
- Unit Weight: 234kg
- Max Capacity: 400kg
- Batteries: 2x12V 33Ah
- Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds



**Now Only \$4281 +GST ea**  
**Was \$4865**  
 Code: LT7440



## Extra Large Scissor Lift Trolley

The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder-coated finish
- Stepless rate of lowering regardless of load weight

							Price Each	
Code	Description	Capacity	Lifting Range	Table Size	Unit Weight	Was	Now	
LT8720	Extra Large Scissor Lift Trolley	500kg	290-915mm	810x1600mm	154kg	<del>\$1115</del>	<b>\$975</b>	
LT8721	Extra Large Scissor Lift Trolley	1000kg	360-1360mm	750x2035mm	198kg	<del>\$1588</del>	<b>\$1392</b>	



## Low Profile Pallet Lift Tables

- Low clearance – only 85 mm
- Can be supplied with optional rotator ring
- Tables are specially made for handling pallets, no need for a pit or load ramps
- Upper platform fitted with safety perimeter to prevent descent on contact with obstructions
- 24v control box with UP and DOWN buttons and emergency stop
- Power Supply: 240v
- Lift Time: 25 secs
- Lift Height: 880mm
- Ramp supplied with lift tables



Price Each

Code	Description	Capacity	Platform Size	Min Height	Was	Now
LT7250	Lift Table (including ramp)	1000kg	1140x1420mm	85mm	<del>\$4890</del>	<b>\$3912</b>
LT7252	Lift Table (including ramp)	2000kg	1180x1600mm	105mm	<del>\$5240</del>	<b>\$4328</b>

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

## Extra Long Scissor Electric Lift Table

- Lift tables can be applied in many work places to increase productivity and safety.
- Loads can be elevated or lowered to optimum heights at the push of a button.
- Upper platform lifted with aluminium safety bar preventing descent on contact with obstructions.
- Push button pendant control with up, down and emergency stop.
- Load Capacity: 2000kg
- Table Size: 820x2500mm (WxL)
- Base Frame Size: 640x2460mm (WxL)
- Min Height: 205mm
- Max Height: 1000mm
- Raise Time: 40-45 Seconds
- Power Supply: 240 Volt
- Unit Weight: 265kg



Now Only  
**\$5443 +GST ea**  
Was ~~\$6189~~  
Code: LT7247

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

## 2T Scissor Electric Lift Table

- Platform has a safety bar, preventing descent on contact with obstructions
- Pendant control including E-Stop
- Load Capacity: 2000kg
- Table Size: 1000x2000mm (WxL)
- Base Frame Size: 785x1630mm (WxL)
- Min Height: 250mm
- Max Height: 1300mm
- Raise Time: 25-30 Seconds
- Power Supply: 240 Volt
- Unit Weight: 315kg

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



Now Only  
**\$4185 +GST ea**  
Was ~~\$4950~~  
Code: LT7266

## Powdercoated Spring Loaded Rotating Pallet Table

- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting.
- It proves highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg.
- Turntable allows the operator to rotate the load with minimal stretching and reaching.
- No ground fixing required
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Low Height: 230mm
- Max Height: 705mm
- Base Size: 915x935mm
- Finish: Powdercoated



Ready to load

Beginning loading

Partly loaded

Fully loaded



Now Only  
**\$1694 +GST ea**  
Was ~~\$1980~~  
Code: 31031A

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

## Super Low Profile Lift Tables

- Pendant control including E-Stop
- Power supply is AC 415V/50HZ/3phase
- Capacity: 1500kg
- Platform Size: 1200x1270mm
- Min Height: 10mm
- Max Height: 800mm
- Overall Size: 255x1650x1850mm (HxLxW)



Now Only  
**\$7825 +GST ea**  
Was ~~\$8995~~  
Code: LT5003

## Rotatable Electric Lift Table

- The pallet elevator is electric up and down via foot pedal and manual rotating top.
- It is ideal for varying weight pallets as no need to change springs
- Turntable allows the operator to rotate the load with minimal stretching and reaching while controlling the up/down operation via the foot pedal controls
- No ground fixing required
- Can be easily moved around factory with a forklift
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Low Height: 300mm
- Max Height: 710mm
- Base Size: 920x930mm
- Power: 240V

**Now Only**  
**\$3738 +GST ea**  
~~Was \$4460~~  
Code: LT7050



## Powered Rotatable Electric Lift Table

- The pallet elevator is electric up and down via foot pedal and electric rotating top.
- It is ideal for varying weight pallets as no need to change springs
- Powered Rotation in both directions which can be set to rotate continuously.
- No ground fixing required
- Can be easily moved around factory with a forklift
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Low Height: 340mm
- Max Height: 710mm
- Base Size: 920x930mm
- Power: 240V

**Now Only**  
**\$5984 +GST ea**  
~~Was \$6800~~  
Code: LT7050P

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT




## Battery Electric Work Positioner

- A range of highly manoeuvrable, lightweight lifts, designed to take the strain out of any lifting job from ground level to over shoulder height
- Ideal for use in narrow aisles and confined spaces. Perfect for all applications from pharmaceutical to catering, from packing line to food processing.
- Automatic electric overload protection system ensures safe operation
- Quick change attachment options available
- EN1757 compliant. CE marked
- Battery electric with built in charger that you can plug in anywhere
- Load Centre: 235mm
- Overall Size: 600mm wide, 890mm long, 1990mm high (WP7269)
- Overall Size: 600mm wide, 890mm long, 1790mm high (WP7270)
- 24v, 7.2Ah battery

Code	Description	Platform/Attachment Size	Low Height	Max Height	Was	Now
WP7269	Work Positioner - 100kg	470x660mm (Depth x Width)	130mm	1700mm	<del>\$1950</del>	<b>\$1715</b>
WP7270	Work Positioner - 150kg	470x660mm (Depth x Width)	130mm	1500mm	<del>\$2185</del>	<b>\$1922</b>
WP7271	V Block Attachment	400x400x80mm	-	-	<del>\$193</del>	<b>\$169</b>
WP7272	Roll Prong Attachment	600x50mm	-	-	<del>\$164</del>	<b>\$144</b>
WP7273	Double Prong Attachment	450x50mm (200mm between)	-	-	<del>\$187</del>	<b>\$164</b>
WP7274	Reel Handler Rotator Attachment	430x90mm	-	-	<del>\$338</del>	<b>\$297</b>

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



## Manual Fork/Platform Stacker

- Capacity: 400kg
- Foot pump hydraulic lift
- 125mm lockable castors
- Maximum Lift Height: 1500mm
- Minimum Height: 75mm
- Platform Size: 580x660mm (WxD)
- Fork Length: 650mm
- Overall Length: 1040mm
- Overall Width: 590mm
- Overall Height: 1710mm
- Net Weight: 85kgs
- Comes with a removable platform and have 2 adjustable fork tines under platform for lifting skids and pallets

**Now Only**  
**\$784 +GST ea**  
~~Was \$895~~  
Code: S7250

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



## Electric Fork/Platform Stacker

- Capacity: 400kg
- Electric hydraulic lift
- 125mm lockable castors
- Maximum Lift Height: 1500mm
- Minimum Height: 80mm
- Platform Size: 580x660mm (WxD)
- Fork Length: 650mm
- Overall Length: 1040mm
- Overall Width: 590mm
- Overall Height: 1710mm
- Battery: 12v 80Ah
- Net Weight: 120kgs
- Comes with a removable platform and have 2 adjustable fork tines under platform for lifting skids and pallets

**Now Only**  
**\$2197 +GST ea**  
~~Was \$2624~~  
Code: S7251





## Bishamon Pneumatic Rotating Pallet Positioner - EZ LOADER X


- Bishamon automatic work positioners are the modern way to manually load and unload pallets.
- They improve efficiency and reduce injury by bringing the level and location of the top of the load closer to the person doing the work.
- Pallet loading and unloading time can be reduced by 40%, thereby substantially increasing productivity
- Self leveling design automatically keeps the top of the load at a convenient working height
- Rotator ring with integral finger guard eliminates reaching and stretching
- Secured ball bearing centre pivot of the 1092mm diameter rotator ring provides smooth, even rotation
- EZ Loaders arrive at your facility fully assembled - just add air!
- Rotator Ring Diameter: 1092mm
- Lowered Height: 249mm
- Raised Height: 757mm
- Base Frame Size: 1232x610mm (LxW)
- Minimum Self Levelling Capacity: 113kgs
- Maximum Self Levelling Capacity: 1588kgs
- Maximum Load Capacity: 1814kgs



Manifold with Combo Tank Valve,  
Purge Valve and Pressure Gauge



Hinged Maintenance Bars



Pneumatic System Reservoir

**Now Only**  
**\$3946 +GST ea**  
**Was \$4485**  
Code: B1020

**Bishamon**®



Watch a video of this in operation on  
our website here,  
[www.mhaproducts.com.au/B1020](http://www.mhaproducts.com.au/B1020)

**MHA is the  
Exclusive  
Australian  
Agent for  
Bishamon**

## Bishamon Pneumatic Rotating Pallet Positioner - EZ LOADER

### The most advanced pallet positioner available!

- EZ Loaders are designed to eliminate worker bending by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs, motors or hydraulics.
- The new EZ loader can now handle a wide range of weight capacities from 110 kilos to 1800 kilos.
- The EZ Adjust knob - a three position knob that allows adjustment of the collapsed capacity without changing the air pressure.
- EZ Loaders also allow easy pallet rotation for near-side loading so the worker does not have to reach or strain.
- As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.
- The patented pneumatic system found only on the EZ Loader has proven to be the choice of industry professionals worldwide.
- Load Capacity: 110-1800kgs
- Low Height: 267mm
- Max Height: 775mm
- Base Frame Size: 617x1245mm



EZ adjust knob provides up to  
550kgs of capacity adjustment  
with the turn of a knob



Patented self-contained  
pneumatic system offers  
unsurpassed performance



Rollers are entrapped in the  
base frame and platform for  
added stability

**Now Only**  
**\$4389 +GST ea**  
**Was \$4985**  
Code: B1030

**Bishamon**®



Watch a video of this in operation on  
our website here,  
[www.mhaproducts.com.au/B1030](http://www.mhaproducts.com.au/B1030)

**MHA is the  
Exclusive  
Australian  
Agent for  
Bishamon**

## 2500KG Industrial Pallet Trucks

- All our pallet trucks come with a maintenance free pump which are all made using high quality parts and German seal kits and are fitted with long life rollers and steering wheels.
- Full 12 months warranty on all pallet trucks.
- Capacity: 2500kg
- Width: 685mm
- Fork Length: 1150mm
- Min Fork Height: 85mm
- Tine Size: 50x160mm
- Steering Wheel Size: 50x180mm
- Standard wheels are polyurethane - nylon wheel version available on request

**Now Only**  
**\$339 + GST on**  
**Was \$395**  
Code: PT7203

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



## Galvanised Pallet Trucks

- These galvanised pallet trucks are available in both standard size 680mm wide and Euro pallet size 520mm.
- Ideal for the food, chemical and pharmaceutical industry or outdoor use.
- Lift Capacity: 2000kg
- Nylon wheels
- Steering Wheel Size: 50x200mm
- Tine Size: 60x160mm
- Fork Length: 1150mm
- Min Fork Height: 85mm

### PT7211

- Width: 520mm

### PT7210

- Width: 685mm



Price Each

Code	Description	Was	Now
PT7211	Galvanised Pallet Truck (Euro Size)	<del>\$885</del>	<b>\$769</b>
PT7210	Galvanised Pallet Truck (Standard Size)	<del>\$885</del>	<b>\$769</b>

## The Edge - Electric Pallet Truck

**LIFTEX** **EDGE**  
MATERIALS HANDLING EQUIPMENT

- The function of driving with the handle in the vertical position helps when working in confined areas and with a short body length of only 380mm makes the truck extremely compact and ideal for use in retail stores, elevators and delivery vehicles.
- The handle of the truck is supported by an air spring and the handle returns to its vertical position smoothly.
- Strong and compact structure ensures extreme durability but with an overall unit weight of only 123kg
- The Edge pallet truck comes standard with a built in security function where a pin can be set and the pallet truck can only be used once the pin is entered making it ideal for use in retail stores only giving authorised staff members use of the machine.
- Emergency stop button with a horn and reverse signals
- Electric drive and electric lifting and lowering of the pallet.
- The Edge is equipped with a maintenance-free 24V/24Ah Lithium battery with optional different capacities for various applications; with its fast charging feature the Edge works as easy as a hand pallet truck and virtually maintenance free. The battery weighs only 4.6kgs making it ideal for quick battery change over so there is no downtime with charging.

- Load Capacity: 1500kg
- Length of Tines: 1185mm
- Polyurethane wheels
- Lowered Height: 80mm
- Overall Length of Pallet Truck: 1530mm
- Overall Width: 685mm
- Travel Speed (loaded/unloaded): 4.6/4.8 km/h
- Electromagnetic brake



Capacity up to **1500 kg** and ability to overcome ramps up to **4/16%** (loaded/unloaded) makes the truck suitable for work in loading docks and on delivery operations in different conditions

Price Each

Code	Description	Was	Now
SA721	Liftext Edge Electric Pallet Truck	<del>\$3580</del>	<b>\$2935</b>
SA721B	Liftext Edge Additional Battery 24V/234Ah	<del>\$550</del>	<b>\$459</b>



Removable Lithium Battery



Ideal for use in delivery vehicles



## 2000KG Pallet Truck with Load Scales

- Our scale pallet trucks are extremely reliable and highly accurate in measuring your pallet weight.
- This fork truck has a totalising function which adds up multiple pallet weights giving the total weight per shipment or order.
- The weighing unit uses four AA batteries, giving approx 4200 weighing actions
- Load Capacity: 2000kg
- Scale Increments: 1kg
- Scale Functions: Zero correction, gross/net weight, total weight
- Tine Size: 50x182mm
- Steering Wheel Size: 50x180mm
- Width: 690mm

**Now Only**  
**\$1815 +GST ea**  
~~Was \$2085~~  
Code: T7221

- Length: 1150mm
- Overall Truck Length: 1650mm
- Min Fork Height: 76mm



## Electric Counter Balance Fork/Platform Stacker

- Ideal for situations where normal stacker legs would get in the way
- Electric lift up and down
- Lift Capacity: 250kg
- Adjustable Forks: 215-550mm
- Fork Size: 600x100mm (LxW)
- Max Lift Height: 1500mm
- Min Height: 60mm
- Overall Size: 1500x720x1740mm (LxWxH)
- Wheel Sizes: 125x50mm
- Battery: 12v, 60Ah
- Unit Weight: 225kg
- Optional platform supplied with lifter

**Now Only**  
**\$2927 +GST ea**  
~~Was \$3365~~  
Code: LT8540



Removable Platform

## Heavy Duty Manual Fork Stackers

- These manual fork stackers are a very heavy duty construction and are an economical alternative to forklifts.
- Manual hydraulic lift via pallet truck style handle or foot pedal.
- Straddle leg model for use with standard 1170mm Australian pallets.
- Standard leg model for use on Euro pallets and small skids.
- Lockable wheels are standard on all models.

Straddle Legs



Foot pedal pump as well as normal handle pump

Standard Legs



Price Each

Code	Description	Lift Capacity	Overall Width	Overall Length	Overall Height	Minimum Fork Height	Maximum Fork Height	Was	Now
S3856	Standard Leg Stacker	500kg	805mm	1600mm	2000mm	90mm	1600mm	<del>\$1078</del>	<b>\$937</b>
S3857	Straddle Leg Stacker	500kg	1500mm	1600mm	2000mm	70mm	1500mm	<del>\$1273</del>	<b>\$1108</b>
S7256	Standard Leg Stacker	1000kg	1000mm	1640mm	2085mm	90mm	1600mm	<del>\$1472</del>	<b>\$1279</b>
S7258	Straddle Leg Stacker	1000kg	1450mm	1560mm	2050mm	70mm	1560mm	<del>\$1680</del>	<b>\$1458</b>



## Fork Extension Slippers / Tines

- Fork slippers extend the versatility of your lift truck.
- The safe working load (SWL) is measured per pair at 600mm load centre
- Slippers conform to AS2359.15

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

Code	Description	Finish	Length	Internal Tine Size (WxH)	External Tine Size (WxH)	Weight Per Pair	SWL	Price/Pair	
								Was	Now
F2936	Extension Slippers	Galvanised	1800mm	140x55mm	160x65mm	66kg	4000kg	<del>\$495</del>	<b>\$429</b>
F2937	Extension Slippers	Galvanised	2400mm	140x55mm	160x65mm	88kg	4000kg	<del>\$675</del>	<b>\$594</b>
F2938	Extension Slippers	Galvanised	1800mm	160x75mm	175x90mm	133kg	8000kg	<del>\$995</del>	<b>\$874</b>
F2939	Extension Slippers	Galvanised	2400mm	160x75mm	175x90mm	177kg	8000kg	<del>\$1235</del>	<b>\$1085</b>
F2940	Extension Slippers	Galvanised	3000mm	200x70mm	215x900mm	221kg	8000kg	<del>\$1485</del>	<b>\$1292</b>

**Full range of sizes available on our website**

## Semi Auto Electric Fork Stacker

These semi auto fork stackers are the ideal machine for any warehouse. They are manual push and electric up/down with handle-chain assisted steering which greatly reduces operator labour intensity.

They have adjustable fork tines & straddle legs which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.

- Load Capacity: 1000kg
- Lift Height: 3000mm
- Overall Height (with mast lowered): 2145mm
- Overall Height (with mast extended): 3600mm
- Overall Length: 1835mm
- Overall Width: 1532mm (maximum)
- Tine Dimensions: 60x142x1070mm
- Ground Clearance: 40mm
- Wheel Type: Nylon
- Turning Radius: 1505mm
- Brake: Mechanical foot pedal
- Battery: 12v, 120Ah
- Unit Weight: 550kg

**Now Only**  
**\$4893 +GST ea**  
~~Was \$5765~~  
Code: SA380



**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

## QuikStak Auto-Adjusting Stacker

- Quikstak S-Series SP1016 Powered Walkie Stacker
- Built-in limit switch and overload protection valve
- Magic-Eye Sensor System automatically adjusts the forks to maintain an ergonomic work height as the pallet is loaded and unloaded.
- Width adjustable forks and straddle legs to handle very large pallets and crates in complete safety
- Straddle Legs with adjustable width from 1132mm-1532mm
- Forged Forks with adjustable width from 200mm-800mm
- Overall Size: 1500x1532x2145mm (LxWxH)
- Max Height: 1600mm
- Capacity: 1000kgs
- 24volt DC motor
- Travel Speed: 6.0km/h
- Unit weight: 420kgs



**Now Only**  
**\$9439 +GST ea**  
~~Was \$12,265~~  
Code: SP1016



View video of this in operation here

[www.mhaproducts.com.au/quikstak-smart-stackers](http://www.mhaproducts.com.au/quikstak-smart-stackers)

**Quikstak**  
S-series

## Walk-Behind Electric Pallet Truck

- The economical option for an electric pallet truck
- Avoid the strain of manually pushing a standard pallet truck.
- Load Capacity: 1500kgs
- Min Fork Height: 85mm
- Overall Truck Length: 1578mm
- Overall Truck Width: 685mm
- Overall Fork Width: 685mm
- Fork Dimensions: 53x160x1150mm
- Wheel Type: Polyurethane

- Travel Speed (unloaded): 5.8 Km/h
- Electric Brake
- Battery: 24v, 80Ah
- Brushless AC motor
- Emergency stop button
- Total Unit Weight: 230kg

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

**Now Only**  
**\$3990 +GST ea**  
~~Was \$4988~~  
Code: SA720



## Slip-On Roll/Carpet Forklift Prong

- This forklift roll prong is ideal for lifting rolls of carpet, fabric, cable and other coil products
- Quick to attach - only requires the connection of a safety chain to the forklift load guard to prevent unintentional disengagement
- Prong is made from solid steel - the rest is made from 5mm thick sheet
- Overall size of unit: 3840mm long x 550mm wide x 200mm high
- External size of fork pockets: 200x100mm (WxH)
- Internal size of fork pockets: 190x65mm (WxH)
- Prong Length: 2800mm
- Prong Diameter: 70mm
- Fork pocket centres: 345mm
- Enamel paint finish
- Safe Working Load: 510kg
- Unit Weight: 163kg

**Now Only**  
**\$1729 +GST ea**  
~~Was \$1990~~  
Code: F2992



**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



## 2.0 Tonne Hook & Tow Jib Attachment

This 2000kg hook & tow jib is suitable for most forklifts and is a simple slip-on attachment with safety chain and swivel hook as pictured.

- Safe Working Load: 2000kg at 1160mm load centre
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 250mm
- Fork Pocket Length: 1220mm
- Unit Weight: 45kg
- Finish: Zinc plated
- Maximum weight on towball must not exceed 500kg
- Hook jib has 2 lifting positions
- Overall dimensions: 1420x420x135mm (LxWxH)

**Now Only**  
**\$645 +GST ea**  
~~Was \$720~~  
Code: HJ2005



**LIFTEX**  
MATERIALS HANDLING EQUIPMENT


## 4.5 Tonne Fixed Short Jib

This 4500kg short fixed jib is designed as an affordable general purpose jib which is great for confined spaces and has a 1.9 metre reach when fully extended.

- Jib Length (when closed): 1.25m
- Jib Length (when extended): 1.9m
- Safe Working Load: 4500kg
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 290mm
- Unit Weight: 95kg
- Finish: Zinc plated

**Now Only**  
**\$1019 +GST ea**  
~~Was \$1195~~  
Code: JS4500

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



SAFE WORKING LOADS (SWL) PER POSITION				
POSITION	1	2	3	4
EXTENSION (mm)	670	1165	1545	1925
SWL (kg)	4500	2900	1300	750

## 4.5 Tonne Fixed Long Jib

This 4500kg long jib is a general purpose jib which is great for reaching across pits and areas where the forklift cant drive up to, as it has a 3.5 metre reach when fully extended.



- Jib Length (when closed): 2.0m
- Jib Length (when extended): 3.5m
- Safe Working Load: 4500kg
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 290mm
- Unit Weight: 140kg
- Finish: Zinc plate

**Now Only**  
**\$1382 +GST ea**  
~~Was \$1678~~  
Code: JL4500

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

SAFE WORKING LOADS (SWL) PER POSITION						
POSITION	1	2	3	4	5	6
EXTENSION (mm)	870	1945	2325	2705	3085	3465
SWL (kg)	4500	1300	750	560	380	200

## 2000KG Automatic Pallet Hook

The automatic pallet hook, type PH2908, is self-levelling for ease of operation. An internal spring mechanism ensures the lifting eye is in the correct position to keep the tines horizontal, eliminating the need to reposition the lifting ring. Enclosed frame members protect the operator from moving parts.

The Pallet Hook has been designed & certified in accordance the relevant Australian Standards

- Safe Working Load (SWL): 2000kg
- Load Centre: 600mm
- Unit Weight: 196kg
- Adjustable Tine Size: 100x45x1055mm
- Clearance: 1355mm (minimum distance between tines and head)
- Shipping Size: 1200x1250x1800mm
- Finish: Zinc plated



Self levels  
automatically

**Now Only**  
**\$1715 +GST ea**  
~~Was \$1976~~  
Code: PH2908

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT

## 4.5 Tonne Long Tilting Jib

This 4500kg long tilting jib is the most versatile jib in our range and allows for additional height of up to 2.23 metres.

**Now Only**  
**\$1984 +GST ea**  
~~Was \$2460~~  
Code: TJ4500

- Jib Length (when closed): 2.1m
- Jib Length (when extended): 3.53m
- Safe Working Load: 4500kg (SWL load chart is shown on jib)
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 322mm
- Unit Weight: 190kg
- Finish: Zinc plated

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT




## Expanding Roller Conveyors

- The flexible roller conveyor expands from 1500mm to 4000mm and can be joined to make one continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods for which the skate wheel conveyor wont work
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers
- Capacity: 130kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 - 1000mm

Price Each


Code	Conveyor Width	Was	Now
40123	460mm wide	<del>\$1675</del>	<b>\$1490</b>
40124	610mm wide	<del>\$1895</del>	<b>\$1689</b>
40128	760mm wide	<del>\$2195</del>	<b>\$1968</b>



**troden**  
conveyors

## Expanding Skate Conveyors

- Self tracking flexible conveyor which expands from 1100mm to 4000mm and can be joined to make one continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels
- Capacity: 100kg per metre
- Length Retracted: 1100mm
- Length Expanded: 4000mm
- Height Range: 690 - 1000mm



**troden**  
conveyors

Price Each

Code	Conveyor Width	Was	Now
40125	460mm wide	<del>\$1660</del>	<b>\$1477</b>
40129	610mm wide	<del>\$1873</del>	<b>\$1685</b>
40130	760mm wide	<del>\$2175</del>	<b>\$1938</b>

## Electric Expanding Roller Conveyors

- Simply plug in and go, this powered electric roller conveyor is great for carrying boxes and items uphill where gravity may not be achievable
- This conveyor is flexible and expands from 1500mm to 4000mm and can be joined to make one continuous powered conveyor system
- Great for loading and unloading containers
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Quiet operation 240V AC motor with forward and reverse action and adjustable roller speed
- Capacity: 120kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 - 1000mm

**troden**  
conveyors



Price Each

Code	Conveyor Width	Was	Now
40143	460mm wide	<del>\$5990</del>	<b>\$5273</b>
40144	610mm wide	<del>\$6700</del>	<b>\$5690</b>

\*other widths and lengths available on request - view our website!

## Forklift Safety Cage/Work Platform

- Manufactured to meet Australian Standards AS 2359-1
- Zinc plated finish
- Designed to carry 2 persons (250kg max)
- Mesh safety screen
- Toe boards all sides with skid resistant floor plate
- Inward opening, self closing door
- Internal handrail with safety loops to hook safety harness
- Full length fork sleeves
- Castors can be fitted to the bottom of cage for easy maneuverability in warehouse or yard
- Supplied as flatpack for easy storage and transport however can be ordered with assembly
- Floor Dimensions Inside: 1000x1100mm
- Overall Height: 2000mm
- Height to Railing: 1000mm
- Fork Pocket Size: 160x60mm
- Fork Pocket Centres: 640mm
- Unit Weight: 110kg

**troden**

**Now Only**  
**\$839 +GST**  
**Was \$920**  
Code: FC2901



**Assembly fee**  
**\$95 +GST**  
Code: FCASS







## 7.5 Tonne Capacity Container Ramp

This container ramp is a heavy duty ramp for unloading containers of heavy products and machinery using a forklift.

This is a one piece unit with forklift slots at both the side and front for easy transport.

### Specifications

- Capacity: 7500kgs
- Unit Weight: 240kgs
- Finish: Painted yellow
- Width: 2200mm
- Height: 160mm
- Length: 1720mm
- Fork Pocket Size (side): 80x165mm
- Supplied with chain & D-shackle as pictured



**troden**

Now Only  
\$989 +GST ea  
Was \$1130

Code: R2996



## 7 Tonne Capacity Folding Container Ramp


**troden**

This container ramp has a self-levelling lip that is designed for bridging into a standard container even if the ground is not level.

The ramp foot has handles which allow it to be easily folded back for access to the fork slots.

### Specifications

- Capacity: 7000kgs
- Unit Weight: 275kgs
- Finish: Painted yellow
- Width: 2200mm
- Length: 2000mm
- Fork Pocket Size: 165x60mm
- Fork Pocket Centres: 775mm
- Supplied with chain & D-shackle as pictured



Now Only  
\$1269 +GST ea  
Was \$1455

Code: R2901




Ramp foot folds back for transport with forklift





## 5.5 Tonne Capacity Container Ramp

- This is a one piece unit with forklift slots at the front for easy transport
- Capacity: 5500kgs
- Unit Weight: 160kgs
- Finish: Painted yellow
- Width: 2200mm
- Height: 160mm
- Length: 1200mm
- Supplied with chain & D-shackle as pictured



Now Only  
\$829 +GST ea  
Was \$945

Code: R2995



**troden**

## Bishamon Unilift Pallet Lifter

**Bishamon**

The UniLift pallet handler can lift and transport a standard pallet without straddling it. It is compatible with standard GMA pallets, CHEP pallets or skids. The UniLift can handle loads up to 900kgs and reaches a height of up to 915mm (Unloaded). Fitted with high quality polyurethane wheels, the UniLift easily transports loads.

The UniLift is powered by an efficient 24 VDC battery system and an on-board, automatic battery charger. It also features electro-mechanical outrigger actuation with position sensors. The operator console contains convenient buttons that raise and lower the forks, and LED indicators that display the battery status.

- Dual-purpose product allows for both transport and load lifting
- Handles and steers like a standard pallet jack
- Lifting fork height up to 915mm
- Lift Capacity up to 900kgs
- Multi-roller fork entry system for easy pallet entry and exit
- Foot brake on steering wheels
- On-board, automatic battery charger
- Efficient 24 VDC battery system powers lift operation
- Electro-mechanical outrigger actuation with position sensors
- Electronic operator console with "raise and lower" buttons, dual function key/battery disconnect switch, outrigger position LED's, charger status and battery condition LED's
- 200mm diameter polyurethane steering wheels
- 75mm diameter polyurethane load wheels
- Durable powder coated finish
- Unit Weight: 340kg



Watch a video of this in operation on our website here,  
[www.mhaproducts.com.au/bishamon-unilift](http://www.mhaproducts.com.au/bishamon-unilift)

Now Only  
\$14,359 +GST ea  
Was \$15,955

Code: UNILIFT



## Fully Electric Drum Stacker & Rotator

- Stand on or walk behind battery electric operation
- Suitable for 210 litre steel drums and some plastic drums
- Will work with some plastic drums depending on size and shape
- Lifts, transports and rotates
- Load Capacity: 420kg
- Drum Rotating Range: 135 degrees
- Max Lift Height: 2400mm
- Overall Height: 1860mm
- Overall Length: 2270mm
- Overall Width: 1170mm
- Turning Radius: 2150mm
- Max Slope Ability:  
3% loaded  
5% unloaded
- Wheel Size: 125x50mm
- Power: 24V, 210Ah
- Electromagnetic brake
- Unit Weight: 1100kg



**Now Only**  
**\$12,950 +GST**  
~~Was \$14,900~~  
Code: DL7280

**LIFTEX**  
MATERIALS HANDLING EQUIPMENT



Watch a video of this in operation on our website here,  
[www.mhproducts.com.au/DL7280](http://www.mhproducts.com.au/DL7280)

## Drum Tipper / Dumper

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required.
- A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Working Load Limit (WLL): 500kg
- Rotational ability 180 degrees
- Load centre: 1000mm
- Fork pocket size 185 x 65mm
- Pocket centres 840mm
- Unit weight: 85kg



**Now Only**  
**\$783 +GST**  
~~Was \$840~~  
Code: DL7215

## Dangerous Goods Cabinets (Indoor)

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- All our flammable liquids cabinets are made to AS 1940-2004



DG8030



DG8006



DG8100



DG8160

Price Each

Code	Description	Storage Capacity	4L Drums Capacity	20L Drums Capacity	No. Of Shelves	Unit Weight	Was	Now
DG8030	Flammable Liquid Cabinet	30L	8	1	2	33kg	<del>\$995</del>	<b>\$885</b>
DG8006	Flammable Liquid Cabinet	60L	12	2	2	41kg	<del>\$1059</del>	<b>\$942</b>
DG8100	Flammable Liquid Cabinet	100L	24	3	2	65kg	<del>\$1385</del>	<b>\$1232</b>
DG8160	Flammable Liquid Cabinet	160L	40	6	2	78kg	<del>\$1470</del>	<b>\$1292</b>



## Dangerous Goods Cabinet

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- All our flammable liquids cabinets are made to AS 1940-2004
- Internal Size: 1503x1018x420mm (HxWxD)
- External Size: 1970x1100x500mm (HxWxD)
- Storage Capacity: 250L
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- No. of Shelves: 3
- Unit Weight: 123kg



**STORMAX**

Now Only  
\$1399 + GST ea  
Was \$1595  
Code: DG2500S



## Gas Storage Cage

**STORMAX**

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Lockable door
- Full metal roof which provides weather protection
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Safe Working Load: 750kg
- Overall Size: 1060x1060x1800mm (WxDxH)
- Unit Weight: 180kg
- Finish: Zinc plated
- Fork Pocket Size: 165x65mm



Price Each

Code	Description	Was	Now
DG2960	Gas Storage Cage	<del>\$1435</del>	<b>\$1198</b>
DG2960A	Assembly of DG2960	<del>\$130</del>	<b>\$100</b>

## Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Powercoated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety
- Made in Australia to AS 4332



Price Each

Code	Description	LPG Cylinder Capacity	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight	Was	Now
AS8040	Fork Gas Cage	2 Cylinders	915x690x428mm	1023x750x450mm	35kg	<del>\$765</del>	<b>\$698</b>
AS8041	Fork Gas Cage	4 Cylinders	975x690x690mm	1050x750x750mm	65kg	<del>\$995</del>	<b>\$885</b>
AS8042	Fork Gas Cage	6 Cylinders	975x1020x670mm	1050x1100x750mm	95kg	<del>\$1824</del>	<b>\$1623</b>
AS8043	Fork Gas Cage	12 Cylinders	1925x1020x670mm	2000x1100x750mm	182kg	<del>\$2878</del>	<b>\$2446</b>

## Aerosol Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Powdercoated green
- All cages have lockable doors and bolt down plates for added security
- Made in Australia to AS 3833-2007



**12 Can Aerosol Storage Cabinet**  
Code: AS8050



**60 Can Aerosol Storage Cabinet**  
Code: AS8051



**216 Can Aerosol Storage Cabinet**  
Code: AS8053



**108 Can Aerosol Storage Cabinet**  
Code: AS8052



**432 Can Aerosol Storage Cabinet**  
Code: AS8055



**216 Can Aerosol Storage Cabinet**  
Code: AS8054

Code	Description	Can Storage Capacity	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight	Price Each	
						Was	Now
AS8050	Aerosol Cage	12 cans	320x420x120mm	400x500x200mm	9kg	<del>\$510</del>	<b>\$453</b>
AS8051	Aerosol Cage	60 cans	420x620x220mm	500x700x300mm	12kg	<del>\$639</del>	<b>\$568</b>
AS8052	Aerosol Cage	108 cans	820x770x320mm	900x850x400mm	34kg	<del>\$992</del>	<b>\$882</b>
AS8053	Aerosol Cage	216 cans	820x1575x320mm	900x1655x400mm	67kg	<del>\$1382</del>	<b>\$1229</b>
AS8054	Aerosol Cage	216 cans	1720x770x320mm	1800x850x400mm	67kg	<del>\$1382</del>	<b>\$1229</b>
AS8055	Aerosol Cage	432 cans	1720x1575x320mm	1800x1655x400mm	131kg	<del>\$2102</del>	<b>\$1869</b>

## 4 Drum Bunded Pallets

According to EPA recommendations, bunding should be used for the storage of all liquids except rainwater. These bunded pallets provide an economical and simple solution that complies with Australian Standards 3780 which specifies a bund should contain 110% of the capacity of the largest stored container, should it spill.

- Heavy duty bunded pallets made from polyethylene
- Available in 2 sizes (2 drum and 4 drum)
- Removable grate
- Easy forklift and pallet truck entry
- 100% Australian made
- Corrosion Resistant

### 4 Drum Pallet Specifications

- Bund Capacity: 240L
- Pallet Weight: 33kg
- Size: 1275x1275x310mm (WxDxH)

**Now Only**  
**\$499 +GST**  
~~Was \$578~~  
Code: SB3102



## 1500kg Capacity Tipping Bins (with release mechanism)

- These heavy duty tipping bins are ideal for heavy waste including metal, timber and building site rubble
- The tipping release mechanism is activated by the forklift operator pulling the pull cord from the drivers seat
- Fitted with removable drain plug
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x70mm
- Fork Pocket Centres: 695mm



Code	Unit Weight	Bin Capacity	Dimensions (mm) WxLxH
WB2952	165kg	590L	1150x1807x555
WB2953	215kg	1100L	1150x1807x905
WB2954	275kg	2100L	1986x1807x905

Price Each

Code	Description	Was	Now
WB2952	Tipping Bin (with release mechanism)	<del>\$1860</del>	<b>\$1636</b>
WB2953	Tipping Bin (with release mechanism)	<del>\$2290</del>	<b>\$2015</b>
WB2954	Tipping Bin (with release mechanism)	<del>\$2860</del>	<b>\$2516</b>
WB295K	Wheel Kit to suit Tipping Bins	<del>\$300</del>	<b>\$245</b>



## Drop Bottom Bin (with mesh sides)

- These drop bottom bins are a heavy duty bin made for all types of waste
- Ideally suited to the recycling industry, the cage can be lifted by either a forklift or crane
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying with a shock absorbing system to avoid impact to the forklift or crane during emptying
- Pull-rope release mechanism for bottom discharge
- Safe Working Load: 1000kg
- Mesh sides with sheet metal base
- Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm
- Volume approx 1500L
- Bin size to outside of frame approx 1540mm x 950mm x 1350mm high
- Durable Zinc finish
- Unit weight: 145kg



**Now Only**  
**\$1369 + GST ea**  
**Was \$1560**  
Code: WB2723

## Drop Bottom Bin (solid sides)

- These drop bottom bins are a heavy duty bin made for all types of waste
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying with a shock absorbing system to avoid impact to the forklift or crane during emptying
- Pull-rope release mechanism for bottom discharge
- Safe Working Load: 1000kg
- Sheet metal sides with sheet metal base
- Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm
- Volume approx 1500L
- Bin size to outside of frame approx 1540mm x 950mm x 1350mm high
- Durable Zinc finish
- Unit weight: 200kg




**Now Only**  
**\$1594 + GST ea**  
**Was \$1850**  
Code: WB2722



## Zinc Plated Forklift Waste Tipping Bins

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout the workplace
- Manual push over for tipping into larger bins or skips
- Available in 2 standard sizes
- Drain plug fitted as standard
- Safe Working Load: 350kg
- Finish: Zinc plated
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 367mm
- Available in 350 and 650 litre sizes



**troden**

Code	Dimensions	Size	Unit Weight	Price Each	
				Was	Now
WB2940	1120x860x580mm	350L Bin	65kg	<del>\$799</del>	<b>\$710</b>
WB2941	1120x860x900mm	650L Bin	90kg	<del>\$885</del>	<b>\$799</b>

## Forklift Waste Tipping Bin

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout workplace
- Simply pull the cord or handle which releases mechanism for tipping into larger bins or skips
- Safe Working Load: 350kg
- Finish: Painted
- Fork Pocket Size: 150x55mm
- Fork Pocket Centres: 600mm
- Unit Weight: 103kg
- Bin Overall Height: 800mm
- Bin Overall Width: 690mm
- Bin Overall Length: 1100mm
- Height to top of lip: 710mm
- Bin Capacity: 150L

**troden**

**Now Only**  
**\$868 + GST ea**  
**Was \$976**  
Code: WB2938



## Self Dumping 1500kg Capacity Tipping Bins

- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Drain plug fitted as standard
- Optional wheel kits available
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x75mm
- Fork Pocket Centres: 380mm (WB2920)
- Fork Pocket Centres: 680mm (WB2921 & WB2922)

**troden**

Nestable

Optional Wheel Kit Available

Price Each

Code	Description	Dimensions (WxLxH)	Bin Capacity	Unit Weight	Was	Now
WB2920	Self Dumping Tipping Bin	1010x1570x1010mm	950L	180kg	<del>\$1387</del>	<b>\$1175</b>
WB2921	Self Dumping Tipping Bin	1310x1570x1010mm	1250L	205kg	<del>\$1535</del>	<b>\$1309</b>
WB2922	Self Dumping Tipping Bin	1910x1570x1010mm	1850L	245kg	<del>\$1940</del>	<b>\$1649</b>
WB29K	Wheel Kit to suit (includes 4 wheels)				<del>\$305</del>	<b>\$245</b>

## Crane / Forklift Spreader Beam

The Spreader Beam is a unique multitasking Beam which can be used by Crane or Forklift to lift long loads. Using a Crane, loads can be lifted via the centre single hook point (as a 'Lifting Beam'), or end lifted using a 2 leg Chain Sling (as a 'Spreader Beam'). If lifting by forklift, the 600mm long slipper pockets allow for fast and safe connection to the truck.

The Spreader Beam load connection points are adjustable to 3 positions by moving the extendable arms each end. Both extendable arms are locked into position via safety pins. The unit is supplied standard with a safety swivel hook each end.

The extendable arms are zinc plated with the main body painted in 'safety orange'.

- Rated Capacity (RC Max.): 9000kg
- Load Centre (LC): 2405mm
- Unit Weight: 172kg
- FLift HCG: 300mm

**Now Only**  
**\$1972 + GST ea**  
**Was \$2320**  
Code: FL2439



## Pull Cord Forklift Wheelie Bin Tipper

- These tipper bins are available for tipping 240 litre bins
- Simple and safe tipping operation - operated via a pull cord from the drivers seat
- The wheelie bin is firmly secured into position by the frame assembly preventing any bin movement, with the additional securing chain around the front of the bin.
- Returning the bin to the upright position can be done manually or with the forklift, the bin automatically locking into position once upright.

### Specifications

- 180 degree tipping operation
- Finish: Enamel painted
- Fork Pocket Size: 190x70mm
- Safe Working Load: 500kg
- Fork Pocket Centres: 840mm
- Unit Weight: 80kg

**Now Only**  
**\$859 + GST ea**  
**Was \$960**  
Code: F2962



## Multi-Tip Battery Electric Bin Tipper

The Multi-Tip bin-tipper is everything a bin tipper should be - safe, economic, easy to use, versatile, and efficient.

Perfect for light industrial use to empty bins at schools, factories, recycling centres and more. These tipper bins are battery powered which have a sealed battery and an industrial-quality 'float' charger built in.

### Specifications:

- 150kg safe lifting capacity
- Fast 20 seconds to empty a bin
- Tipping Height: 1.6m
- Battery-powered with a sealed battery and an industrial-quality 'float' charger built in
- Indoor or outdoor use
- 125mm castors, 2 with brakes
- Rugged powder coated frame
- Suits popular bin sizes 80L, 120L, 140L and 240L, with no adjustment
- Lockout key and two-hand controls for safety
- Simple plug in to charge overnight



View video of this in operation here  
[www.mhaproducts.com.au/multi-tipper](http://www.mhaproducts.com.au/multi-tipper)

**Multi-Tip**

**Now Only**  
**\$5979 + GST ea**  
**Was \$7150**  
Code: MT1600





## Heavy Duty Longspan Shelving (with Steel Shelves)

- This heavy duty longspan shelving system is a strong and versatile shelving system which is great for any storing small parts and archives
- The Stormax longspan system is a heavy duty system which is similar to pallet racking just in a smaller profile.
- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Comes standard with steel shelves (2 pieces per level)
- End frames are supplied assembled for quick and easy setup
- Step beams which the steel decks sit flush with the beam
- Shelf Capacity: 375kg per shelf (evenly distributed)

**STORMAX**



Code	Description	Height	Width	Depth	Price Each	
					Was	Now
LS1803S	Longspan Shelving Set	2400mm	1800mm	600mm	<del>\$362</del>	<b>\$325</b>
LS1803SA	Longspan Shelving Set - Add On Bay	2400mm	1800mm	600mm	<del>\$304</del>	<b>\$274</b>
LS1803SE	Longspan Shelving Set - Extra Shelf Level	-	1800mm	600mm	<del>\$82</del>	<b>\$74</b>


Visit our website to view our full range of sizes!

## Medium & Heavy Duty Cantilever Racking

The most efficient solution for storing irregular awkward or long items such as bulky furniture, timber lengths, PVC and steel pipes, carpet rolls, plasterboard, windows and doors, long wooden pallets and much more.

The arm locations can be easily and efficiently adjusted without any tools required to suit your specific height or length requirements. So no matter how large, small, long or short your storage problems are, this cantilever racking system will provide you with the most economical and practical solution.

This configuration of Cantilever Racking includes End Stops and Load Signs.



Code	Description	Storage Levels	Post Height	Arm Length	Post/Brace Spacing	Capacity (UDL per arm)	Price Each	
							Was	Now
CS3200	MD Cantilever Racking - Initial Bay	4 incl base	2400mm	700mm	900mm	450kg	<del>\$680</del>	<b>\$592</b>
CS3200A	MD Cantilever Racking - Add on Bay	4 incl base	2400mm	700mm	900mm	450kg	<del>\$345</del>	<b>\$299</b>
CS4200	HD Cantilever Racking - Initial Bay	5 incl base	4877mm	1200mm	1200mm	1000kg	<del>\$2140</del>	<b>\$1859</b>
CS4200A	HD Cantilever Racking - Add on Bay	5 incl base	4877mm	1200mm	1200mm	1000kg	<del>\$1090</del>	<b>\$954</b>

## Heavy Duty Industrial Work Benches

- Heavy duty steel industrial work bench with optional back board panel and lockable drawer set
- This work bench has a 1000kg bench capacity
- Comes standard with adjustable feet for levelling on uneven floors
- Finish: Powdercoated light grey
- Drawer Capacity: 100kg per drawer
- Metal peg and louvre panel is great for storing parts bins and tools and bottom tray for additional off-bench storage space

**1000  
KG  
CAPACITY**



B8101C Castor Kit

**STORMAX**

Price Each

Code	Description	Dimensions	Now
B8101	Work Bench - 1800mm	1800x750x900mm (LxWxH)	<b>\$385</b>
B8102	Back Panel (for B8101)	1735x205x825mm (LxWxH)	<b>\$229</b>
B8107	Work Bench - 2100mm	2100x750x900mm (LxWxH)	<b>\$425</b>
B8108	Back Panel (for B8107)	2035x205x825mm (LxWxH)	<b>\$249</b>
B8100	Drawer Unit (2 x 100mm drawers)	565x580x280mm (WxDxH)	<b>\$179</b>
B8101C	Castor Kit to fit benches	includes 4 swivel castors with brakes	<b>\$165</b>



Please Note: Bench shown in image includes optional back panel and drawer unit


## Industrial Tooling Drawer Unit

- These industrial tooling drawers are a heavy duty drawer cabinet for industrial applications
- Finish: Powdercoated light grey with light blue coloured drawers
- Drawer Capacity: 75kgs
- 2 x 100mm deep drawers
- 3 x 200mm deep drawers
- Drawers have adjustable dividers
- Dimensions: 900x900x450mm (HxWxD)

**Now Only  
\$719 +GST ea  
Was \$796  
Code: C8122**



Image above shown with C8121 mounted on top



Code: C8122

## Peg Board Tool Trolley

- Great tool trolley for general workshop use
- Comes with metal pegboard on back as well as the sides which can be used to hold tools and equipment.
- Overall Width: 415mm
- Overall Length: 670mm
- Overall Height: 1730mm
- Back Panel Width: 605mm
- Back Panel Height: 440mm
- Top Shelf Height: 900mm
- Middle Shelf Height: 510mm
- Bottom Shelf Height: 160mm
- 4 heavy duty castors (2 swivel and lockable and 2 fixed)
- Load Capacity: 250kg
- Finish: Powdercoated light grey
- Handle Height: 825mm

**Now Only  
\$295 +GST ea  
Was \$345  
Code: T8186**



## 1/2 Height Industrial Cabinet

- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- 1/2 height cabinet comes standard with 2 adjustable shelves
- Extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Finish: Powdercoated light grey with light blue coloured doors
- Shelf Capacity: 150kgs
- 2 adjustable shelves as standard
- 3 point key lock system
- Option drawer units available which fit inside unit

**Now Only  
\$275 +GST ea  
Was \$298  
Code: C8121**



**STORMAX**



## Louvre & Square Hole Panel Trolleys

- Strong metal panel trolleys which are ideal for storing either Stor-Pak bins or tools on hooks
- Can be fitted one side with louvre panel and one side with square hole metal pegboard or a mix of both on each side on request
- Fitted with 2 lockable castors
- Powdercoated grey colour
- Dimensions: (WxDxH) 980x600x1540mm
- Storpak bins and hooks sold separate to the trolleys however the storpak version can be purchased in a full kit as pictured

### 10730K - Louvre Panel Trolley Kit (with Stor-pak bins)

- 16 x No.5 Storpak Bins (Blue)
- 16 x No.5 Storpak Bins (Yellow)
- 16 x No.10 Storpak Bins (Red)
- 16 x No.10 Storpak Bins (Green)
- 12 x No.25 Storpak Bins (Yellow)
- 8 x No.60 Storpak Bins (Blue)
- 8 x No.60 Storpak Bins (Red)
- 4 x No.120 Storpak Bins (Green)

### 10730K - Louvre Panel Trolley Kit

Price Each

Code	Description	Was	Now
10730	Louvre Panel Trolley	<del>\$585</del>	<b>\$495</b>
10735	Square Pegboard Panel Trolley	<del>\$585</del>	<b>\$495</b>
10730K	Louvre Panel Trolley Kit (with Stor-pak bins exactly as shown in image)	<del>\$995</del>	<b>\$895</b>



**STORMAX**

### 10730 - Louvre Panel Trolley



### 10735 - Pegboard Panel Trolley

## Pegboard Accessories

- Large range of hanging hooks accessories available which fit all our pegboard products



Price Each

Code	Description	Dimensions	1-49	50-99	100+
C8204	Single Hook	25mm long	\$3.50	\$2.70	<b>\$2.20</b>
C8205	Single Hook	75mm long	\$3.50	\$2.70	<b>\$2.20</b>
C8206	Single Hook	150mm long	\$3.50	\$3.15	<b>\$2.65</b>
C8207	Double Hook	25mm long	\$3.50	\$3.15	<b>\$2.65</b>
C8208	Double Hook	75mm long	\$4.00	\$3.60	<b>\$3.05</b>
C8209	U Shape Hook	23x35mm (LxW)	\$3.50	\$3.15	<b>\$2.65</b>
C8210	U Shape Hook	70x25mm (LxW)	\$3.50	\$3.15	<b>\$2.65</b>
C8211	3 Prong Hook	150mm long	\$5.90	\$5.30	<b>\$4.50</b>
C8213	Spanner Holder	135mm long	\$11.00	\$9.90	<b>\$8.35</b>
C8214	Screwdriver Holder	390mm long	\$13.00	\$11.70	<b>\$9.85</b>

## Heavy Duty Warehouse Packing Bench

- Strong heavy duty work bench or packing bench
- Rated to over 500kg per shelf
- Timber board is 25mm MDF
- Size: 2400 x 900 x 900mm (Length x Width x Height)
- Bench is supplied flat packed
- Bottom shelf (as shown in image) is an optional extra
- Castor kit available to suit

**STORMAX**



Image shown with optional bottom shelf

Price Each

Code	Description	Was	Now
13560	Heavy Duty Packing Bench	<del>\$395</del>	<b>\$355</b>
13562	Heavy Duty Work Bench Bottom Shelf	<del>\$89</del>	<b>\$79</b>

## Shipping / Parcel Scales

- Low profile design
- Rigid construction
- Remote display unit for weighing ease
- Hold or net / gross function
- Unit conversion available (KG/LB/OZ)
- Large and bright easy-to-read LCD display
- Auto-off function for power saving in seconds (120, 180, 240, 360, off optional)
- Rechargeable Battery and AC adaptor supplied
- Function Keys: Zero, Tare, Hold, Unit, On/Off
- Platform Dimensions: 405x355mm
- Increments: 20 grams
- Capacity: 60kgs

Now Only  
**\$275 + GST ea**  
Was \$312  
Code: S3260



## Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post and panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled and disassembled rail system
- Supplied with all necessary bolts and fixings
- Installation available - Contact us for a quotation
- Galvanised finish available on request

**STORMAX**





### Corner Post

Comes with bolt holes on two adjoining sides

### Centre Post

Comes with bolt holes on two opposite sides

**Post Base Size**  
254x254x16mm



				Price Each	
Code	Description	Height	Length	Was	Now
SG401	Single Height Corner Post (100x100mm)	470mm	-	<del>\$95</del>	<b>\$86</b>
SG402	Single Height Centre Post (100x100mm)	470mm	-	<del>\$95</del>	<b>\$86</b>
SG403	Double Height Corner Post (100x100mm)	1085mm	-	<del>\$120</del>	<b>\$125</b>
SG404	Double Height Centre Post (100x100mm)	1085mm	-	<del>\$120</del>	<b>\$125</b>
SG405	Safety Rail Section	370mm	1120mm	<del>\$142</del>	<b>\$130</b>
SG406	Safety Rail Section	370mm	1730mm	<del>\$163</del>	<b>\$145</b>
SG407	Safety Rail Section	370mm	2340mm	<del>\$194</del>	<b>\$175</b>
SG408	Safety Rail Section	370mm	2945mm	<del>\$250</del>	<b>\$235</b>

## T-Top Plastic Bollards

- Fluoro Red post with reflective tape
- Heavy weight Rubber base
- Size: 1150mm High
- Complies to AS1742
- Rubber Base Weight: 6kg



**Now Only**  
**\$29 +GST ea**  
~~Was \$39.50~~  
Code: B7310

## Heavy Duty Cage Bin Trolley

- This heavy duty cage bin trolley is great for storage and transport of items throughout a warehouse
- Finish: Powdercoated yellow
- Internal Size: 900x900x700mm (LxWxH)
- Overall Size: 1000x1000x1015mm (LxWxH)
- Doors are hinged both sides for easy loading and access
- 50x50mm mesh sides
- Heavy duty castors
- Load Capacity: 1000kg
- Base Height: 310mm
- Unit Weight: 135kg



**Now Only**  
**\$998 +GST ea**  
~~Was \$1270~~  
Code: T8436



## Pallet Racking Column Guard

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts
- No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking - You can avoid major injuries and pallet rack damage by installing these protection guards
- Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs
- Conforms to AS4084:2012
- Size: 400mm high x 220mm deep



Top View

**Now Only  
\$30 +GST ea**  
~~Was \$44.80~~  
Code: 11327



## Galvanised Safety Bollards

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- The bollards have a removable cap so they can be concrete filled

### Specifications

- Size: 1200mmH
- Diameter: 165mm
- Bolt Hole Size: 17mm
- Base Plate Size: 280x280x10mm
- Wall Thickness: 3mm



AB8706

**STORMAX**



AB8705

### Price Each

Code	Description	Details	Was	Now
AB8705	1200mm (Galvanised) Straight Bollard	Removable Cap	<del>\$182</del>	<b>\$139</b>
AB8706	Tru-Bolt 16x120mm (M16)	Galvanised	<del>\$3.50</del>	<b>\$2.00</b>

## Mesh Stillage / Transport Cages

Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor.

**STORMAX**

- These cages can also be stored on pallet racking
- Drop down removable front gate
- Cages can be stacked 2 high when loaded and 4 high unloaded
- Internal Dimensions: 1080x1080x825mm
- External Dimensions: 1160x1200x1000mm
- Supplied flatpacked (can be assembled on request)
- Optional floor available
- Finish: Zinc plated
- Load Capacity: 1000kg
- Unit Weight: 65kg

**Now Only  
\$482 +GST**  
~~Was \$548~~  
Code: SC825



## Stillage Mesh Cage

- These mesh cages are an excellent form of warehouse storage.
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage mesh cages may be stacked higher than a normal mesh cage due to the stillage posts as well as stored in pallet racking.
- Solid steel floor
- Forklift access from front and sides
- Powdercoated frames with gal mesh sides
- Can be collapsed for storage
- Collapsed Height: 300mm
- Size: 1200x1000x970mm (WxDxH)
- Load Capacity: 1000kg
- Can be safely stacked 5 high when in use




**Now Only  
\$498 +GST ea**  
~~Was \$592~~  
Code: SC930



## Plastic Stack & Nest Crates

- These stack and nest crates are injection moulded from tough, durable, UV resistant polypropylene they are suitable for food handling, engineering, warehousing or distribution
- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only
- Available in 5 colours (please specify your preferred colour when ordering)

### Colours Available (in all sizes)



Blue

Red

White

Green

Yellow



Size #4

Size #4D

Size #7

Size #10

Size #15

Code	Bin	Size (LxWxD)	Volume	Price Each		
				1-20	21-49	50+
10404	*Bin #4	430x323x127mm	13.5L	\$9.50	<b>\$8.55</b>	\$POA
10405	*Bin #4D	430x323x210mm	22L	\$11.35	<b>\$10.20</b>	\$POA
10407	*Bin #7	645x413x210mm	32L	\$20.50	<b>\$18.45</b>	\$POA
10410	*Bin #10	645x413x276mm	52L	\$24.50	<b>\$22.10</b>	\$POA
10415	*Bin #15	645x413x397mm	68L	\$41.10	<b>\$38.40</b>	\$POA
10412	Lid to suit No.4 crates (white)			\$7.95	<b>\$7.10</b>	\$POA
10417	Lid to suit No.7-15 crates (white)			\$11.85	<b>\$10.65</b>	\$POA

\*Please specify bin colour when placing your order

## Enviro Plastic Stack & Nest Crates

- These stack and nest crates are injection moulded from tough, durable, UV resistant polypropylene they are suitable for non food applications
- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only

**Please Note: The recycled black crates arent suitable for food applications**

Code	Bin	Size (LxWxD)	Volume	Price Each	
				1-20	21-49
10404RC	Bin #4	430x323x127mm	13.5L	\$7.10	<b>\$6.40</b>
10405RC	Bin #4D	430x323x210mm	22L	\$9.00	<b>\$8.10</b>
10407RC	Bin #7	645x413x210mm	32L	\$14.65	<b>\$13.20</b>
10410RC	Bin #10	645x413x276mm	52L	\$15.65	<b>\$14.10</b>
10415RC	Bin #15	645x413x397mm	68L	\$38.75	<b>\$34.85</b>
10412RC	Lid to suit No.4 crates (black)			\$5.80	<b>\$5.20</b>
10417RC	Lid to suit No.7-15 crates (black)			\$9.55	<b>\$8.60</b>



Size #4

Size #4D

Size #7

Size #10

Size #15

## Plastic Mega Bins

The Nally MegaBin is the original Australian bulk bin. Designed for fruit and vegetable movement and retail high performance the Nally MegaBin is clearly the way of plastic bins in Australia.

Rounded corners and smoother interior surfaces results in less bruising and damage to your produce.

Multiple vents in sides and base provide superior airflow so products cool faster adding valuable shelf life to your produce. The smooth, non-absorbent surface will not harbour or transfer mould, bacteria or disease carrying organisms.

Nally Megabins are up to 40% lighter in weight than wood bins and the weight is constant as they don't absorb moisture. This allows for increased freight efficiencies of 4-5%. In practice you are able to transport 2-3 extra bins of fruit per semi-trailer load.

- Standard pallet size (1165mm x 1165mm)
- Fits on standard pallet racking
- Unit Weight: 44kg approx
- Lids available on request
- Maximum load capacity: 500kgs



Stackable

Code	Description	Capacity	External Size (LxWxH)	Internal Size (LxWxH)	Price Each	
					Was	Now
70340	Solid MegaBin	780L	1165x1165x780mm	1082x1082x650mm	<del>\$389</del>	<b>\$339</b>
70344	Vented MegaBin	780L	1165x1165x780mm	1082x1082x650mm	<del>\$373</del>	<b>\$329</b>

Contact us for special pricing on bulk purchases



## Stor-Pak Parts Bins **Fischer**

- Strong polypropylene bins which are ideal for parts and products storage
- Sit on shelves, benches, stack them or clip them to louver panels
- Available in green, blue, red, yellow and clear
- Optional dividers available for #60, #120 and #240 bins (as shown in images)
- Hospital grade material - bacterial free and chemical free

### Bin Colours Available



Price Each

Code	Bin	Size (WxDxH)	Volume	Ctn Qty	Ctn Buy	10+ Ctns
IH-060	*Bin #5	100x115x60mm	0.5L	12	\$2.60	<b>\$2.10</b>
IH-061	*Bin #10	100x170x85mm	1.0L	6	\$3.55	<b>\$2.95</b>
IH-062	*Bin #25	133x220x125mm	2.5L	6	\$5.60	<b>\$4.95</b>
IH-063	*Bin #60	200x275x165mm	6.0L	6	\$10.75	<b>\$8.90</b>
IH-064	*Bin #120	410x275x165mm	12L	5	\$16.20	<b>\$13.70</b>
IH-065	*Bin #240	410x440x210mm	24L	4	\$28.50	<b>\$23.80</b>
IH-058	Dividers to suit bins #60 and #120			40	\$2.50	<b>\$1.95</b>
IH-057	Dividers to suit bins #240			45	\$4.50	<b>\$3.90</b>

\*Please specify bin colour when placing your order

## Spare Parts Trays **Fischer**

- Strong polypropylene oil resistant trays which are supplied with dividers
- Extra dividers are available to create more compartments in the trays
- Ideal for small parts storage
- Hospital grade material - bacterial free and chemical free
- Can be used with steel shelving as pictured to create a neat and organised parts storage area - see below!
- Our standard spare parts tray colour is grey as pictured however other colours are available on request (blue, green, red, yellow)



Price Each

Code	Tray	Size (LxWxH)	Dividers Supplied	Ctn Qty	Ctn Buy	4+ Ctns
IH-012	Size #12	300x100x100mm	2	24	\$5.65	<b>\$4.80</b>
IH-017	Size #17	400x100x100mm	2	24	\$6.85	<b>\$5.90</b>
IH-027	Size #27	600x100x100mm	5	12	\$10.75	<b>\$9.10</b>
IH-024	Size #24	300x200x100mm	2	12	\$8.70	<b>\$7.50</b>
IH-025	Size #25	400x200x100mm	2	12	\$10.45	<b>\$8.80</b>
IH-028	Size #28	600x200x100mm	5	6	\$14.60	<b>\$12.60</b>
IH-014	Spare Parts Tray Dividers -100mm wide			12	\$0.50	<b>\$0.40</b>
IH-026	Spare Parts Tray Dividers -200mm wide			12	\$0.75	<b>\$0.65</b>

## Steel Shelving Kits



- These steel shelving kits are a great way to sort parts neatly and efficiently
- Available in 9 standard combinations however others can be made to suit your particular requirements
- Kits supplied flatpack
- Overall Bay Height: 1875mm
- Overall Shelf Width: 900mm
- The spare parts trays are available in 300mm or 400mm deep shelf sets and trays are supplied standard with 2 dividers per tray



SK1001



SK1002



SK1003



SK1007



SK1008



SK1009

Price Per Set

Code	Description	Shelf Depth	Trays / Bins Supplied (LxWxH)	Initial Set	*Add on Set	6+ Sets
SK1001	Shelving Kit (Parts Tray)	300mm	96 parts trays (300x100x100mm)	\$937.00	\$907.00	less 10%
SK1002	Shelving Kit (Parts Tray)	300mm	48 parts trays (300x200x100mm)	\$832.70	\$802.70	less 10%
SK1003	Shelving Kit (Parts Tray)	300mm	48 trays (300x100x100), 24 trays (300x200x100)	\$885.85	\$855.60	less 10%
SK1004	Shelving Kit (Parts Tray)	400mm	96 parts trays (400x100x100mm)	\$1087.00	\$1057.00	less 10%
SK1005	Shelving Kit (Parts Tray)	400mm	48 trays (400x200x100)	\$937.00	\$907.00	less 10%
SK1006	Shelving Kit (Parts Tray)	400mm	48 trays (400x100x100), 24 trays (400x200x100)	\$998.00	\$968.00	less 10%
SK1007	Shelving Kit (Storpak Bins)	300mm	28 Storpak Bins No.60 (275x200x165mm)	\$731.20	\$701.40	less 10%
SK1008	Shelving Kit (Storpak Bins)	300mm	14 Storpak Bins No.120 (275x410x165mm)	\$706.50	\$676.50	less 10%
SK1009	Shelving Kit (Storpak Bins)	400mm	12 Storpak Bins No.240 (440x410x210mm)	\$872.90	\$842.60	less 10%

\*To order an add on bay please add an 'A' to the code (eg, SK1001A)

## Fully Automatic Strapping Machine

The TRS-600 is an economical automatic strapping machine for wide straps (8-15.5 mm). With proven quality and competitive price, it is the most cost effective solution for wide straps general purpose application.

- Easy operation, simple maintenance
- Opening Size: 850mm wide x 600mm high
- Tension can be easily set with a dial
- Table Height: 810mm
- Overall Length: 1430mm
- Overall Height: 1450mm
- Overall Width: 620mm

Strap Width: 8 mm-15.5 mm  
 Strap Thickness: 0.55 mm-0.75 mm  
 Strap Tension: 10-70 kg  
 Speed Per Minute (60Hz): 27 straps  
 Net Weight: 220 kg  
 Electrical Requirements: 220V 50Hz single phase

FREE ROLL OF 12mm  
 MACHINE STRAP  
 PROVIDED WITH EACH  
 MACHINE



Now Only  
**\$3895 +GST ea**  
 Was \$4695  
 Code: TRS600



## Semi Automatic Strapping Machine

The TMS-300 machine is an affordable, portable, and compact semi-auto strapping machine. They are designed for general purpose and can meet your various applications. With thousands of machines exported to the world every year, the quality of the TMS-300 machine is highly proven.

This machine is compact and light-weight, enabling easy transportation and only requires a small space for installation.

A single motor powers the machine. Stable operation is assured even if the voltage drops.

Adjustment for use of any strap in a width up to 15.5 mm can be made by slackening off only four screws.

- Overall Length: 902mm
- Overall Height: 760mm
- Overall Width: 586mm

Strapping Speed: 2.5 sec/strap 2.5 sec/strap  
 Dimension: 910mm(L) x 582mm(W) x 785mm(H)  
 Net Weight: 100 kg  
 Max Tension: 45 kg  
 Strap Width: 6, 9, 12, 15.5 mm  
 Power: AC230V(50Hz), Single phase

FREE ROLL OF 12mm  
 MACHINE STRAP  
 PROVIDED WITH EACH  
 MACHINE



Now Only  
**\$1105 +GST ea**  
 Was \$1495  
 Code: TMS300



## Orbitwrap 1000 Semi-Auto Stretch Wrapping Machines

The ORBITWRAP machines have been designed and built with economy, efficiency and safe operation in mind.

These stretch wrapping machines will give you all of the features you need to wrap pallet loads quickly and efficiently. The OR-1000 can dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) stretch wrapping.

- Forklift relocation slots for easy machine transportation
- Automatic and manual wrapping programs
- Includes ramp for pallet truck access
- User friendly 'Soft Touch' controls
- Eliminate the need for labour-intensive, inefficient manual hand wrapping
- Rugged steel construction for long-term reliability
- Photocell eye for automatic height detection



### Standard Features

- Electronic screen with 'Soft Touch' control
- Variable film carriage and turntable speeds
- Forklift relocation slots
- Photocell eye for automatic height detection
- Automatic and Manual wrapping programs
- Soft-start and stop turntable drive
- Ramp can be fixed to the table at 3 different angles
- Includes pallet truck access ramp
- Adjustable friction brake stretch system
- Heavy-duty industrial chain driven turntable
- Safety crush prevention device fitted to carriage
- Standard 12 month warranty


### Technical Data

Max height of wrapping: 2200 mm  
 Ramp Size: 1070x1325mm (WxL)  
 Max pallet size: 1200 x 1200 mm  
 Turntable diameter: 1520 mm  
 Turntable speed: 1-10 RPM  
 Stretch film size: 500 mm  
 Load capacity: 1500 kg  
 Power supply: 240v, single phase  
 Warranty: 1 Year  
 Machine weight: 450 kg

FREE ROLL OF  
 MACHINE WRAP  
 PROVIDED WITH EACH  
 MACHINE



Removable ramp is supplied  
 with all machines



Now Only  
**\$6475 +GST ea**  
 Was \$8195  
 Code: OR1000







