

Order Online

SPECIALS VALID TO DEC 31ST 2018 OR WHILE STOCKS LAST

MHA is the Exclu

Materials Handling - END OF 2018

Download our new full catalogue online, www.mhaproducts.com.au/catalogue

Australian Agent

Sydney (02) 8865 1800

Melbourne (03) 9982 4570

\$1800 750 900

www.mhaproducts.com.au

Brisbane (07) 3181 5630

NO SMOKING NO GNITION SOUR

Haven't bought from MHA before?

	ALA	PRIORITY ORDE	R FORM Inc	Saying Adaption No Box 2012- Bandy Personalities (1970) A schedulinkappyheite op ¹⁰ -tee	
	PRODUCTS	500 may 74 552 max 122 ⁰ 544 (12) mg ¹ 1220	Tat. (00) 9982 4170 Ann (00) 9982 4175	527 (07) 2181 0230 Res. (07) 2182 0231	
				new photosopy he happy and	
	Tour Company Details				
	INCOMPANY AND INCOMPANY				
			una limit		
	faul tria burbar			And price Table price	
	Code	Description			
	Invight Charges		100 at 10 ⁴		
	Read and the owner of the last	tale to find a state while the street		681	
Representation Represen	particular and the second	of the party of th		\$204 End 6570	
Representation Represen	Company No. 7 and a pro-	spending part inter.	and and a second second		
	Analysis (herein the regional of	a nu parter -			
	Personal Delivers (P	fease table	10.0	OVER EASTED BASES INVESTIG	-
Providence (no.) (Section 10) Providence (Section					
Presentante de la Cartante de l					
	Page stept of the	and the fact fact		Certeis Bdr	
	Law Law				
		0 0000 00	עעט עטנ		-
	carter	La Locatation and			

....we've made it easy for you.

Simply fill out the priority order form inside the back cover and fax or email it to us. Alternatively you can place your order online at

Melbourne Office 41 Derrimut Drive, Derrimut VIC 3030 Tel: 03 9982 4570 **Brisbane Office** 161 Railway Parade Thorneside QLD 4158 www.mhaproducts.com.au Tel: 07 3181 5630 **Steel Platform Trolley** Large Prestige Cage Platform Trolley Wire cage has fold down front to make loading and • Heavy duty steel platform trolleys are ideal for general warehouse use unloading easier • Heavy duty polyurethane castors (front fixed and back swivel) Welded steel construction Heavy duty castors Powder coated steel construction with vinyl decks Durable baked enamel paint finish Surround bumper on perimeter of trollev Castor Size: 200mm • Platform Height: 280mm Back wheels are fixed castors and front wheels are • Handle Height: 970mm swivel castors Castor Size: 200mm • Capacity: 450kgs Pneumatio Overall Size: 1280x765x1000mm (LxWxH) wheel kit Platform Size: 1125x720mm (LxW) Durol Handle Height: 1000mm Load Capacity: 500kg Unit Weight: 49.5kg Durolla Code Description Platform Size T3051 Heavy Duty Steel Platform Trolley 610x915mm Price Each T3052 Heavy Duty Steel Platform Trolley 610x1220mm Code Description Was Now T3053 Heavy Duty Steel Platform Trolley 760x1220mm T9338 Extra Large Platform Trolley (with cage) \$780 \$686

Steel Panel Rack Cart (with tool bin)

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc

Pneumatic Wheel Kit to suit T9338

- Dimensions: 685x810mm (WxL)
- Height: 1100mm

T9338P

Lockable Castors: 100mm Load Capacity: 700kg





\$295

\$259

Sydney Office

Tel: 02 8865 1800

27 Prince William Drive, Seven Hills NSW 2147

Contact us for a copy

of our full catalogue

or download a copy here, www.mhaproducts.com.au/catalogue



A Frame Panel Cart

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.

Dimensions: 915x1905mm (WxL) Height: 1420mm Lockable Castors: 127mm Load Capacity: 1000kg Now Only Was \$689 Code: T8668



Melbourne (03) 9982 4570

Heavy Duty Goods Trolley With Shelf

An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use. Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.

Unit is powder coat finished, and fitted with 4 x 150mm diameter swivel wheels for easy manoeuverability. Front wheels fitted with brakes for security.

- Load Capacity: 500kgs
- Overall Height: 1700mm (including wheels)
- Overall Depth: 800mm
- Overall Width: 1100mm
- Clear Internal Dimensions: 1030mm wide x 750mm deep
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 650mm

Durolla

\$749 +6ST

Stainless Steel Platform Trolley

Now Only

Was \$ 855 Code: T4975



Heavy Duty Panel Rack Cart

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.

- Dimensions: 750x915mm (WxL)
- Height: 865mm
- Lockable Castors: 127mm
- Load Capacity: 2000kg



Cage Trolley

- · Great for stock picking in the warehouse or for linen collection in hospitals and nursing homes Hinged lid which can fold back if not required
- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- External Dimensions: 1200x700x850mm (LxWxH)
 - Internal Dimensions: 1040x635x625mm (LxWxH)



3 Step Foldable Picking Ladder Trolley

- Strong 2 tier steel construction for easy goods picking from height
- Foldable function to reduce the transportation cost and storage space
- The steps act as a brake when the trolley is in operation
- Anti-slip steps which ensure safe operation .
- Quality castors for smooth and effortless moving
- Dimensions:
- 1000x500x1090mm (LxWxH) Folded Dimensions:
- 1000x580x470mm (LxWxH)
- Capacity: 200kg Wheel Diameter: 100mm
- Lockable castors
- Unit Weight: 45kg

Durolla

Now Only \$739 +GST Was \$1025 Code: T6000



Crane / Forklift Spreader Beam

The type FL2439 Spreader Beam is a unique multitasking Beam which can be used by Crane or Forklift to lift long loads. Using a Crane, loads can be lifted via the centre single hook point (as a 'Lifting Beam'), or end lifted using a 2 leg Chain Sling (as a 'Spreader Beam'). If lifting by forklift, the 600mm long slipper pockets allow for fast and safe connection to the truck.

The Spreader Beam load connection points are adjustable to 3 positions by moving the extendable arms each end. Both extendable arms are locked into position via safety pins. The unit is supplied standard with a safety swivel hook each end.

The extendable arms are zinc plated with the main body painted in 'safety orange'.



Code: LT8712

Slip-On Roll/Carpet **Forklift Prong**

- This forklift roll prong is ideal for lifting rolls of carpet, fabric, cable and other coil products
- · Quick to attach only requires the connection of a safety chain to the forklift load guard to prevent unintentional disengagement
- Prong is made from solid steel the rest is made from 5mm thick sheet
- Prong can be cut down to a shorter length if required

Walk-Behind Electric Pallet Truck

- The economical option for an electric pallet truck
- Avoid the strain of manually pushing a standard pallet truck.
- Load Capacity: 1500kgs •
- Min Fork Height: 85mm
- Overall Truck Length: 1578mm Overall Truck Width: 685mm
- Overall Fork Width: 685mm
- Fork Dimensions: 53x160x1150mm
- Wheel Type: Polyurethane
 - Travel Speed (unloaded): 5.8 Km/h
 - Electric Brake
 - Battery: 24v, 80Ah
 - Brushless AC motor



Rotatable Electric Lift Table

- The pallet elevator is electric up and down via foot pedal and manual rotating top
- It is ideal for varying weight pallets as no need to change springs
- Turntable allows the operator to rotate the load with minimal stretching and reaching while controlling the up/down operation via the foot pedal controls • No ground fixing required
- Can be easily moved around factory with a forklift
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Low Height: 300mm
- Max Height: 710mm
- Base Size: 920x930mm
- Power: 240V



Now Only \$3746 +05T Was \$4460

Code: LT7050



- Prong Length: 2800mm
- Prong Diameter: 70mm
- Overall size of unit: 3840mm long x 550mm wide x 200mm high
 - Internal size of fork pockets: 190mm wide x 65mm high
 - External size of fork pockets: 200mm wide x 100mm high
- Fork pocket centres: 345mm
- Enamel paint finish
- Safe Working Load: 510kg
- Unit Weight: 163kg

Sydney (02) 8865 1800 **Melbourne** (03) 9982 4570

ow Only 1723 + 65T =

Was \$1990

Code: F2992

Scissor Lift Trolleys

These units help take the strain out of loading and unloading items from raised levels. The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger. The double scissor model, gives the added advantage of elevating loads of up to a height of 1575mm.

- Foot operated hydraulic operation •
- Lever release control .
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder-coated finish •
- Stepless rate of lowering regardless of load weight • The 150kg version has a foldable handle as per image

LT8704, LT8705



LT8702, LT8703, LT8708

LT8701

							THEE E	
Code	Description	Capacity	Table Size	Unit Weight	Min Height	Max Height	Was	Now
LT8701	Scissor Lift Trolley - Single Scissor	150kg	450x700mm	46kg	265mm	780mm	\$394	\$347
LT8702	Scissor Lift Trolley - Single Scissor	300kg	500x850mm	77kg	340mm	880mm	\$590	\$519
LT8704	Scissor Lift Trolley - Double Scissor	350kg	500x910mm	105kg	335mm	1300mm	\$710	\$624
LT8707	Scissor Lift Trolley - Double Scissor	500kg	520x1010mm	118kg	440mm	1575mm	\$1089	\$958
LT8703	Scissor Lift Trolley - Single Scissor	500kg	500x850mm	81kg	340mm	880mm	\$624	\$549
LT8705	Scissor Lift Trolley - Double Scissor	700kg	610x1220mm	195kg	445mm	1500mm	\$1469	\$1292
LT8708	Scissor Lift Trolley - Single Scissor	750kg	510x1000mm	175kg	420mm	990mm	\$847	\$744



Extra Large Scissor Lift Trolley

The extra large scissor lift trolleys are excellent for handling large bulky items.

The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- · Positive braking system on rear wheels
- Durable powder-coated finish
- Stepless rate of lowering regardless of load weight
- Load Capacity: 500kg
- Table Size: 810x1600mm
- Unit Weight: 154kg
- Min Height: 290mm
- Max Height: 915mm



LT8707 👗

Price Each

<u>| IFTEX</u> Galvanised Spring Loaded Rotating Pallet Table The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting. It proves highly effective at reducing the incidences of repetitive strain and back injury. The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg. Turntable allows the operator to rotate the load with minimal stretching and reaching. No ground fixing required Load Capacity: 2000kg Now Only \$1785 +GST Table Diameter: 1110mm Low Height: 230mm Max Height: 705mm . Was \$2235 Base Size: 915x935mm Finish: Galvanised Code: 31032A

Partly loaded

Fully loaded

Specials Valid until 31st Dec 2018 - All prices exclude GST

Drop Bottom Bin (with mesh sides)

- These drop bottom bins are a heavy duty bin made for all types of waste Ideally suited to the recycling industry, the cage can be lifted by either a forklift or crane
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying with a shock absorbing system to

avoid impact to the forklift or crane during emptying Pull-rope release mechanism for

- bottom discharge
- Safe Working Load: 1000kg
- Mesh sides with sheet metal base Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm
- Volume approx 1500L
- Bin size to outside of frame approx 1540mm x 950mm x 1350mm high
- Durable Zinc finish
- Unit weight: 145kg



Now Only \$1245 +GST en Was \$1560

Code: WB2723

Expanding Skate Conveyors

Expandable and flexible

- Self tracking flexible conveyor which expands from 1100mm to 4000mm and can be joined to make 1 continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels
- Capacity: 100kg per metre
- Length Retracted: 1100mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm





Code	Conveyor Width	Was	Now
40125	460mm wide	\$1660	\$1489
40129	610mm wide	\$1873	\$1623
40130	760mm wide	\$2175	\$1898

Drop Bottom Bin (solid sides)

- These drop bottom bins are a heavy duty bin made for all types of waste
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying with a shock absorbing system to avoid impact to the forklift or crane during emptying
- Pull-rope release mechanism for bottom discharge
- Safe Working Load: 1000kg
- Sheet metal sides with sheet metal base
- Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm Volume approx 1500L
- Bin size to outside of frame approx 1540mm x 950mm x 1350mm high
- Durable Zinc finish
- Unit weight: 200kg

Now Only \$1620 +GST en Was \$1850 Code: WB2722

Expanding Roller Conveyors

Expandable and flexible

- The flexible roller conveyor expands from 1500mm to 4000mm and can be joined to make 1 continuous convevor system
- The roller conveyor is good for odd shaped cartons and bags of goods for which the skate wheel conveyor wont work
- Easy and quick setup with adjustable height legs and 125mm brake castors on everv lea
- Reduces manual handling
- Bolted steel construction with steel rollers
- Capacity: 130kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm



Price Each

Code **Conveyor Width** Was Now 40123 460mm wide \$1675 \$1495 40124 610mm wide \$1895 \$1657 40128 760mm wide \$2195 \$1920

Bishamon Pneumatic Rotating Pallet Positioner

The most advanced pallet positioner available!

- EZ Loaders are designed to eliminate worker bending by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs, motors or hydraulics.
- The new EZ loader can now handle a wide range of weight capacities from 110 kilos to 1800 kilos.
- The EZ Adjust knob a three position knob that allows adjustment of the collapsed capacity without changing the air pressure.
- EZ Loaders also allow easy pallet rotation for near-side loading so the worker does not have to reach or strain.
- As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.
- The patented pneumatic system found only on the EZ Loader has proven to be the choice of industry
- professionals worldwide.
- Load Capacity: 110-1800kgs
- Low Height: 267mm
- Max Height: 775mm
- Base Frame Size: 617x1245mm



EZ adjust knob provides up to 550kgs of capacity adjustment

with the turn of a knob



Patented self-contained pneumatic system offers unsurpassed performance



Rollers are entrapped in the base frame and platform for added stability



on our website here,

www.mhaproducts.com.au/B1030



Bishamon

MHA is the Exclusive Australian Agent for Bishamon

MobiCrane Portable Vacuum Lifter - 3 Meter Arm

- MobiCrane is designed for mobile and fixed overhead handling of sheet material, sacks, boxes and bespoke products up to 65kg using a range of lifting manipulators including vacuum lifting with standard and bespoke grippers.
- There are a number of lifting device attachments available including mechanical, magnetic or vacuum lifting grippers, suction cups and custom made handling tools.
- This overhead handling application is adaptable to changing requirements and offers flexibility to adjust the MobiCrane to suit your applications.
- Max Load at 3m arm length: 65kg
- Adjustable Tower: Max lifting height: 2716mm (with tower in highest position) Min lifting height: 1816mm (with tower in lowest position)
- Jib arm length/working area: 3 metres (26.6m2)
- Operation: Battery Electric motor lift operation with adjustable lift/ lowering speed Vacuum operated by compressed air.
- This particular unit is supplied with the bellow-cups as pictured below which can be adjusted to suit different size objects to lift.
- Easy to move around with pallet truck or forklift
- Quick and easy to use simply plug in a compressed air line and its ready to go
- Can be used on battery electic power then recharge when not in use



No installation required - Simply plug in and go





View video of this in operation here, www.mhaproducts.com.au/Mobicrane



PRONOMIC Made in Sweden

Now Only \$28,835 +GST . Was \$34,850 Code: MC2000P

PRONOMI

Dangerous Goods Cabinets

- High quality construction using zinc coated steel sheeting
- · Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems . •
- Stainless steel continuous pin hinging for reliable and accurate door closing All our flammable liquids cabinets are made to AS 1940-2004
- Internal Size: 1503x1018x420mm (HxWxD) •
- External Size: 1750x1100x500mm (HxWxD)
- Storage Capacity: 250L •
- 4L Drum Capacity: 70 •
- 20L Drum Capacity: 9
- No. of Shelves: 3
- Unit Weight: 123kg

Now Only

Was \$1595 Code: DG2500S

TORMAX

\$1399 +GST en



Gas Storage Cage

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Lockable door

FLAMMABLE

- Full metal roof which provides weather protection
- · Cage comes with securing load straps to prevent
- cylinders from moving during transport Safe Working Load: 750kg
- Overall Size: 1060x1060x1800mm (WxDxH)
- Unit Weight: 180kg
- Finish: Zinc plated
- Fork Pocket Size: 165x65mm





(STORMAX

Code	Description	Was	Now
DG2960	Gas Cylinder Trolley Cage	\$1435	\$1249
DG2960A	Assembly of DG2960	\$130	\$100

Forklift Gas Storage Cages Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts Powercoated green Cylinder chain restraint All cages have padlockable doors for increased safety Made in Australia to AS 4332 Price Each Code Description LPG Cylinder Internal Dimensions External Dimensions Unit Capacity (H x W x D) (H x W x D) Weight Was Now AS8040 Fork Gas Cage 2 Cylinders 915x690x428mm 1023x750x450mm 35kg \$765 \$695 AS8041 Fork Gas Cage 4 Cylinders 975x690x690mm 1050x750x750mm 65kg \$005 \$890 AS8042 Fork Gas Cage 6 Cylinders 975x1020x670mm 1050x1100x750mm 95kg \$1824 \$1560 AS8043 Fork Gas Cage 12 Cylinders 1925x1020x670mm 2000x1100x750mm 182kg <u>\$2878</u> \$2355

\$ Sydney (02) 8865 1800 **\$ Melbourne** (03) 9982 4570 **\$ Brisbane** (07) 3181 5630





Fibreglass Platform Ladders

- Available in platform heights from 0.9 metres to 2.1 metres
- Large anti-skid work platform with raised edges keeps feet in side the platform for greater safety and comfort
- One piece, smooth operation simply folds out and locks
- Platform size: 600 x 600mm
- Optional castor kits available •
- Rated to 150kgs .
- Suitable for electrical work
- Complies to AS/NZS 1892:1998 .





Safetv Gate Ki 50140

Price Each

Now

\$2005

\$2180 \$2033

\$2382

\$2962

\$3321

Code	Description	No. Of Steps	Platform Height	Unit Weight	Was	Now
50130	F/glass Platform Ladder	3	900mm	11kg	<u>\$299</u>	\$247
50131	F/glass Platform Ladder	4	1200mm	13kg	\$349	\$286
50132	F/glass Platform Ladder	5	1500mm	15kg	\$389	\$319
50133	F/glass Platform Ladder	6	1800mm	16kg	\$412	\$324
50134	F/glass Platform Ladder	7	2100mm	18kg	\$489	\$398
50139	Platform Ladder Castor/Wh	neel Kit			\$89	\$69
50140	Platform Ladder Safety Gat	te Kit			\$89	\$69

Mezzanine Pallet Safety Roll Over Gate

The mezzanine Roll-Over Gate is the ideal solution for providing ultimate personnel protection whilst allowing fork truck loading access to the Mezzanine Floor.

Our mezzanine Roll-Over Gate is permanently anchored at the loading edge of the Mezzanine Floor providing protection from the fall edge at all times. The Roll-Over Gate works on the principle of providing hand, knee and kick rails to either side of the palletized load by simply swinging the evenly balanced gate over the top of the load, protecting persons from the fall edge which eliminates the risk of fall injury.



50131

50130

Contact us for pricing on installation

Code	Description (Overall Size (WxH)	Pallet Size (WxDxH)	Was
PSG181	Roll Over Gate	1900x2250mm	1400x1250x1800mm	\$2180
PSG182	Roll Over Gate	1900x2860mm	1400x1250x2400mm	\$2370
PSG241	Roll Over Gate	2400x2250mm	2000x1250x1800mm	\$2210
PSG242	Roll Over Gate	2400x2860mm	2000x1250x2400mm	\$2590
PSG243	Roll Over Gate	3475x2300mm	3000x1250x1800mm	\$3220
PSG244	Roll Over Gate	3475x2650mm	3000x1250x2400mm	\$3610

50134

50133

50132

5.5 Tonne Capacity Container Ramp

This container ramp is a great general purpose ramp for unloading containers using pallet trucks or forklifts. Troder

This is a one piece unit with forklift slots at the front for easy transport.

Specifications

- Capacity: 5500kgs
- Unit Weight: 160kgs
- Finish: Painted yellow
- Width: 2200mm •
- Height: 160mm
- Length: 1200mm •



7 Tonne Capacity Folding **Container Ramp**



Now Only

\$1269 +GST ea

Ramp foot folds back for transport with forklift

Was \$1455 Code: R2901

This container ramp has a self-levelling lip that is designed for bridging into a standard container even if the ground is not level.

The ramp foot has handles which allow it to be easily folded back for access to the fork slots.

Specifications

- Capacity: 7000kgs
- Unit Weight: 275kgs •
- Finish: Painted yellow
- Width: 2200mm
- Length: 2000mm
- Fork Pocket Size: 165x60mm •
- Fork Pocket Centres: 775mm
- Supplied with chain & D-shackle as pictured

7.5 Tonne Capacity Container Ramp

This container ramp is a heavy duty ramp for unloading containers of heavy products and machinery using a forklift.

This is a one piece unit with forklift slots at both the side and front for easy transport.

Specifications

- Capacity: 7500kgs
- Unit Weight: 240kgs Finish: Painted yellow
- Width: 2200mm
- Height: 160mm Length: 1730mm
- Fork Pocket Size (side): 80x165mm
- Supplied with chain & D-shackle as pictured



8 Tonne Heavy Duty Container Ramp

The R2905 container ramp is a heavy duty ramp for unloading containers of heavy products with a large forklift.

This ramp has been designed for fast positioning and removal with tine pockets on the side plus pop up tine slots in the top for front removal.

Comes standard with 100mm raised side plates which ensure the forklift remains on the ramp.

Specifications

- Capacity: 8000kgs
- Unit Weight: 410kgs
- Finish: Enamel Painted
- Width: 2320mm
- Length: 1800mm



Popup fork slots which make it easy to move around with a forklift

Now Only 52479 +GST . Was \$2852 Code: R2905

-510

Side fork

tine pockets

Melbourne (03) 9982 4570

1500kg Capacity Tipping Bins (with release mechanism)

- These heavy duty tipping bins are ideal for heavy waste including metal, timber and building site rubble
- The tipping release mechanism is activated by the forklift operator pulling the pull cord from the drivers seat
- Fitted with removable drain plug
- · Optional wheel kit available
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x70mm Fork Pocket Centres: 695mm



- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Drain plug fitted as standard
- Optional wheel kits available
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x75mm
- Fork Pocket Centres: 680mm .
- Dimensions: 1910x1570x1010mm
- Bin Capacity: 1850L • Unit Weight: 245kg





Multi-Tip Battery Electric Bin Tipper

The Multi-Tip bin-tipper is everything a bin tipper should be - safe, economic, easy to use, versatile, and efficient.

Perfect for light industrial use to empty bins at schools, factories, recycling centres and more. These tippers are battery powered which have a sealed battery and an industrial-quality 'float' charger built in.



		Code	Unit Weight	Bin Capacity	Dimensions (mm) WxLxH
		WB2952	165kg	590L	1150x1807x555
		WB2953	215kg	1100L	1150x1807x905
		WB2954	275kg	2100L	1986x1807x905
					Price Each
Code	Description			Was	Now
WB2952	Tipping Bin (v	vith releas	e mechanisi	m) \$186	9 \$1488
WB2953	Tipping Bin (v	vith releas	e mechanisi	m) <u>\$229</u>	\$1832
WB2954	Tipping Bin (v	vith releas	e mechanisi	m) \$286	\$2288
WB295K	Wheel Kit to	suit Tippin	g Bins	\$300	\$269

Pull Cord Forklift Wheelie Bin Tipper

- These tippers are available for tipping 240 litre bins
- Simple and safe tipping operation operated via a pull cord from the drivers seat
- The wheelie bin is firmly secured into position by the frame assembly preventing any bin movement, with the additional securing chain around the front of the bin.

Returning the bin to the upright position can be done manually or with the forklift, the bin automatically locking into position once upright.

Specifications 180 degree tipping operation Finish: Enamel painted Fork Pocket Size: 190x70mm Safe Working Load: 500kg Fork Pocket Centres: 840mm Unit Weight: 80kg Now Only \$859 +OSTEA Was \$ 960 Code: F2962



Super Low Profile Lift Tables

- These lift tables achieve a super low closed height, eliminating the need for a pit installation
- The upper platform is fitted with a safety perimeter to prevent descent on contact with obstructions
- 24v control unit with up/down buttons and emergency stop
- Power supply is AC 415V/50HZ/3phase
- The external power pack is equipped with a relief valve against overloading and a compensated flow valve for controlling lowering speed
- Hose burst safety valve which stops the table lifting in case of a hose breakage

Now Only

- Capacity: 1500kg
- Platform Size: 1200x1270mm
- Min Height: 10mm
- Max Height: 800mm



Semi Auto Electric Fork Stacker

These semi auto fork stackers are the ideal machine for any warehouse. They are manual push and electric up/down with handle-chain assisted steering which greatly reduces operator labour intensity.

They have adjustable fork tines & straddle legs which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.

- Load Capacity: 1000kg
- Lift Height: 3000mm
- Overall Height (with mast lowered): 2145mm
- Overall Height (with mast extended): 3600mm
- Overall Length: 1835mm
- Overall Width: 1532mm (maximum)
- Tine Dimensions: 60x142x1070mm
- Ground Clearance: 40mm
- Wheel Type: Nylon
- Turning Radius: 1505mm
- Brake: Mechanical foot pedal
- Battery: 12v, 120Ah
- Unit Weight: 550kg



\$4929 +GST . Was \$5765

Code: SA380

Aluminium Hand Stacker

- These aluminium lifters are great for assisting in the lifting, positioning and installation of goods up to 2500mm in height
- Manual hand winch control with automatic braking action .

Now Only \$1087 +GS

Was \$1283 Code: AT180

- . Foot pedal brake
- Fits through standard doorways •
- Quick set up requires no tools
- Legs are straddle with quick adjustment
- Load Centre: 254mm •
- Load Capacity: 180kg
- Unit Weight: 66kg
- Overall Length: 1100mm
- Overall Width: 736mm
- Overall Height: 1700mm
- Max Lift Height: 2500mm
- Min Fork Height: 50mm

IIFTEX

Fork Length: 570mm

Melbourne (03) 9982 4570



Springer Stand Tables

The Springer is an innovative yet simple spring loaded leveling system used primarily in the timber industry for keeping packs of timber at a safe and convenient working level.

The clever design makes the unit intrinsically safe as the unit cannot be over loaded, the spring configuration takes the load as soon as the weight becomes equal or less than the power of the springs i.e. if 3000kg is loaded and the spring configuration is

1 x 500kg spring then as soon as the load reaches 500kg the Springer begins to take the load and as the load lessens the spring begins to ascend bringing the load up to a safe working height.

Now Only

Was \$1270

Code: T8436

\$998 +05T .

- Up to 1500kg max spring capacity (please specify what weight capacity when placing your order)
- Minimum Height: 160mm
- Maximum Height: 700mm
- Ideal for long packs of timber
- 12 Month Warranty
- Size: 250x1200mm (WxL)

Heavy Duty Cage Bin Trolley

- This heavy duty cage bin trolley is great for storage and transport of items throughout a warehouse or constuction site
- Hinged doors on one side for easy loading
 and access
- 50x50mm mesh sides
- Heavy duty castors
- Finish: Powdercoated yellow
- Overall Size: 900x900x700mm (LxWxH)
- Internal Size: 980x980x990mm (LxWxH)
- Load Capacity: 1000kg
- Base Height: 310mmUnit Weight: 135kg



Self Propelled Electric Scissor Lift Trolley

Was \$1995

| IFTEX

Code: SS906

These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift.

With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow eisles or tight spaces.

- Comes complete with side cage as pictured which can be easily removed if not required
- Overall Size: 1240x600x1100mm
- Min Table Height: 460mm
- Max Table Height: 900mm
- Unit Weight: 180kg
- Max Capacity: 400kg
- Batteries: 2x12V 33Ah
- Controller: 70A
- Min Plate Height: 460mm

Code: LT7240

- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds
- Cage Height: 600mm Now Only \$4119 +GST Was \$4935

Plastic Stack & Nest Crates

- These stack and nest crates are injection moulded from tough, durable, UV resistant polypropylene they are suitable for food handling, engineering, warehousing or distribution
- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only
- Available in 5 colours (please specify your preferred colour when ordering)

Colours Available (in all sizes)



Code Bin Size (LxWxD) Volume 1-20 21-49 10404 *Bin #4 430x323x127mm 13.5L \$9.50 \$8.55 10405 *Bin #4D 430x323x210mm 22L \$11.35 \$10.20 10407 *Bin #7 645x413x210mm 32L \$20.50 \$18.45 10410 *Bin #10 645x413x276mm 52L \$24.50 \$22.10 10415 *Bin #15 645x413x397mm 68L \$41.10 \$38.40	50+
10405 *Bin #4D 430x323x210mm 22L \$11.35 \$10.20 10407 *Bin #7 645x413x210mm 32L \$20.50 \$18.45 10410 *Bin #10 645x413x276mm 52L \$24.50 \$22.10	
10407 *Bin #7 645x413x210mm 32L \$20.50 \$18.45 10410 *Bin #10 645x413x276mm 52L \$24.50 \$22.10	\$POA
10410 *Bin #10 645x413x276mm 52L \$24.50 \$22.10	\$POA
•••••	\$POA
10415 *Bin #15 645x413x397mm 68L \$41.10 \$38.40	\$POA
	\$POA
10412 Lid to suit No.4 crates (white) \$7.95 \$7.10	\$POA
10417 Lid to suit No.7-15 crates (white) \$11.85 \$10.65	\$POA

*Please specify bin colour when placing your order



				Price Each	
Code	Bin	Size (LxWxD)	Volume	1-20	21-49
10404RC	Bin #4	430x323x127mm	13.5L	\$7.10	\$6.40
10405RC	Bin #4D	430x323x210mm	22L	\$9.00	\$8.10
10407RC	Bin #7	645x413x210mm	32L	\$14.65	\$13.20
10410RC	Bin #10	645x413x276mm	52L	\$15.65	\$14.10
10415RC	Bin #15	645x413x397mm	68L	\$38.75	\$34.85
10412RC	Lid to suit	No.4 crates (black)		\$5.80	\$5.20
10417RC	Lid to suit	No.7-15 crates (black)	\$9.55	\$8.60

Enviro Plastic Stack & Nest Crates

• These stack and nest crates are injection moulded from tough, durable, UV resistant polypropylene they are suitable for non food applications

- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only

Please Note: The recycled black crates arent suitable for food applications



Pre-Owned Stillage Cages • Strong fully welded steel stillage cages which are in good condition These cages are 2nd hand and previously used in a tyre factory Can be stacked 3 high as pictured Fold down and removable front door Internal Dimensions: 2220x980x1060mm • External Dimensions: 2230x1020x1260mm Now Only \$559 +05 Please Note: These are New \$1448 available only while stocks last (a few hundred available at Code: SC925 time of printing)

14

Sydney (02) 8865 1800 **Melbourne** (03) 9982 4570 **Brisbane** (07) 3181 5630



*Please specify bin colour when placing your order

Plastic Mega Bins

The Nally MegaBin is the original Australian bulk bin. Designed for fruit and vegetable movement and retail high performance the Nally MegaBin is clearly the way of plastic bins in Australia.

Rounded corners and smoother interior surfaces results in less bruising and damage to your produce. Multiple vents in sides and base provide superior airflow so products cool faster adding valuable shelf life to your produce. The smooth, non-absorbent surface will not harbour or transfer mould, bacteria or disease carrying organisms.

Nally Megabins are up to 40% lighter in weight than wood bins and the weight is constant as they don't absorb moisture. This allows for increased freight efficiencies of 4-5%. In practice you are able to transport 2-3 extra bins of fruit per semi-trailer load.

- Available in both solid and vented
- Standard pallet size (1165mm x 1165mm)
- Fits on standard pallet racking
 Unit Weight: 44kg approx
- Lid Weight: 10kg
- Maximum load capacity: 500kgs



Spare Parts Trays Fischer

- Strong polypropylene oil resistant trays which are supplied with dividers
- Extra dividers are available to create more compartments in the trays
- Ideal for small parts storage
- Hospital grade material bacterial free and chemical free
 Can be used with steel shelving as pictured to create a neat and organised parts storage area
- Our standard spare parts tray colour is grey as pictured howeve other colours are available on request (blue, green, red, yellow



Code	Tray	Size (LxWxH)	Dividers Supplied	Ctn Qty	Ctn Buy	4+ Ctns
IH-012	Size #12	300x100x100mm	2	24	\$5.65	\$4.80
IH-017	Size #17	400x100x100mm	2	24	\$6.85	\$5.90
IH-027	Size #27	600x100x100mm	5	12	\$10.75	\$9.10
IH-024	Size #24	300x200x100mm	2	12	\$8.70	\$7.50
IH-025	Size #25	400x200x100mm	2	12	\$10.45	\$8.80
IH-028	Size #28	600x200x100mm	5	6	\$14.60	\$12.60
IH-014	Spare Part	s Tray Dividers -100n	nm wide	12	\$0.50	\$0.40
IH-026	Spare Part	s Tray Dividers -200n	nm wide	12	\$0.75	\$0.65

Mesh Stillage / Transport Cages

Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor.

- These cages can also be stored on pallet racking
- Drop down removable front gateCages can be stacked 2 high when loaded and 4 high unloaded
- Internal Dimensions: 1080x1080x825mm
- External Dimensions: 1160x1200x1000mm
- Supplied flatpacked
- (can be assembled on request)
- Optional floor available
- Finish: Zinc plated
- Load Capacity: 1000kg
- Unit Weight: 65kg

Now Only \$479 +05T Was \$548

Code: SC82



STORMAX

					Price	Each
Code	Description	Capacity	External Size (LxWxH)	Internal Size (LxWxH)	Was	Now
70340	Solid MegaBin	780L	1165x1165x780mm	1082x1082x650mm	\$389	\$339
70344	Vented MegaBin	780L	1165x1165x780mm	1082x1082x650mm	\$373	\$319
70347	MegaBin Lid	-	1180x1180x35mm	-	\$218	\$195

Contact us for special pricing for bulk purchases

Specials Valid until 31st Dec 2018 - All prices exclude GST



Pallet Racking End Protectors STORMAX

Pallet Racking End Protectors are a highly effective solution for preventing damage to racking and inventory by forklifts.

No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking. You can avoid major injuries and pallet rack damage by installing these protection guards.

Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.

- Single Bay End Protector to suit 838mm frame
- Double Bay End Protector to suit 838mm frame + 430mm space + 838mm frame
- Conforms to AS4084:2012





				Price Each	
Code	Description	Height	Length	Was	Now
11240	End Protectors (single bay)	400mm	1080mm	\$188	\$159
11241	End Protectors (double bay)	400mm	2350mm	\$260	\$223

(STORMAX **Pallet Racking Column Guard**

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts
- No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking - You can avoid major injuries and pallet rack damage by installing these protection guards
- Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs
- Conforms to AS4084:2012



Sydney (02) 8865 1800 **Melbourne** (03) 9982 4570



Guard Rail Fence Gates

- Self closing gates which can be mounted to the Stormax guard rail system
- Gates swing inwards or outwards
- Adjustable spring tension
- Finish: Powdercoated yellow
- Supplied with all necessary bolts and fixings
- Gate overall length is 1500mm however they can be cut down on site to any length to fit opening
- The steel loop gate is available in powdercoated and galvanised finish
- Steel Loop Gate pipe diameter is 42mm
- SG409 Unit Weight: 6.3kg
- SG410 & SG411 Unit Weight: 18kg

	Price Each		
Code	Description	Was	Now
SG409	Aluminium Gate Assembly (powdercoated)	\$393	\$359
SG410	Steel Loop Gate Assembly (powdercoated)	\$677	\$645
SG411	Steel Loop Gate Assembly (galvanised)	\$589	\$539





Industrial Tooling Drawer Unit

- These industrial tooling drawers are a heavy duty drawer cabinet for industrial applications The 1/2 height industrial cabinet can be mounted on top
- of the tooling cabinet (as per image shown below) • Finish: Powdercoated light grey with light
- blue coloured drawers
- Drawer Capacity: 75kgs
- 2 x 100mm deep drawers
- 3 x 200mm deep drawers • Drawers have adjustable dividers
- Dimensions: 900x900x450mm (HxWxD)



Now Only

\$719 +GST en

image above shown with

C8121 mounted on top



Shelf Capacity: 150kgs

- 4 adjustable shelves as standard
- 3 point key lock system
- Optional drawer units available which fit inside unit so doors can be locked

Code: C8120







1/2 Height Caninet Shelf Capacity: 150kgs 2 adjustable shelves as standard

- Optional drawer units available which fit inside unit so doors can be locked

3 point key lock system

Code: C8121

Peg Board Tool Trolley Great tool trolley for general workshop use

- Comes with metal pegboard on back as well as the sides which can be used to hold tools and equipment
- Overall Width: 415mm
- Overall Length: 670mm
- Overall Height: 1730mm Back Panel Width: 605mm
- Back Panel Height: 440mm
- Top Shelf Height: 900mm •
- Middle Shelf Height: 510mm
- Bottom Shelf Height: 160mm
- 4 heavy duty castors
- (2 swivel and lockable and 2 fixed) Load Capacity: 250kg
- Finish: Powdercoated light grey
- Handle Height: 825mm

Now Only \$298 +GST 4

Was \$345

Code: T8186



Industrial Tooling Cabinet on Wheels

- Heavy duty tooling cabinets, ideal for industrial applications and serious workshops • The sliding drawers are a welded strengthened single rail design coupled with high
- quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% drawer access
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- 2 fixed & 2 swivel 125mm castor wheels
- All drawers come with adjustable steel dividers
- Drawer Capacity: 100kg each
- Size: 565x580x900mm (WxDxH) 6 Drawers
 - 2 Drawers x 75mm
- 2 Drawers x 100mm
- 2 Drawers x 150mm
- Unit Weight: 100kg





- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Full height cabinets come standard with 4 adjustable shelves and 1/2 height cabinet comes standard with 2 adjustable shelves
- Extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Drawers come standard with adjustable dividers as pictured)
- Finish: Powdercoated light grey with light blue coloured doors

			Price E	ach
Code	Description D	imensions	Was	Now
C8121	1/2 Height Industrial Cabinet 900x900	x450mm (HxWxD)	\$298	\$278
C8120	Full Height Industrial Cabinet1800x900	x450mm (HxWxD)	<u>\$524</u>	\$498
C8123	Small Drawer Unit 100mm deep (fits in	side cabinets)	\$120	\$108
C8124	Large Drawer Unit 200mm deep (fits in	side cabinets)	\$159	\$143
C8144	Extra Shelves (to suit cabinets)		\$39.50	\$35



§ Sydney (02) 8865 1800 **§ Melbourne** (03) 9982 4570 **§ Brisbane** (07) 3181 5630





1000

KG

CAPACIT

61 a 1 a

B8103 Drawer Unit Specs

75mm

100mm

150mm

1 & 2

3 & 4

5 & 6

Heavy Duty Industrial Work Benches

- Heavy duty steel industrial work bench with optional back board panel and lockable drawer set
- This work bench has a 1000kg bench capacity
- Comes standard with adjustable feet for levelling on uneven floors
- Finish: Powdercoated light grey
- Drawer Capacity: 100kg per drawer
 Metal peg and louvre panel is great for storing parts bins and tools and bottom tray for additional off-bench storage space
- Bench Length: 2100mm





B8101C Castor Kit

			Price Each
Code	Description	Dimensions	Now
B8101	Work Bench -1800mm	1800x750x900mm (LxWxH)	\$385
B8102	Back Panel (for B8101)	1735x205x825mm (LxWxH)	\$229
B8107	Work Bench -2100mm	2100x750x900mm (LxWxH)	\$425
B8108	Back Panel (for B8107)	2035x205x825mm (LxWxH)	\$249
B8100	Drawer Unit (2x 100mm d	lrawers)565x580x280mm (WxDxH)	\$179
B8103	Drawer Unit (6 drawer)	565x580x750mm (WxDxH)	\$565
B8101C	Castor Kit to fit benches	includes 4 swivel castors with brake	s \$165

Please Note: Bench shown in image includes optional back panel and drawer unit



PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

Sydney Tel: (02) 8865 1800 Fax: (02) 8865 1830 **Melbourne** Tel: (03) 9982 4570 Fax: (03) 9982 4575 **Brisbane** Tel: (07) 3181 5630 Fax: (07) 3181 5635

Please photocopy for future use

Your Company Details

Company Name:			
Invoice Address:			
Delivery Address:			
ABN:	Tel: ()		Fax: ()
Contact Name:		Position:	
Contact Email:		Accounts Email:	
Your Order Number:		Date:	

Code	Description	Qty	Unit price	Total price
			Cub Tatal	

Freight Charges		Sub Iotal		
Please check our website	Obtain freight quote or charge to my	y freight account	Please tick if required	
www.mhaproducts.com.au for correct freight cost		Freight		
to your postcode otherwise please tick	Charge to my freight account. (please list details below)			
'obtain freight quote' and place your order using	(please list details below)	GST		
this form and we will contact you to confirm				
freight cost before processing your order.		Total (inc GST)	C GST)	
			L	

Payment Options (Please tick) Order form Oct 2018 We accept VISA, MASTERCARD & AMEX (no surcharge) Please email invoice for payment by direct deposit Instant 30 Day account for Please invoice on my 30 day account VISA government asterCa department Please invoice on my 14 day account orders Please charge to credit card MASTERCARD VISA AMEX Card Holder's Signature Card Holder's Full Name: Card Expiry Date: 1 Card No. 3 Digit Security Code: