



Haven't bought from MHA before?



Contact us for a copy of our full catalogue or download a copy here, www.mhaproducts.com.au/catalogue



Sydney Office

1 Fairview Place, Marsden Park NSW 2765 Tel: 02 8865 1800

✓ nsw@mhaproducts.com.au

Melbourne Office

41 Derrimut Drive, Derrimut VIC 3030 Tel: 03 9115 9100 ✓ vic@mhaproducts.com.au

Brisbane Office

161 Railway Parade Thorneside QLD 4158 Tel: 07 3181 5630

✓ gld@mhaproducts.com.au

....we've made it easy for you.

Simply fill out the priority order form inside the back cover and fax or email it to us. Alternatively you can place your order online at

www.mhaproducts.com.au



Heavy Duty Steel Platform Trolley

- Extra large heavy duty steel platform trolleys are ideal for demanding warehouse uses
- Heavy duty polyurethane castors (comes standard with front fixed and back swivel)
- Fully welded steel construction
- Supplied with one handle
- Powdercoated Blue
- Handle Height: 980mm



2 Tier Picking Trolley

- 2 Tier Trolley with Rubber Mat and Basket are ideal for warehouse use
- Rubber lined shelves to help stop items from sliding off when moving around
- Wire tool basket supplied as standard which is great for tool and scanner storage
- Fully welded steel construction
- Powder coated blue
- Supplied standard with 4 swivel castors 2 with brakes
- Overall Dimensions (LxWxH): 1080x610x1055mm
- Basket Dimensions (LxWxH): 265x145x170
- Platform Size (LxW): 910x610mm
- Platform Heights: 175 + 875mm
- Handle Height: 1055mm
- Distance between Shelves: 655mm
- Capacity: 500kgs







Heavy Duty Goods Trolley with Shelf

An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use. Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration

Unit is powder coat finished, and fitted with 4 x 150mm diameter swivel wheels for easy manoeuverability. Front wheels fitted with brakes for security.

- Load Capacity: 500kgs
- Overall Height: 1700mm (including wheels)
- Overall Depth: 800mm
- Overall Width: 1100mm
- Clear Internal Dimensions: 1030mm wide x 750mm deep
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 650mm













Code Description Was T4975 Heavy Duty Goods Trolley (with fold down shelf) \$855 WKP10 \$192 Pneumatic Wheel Kit to suit T4975 \$279

Heavy Duty Goods Trolley

- · This goods trolley is able to be folded when not in use
- Suitable for many uses in transporting goods safely and securely.
- Castors: 150mm swivel and 2 with brakes
- Optional pneumatic wheel kit available which includes 2 swivel wheels with brakes and 2 fixed wheels.



		Price l	Each
Code	Description	Was	NOW
T4065	Heavy Duty Goods Trolley (with standard Solid Wheels)	_\$ 693	\$610
WKP10	Pneumatic Wheel Kit to suit T4065	\$279	\$192

Heavy Duty Sloping 4 Shelf Trolley

- Heavy duty trolley swith sloping shelves is ideal for stock picking
- 4 sloping backwards shelves which prevents items falling off the shelves
- Shelves are removable but not adjustable
- Shelves have 10° decline
- 350mm space between each shelf
- Push/pull handles on each end
- Supplied Flatpack

Two sizes available as per specifications below

19344 Specifications:

- Overall Size (WxLxH): 1470x670x1740mm
- Shelf Size (Wxl.): 610x1220mm
- Castors: 2 fixed. 2 swivel with brakes
- Load Capacity: 500kg
- Net Weight: 102kg

19345 Specifications:

- Overall Size (WxLxH): 1770x820x1740mm
- Shelf Size (WxL): 760x1520mm
- Castors: 2 fixed. 2 swivel with brakes
- Load Capacity: 500kg
- Net Weight: 122kg





	Price	e Eacn
26		NOW

Code	Description	Was	NOW
19344	Heavy Duty Sloping 4 Shelf Trolley - 1470mm wide	_ \$839	\$737
19345	Heavy Duty Sloping 4 Shelf Trolley - 1770mm wide	_\$ 998 _	\$864

3 Tier Stainless Steel Utility Cart

These stainless steel trolleys are great for use in medical areas, food preparation, schools, laundrys etc where hygiene is important.

- 304 grade stainless steel
- Load Capacity: 150kg
- Rubber corner protectors as standard
- All trolleys come with 4 swivel castors with 2 are lockable
- Castor Size: 100mm
- Tray Size: 900x500mm (LxW)
- Overall Size: 10010x550x960mm (LxWxH)
- Handle Height: 960mm
- Shelf Heights: 200 + 510 + 820mm
- Supplied Flatpacked Assembly available on request



350L Waste Collection Trolley Great for use in warehouses and on sites, for general waste and rubbish • 2 front wheels and 1 rear wheel for easy wheeling throughout the workplace • Pull handle which releases the bin forward • Safe Working Load: 350kg • Unit Weight: 72kg Bin Dimensions (LxWxH): 1350x850x1040mm • Bin Capacity: 350L • Rear Wheel Size: 125mm • Front Wheel Size: 340mm Now Only Was \$669 Code: WB2980 RDEX

Order Picking Trolleys

- Welded steel construction
- Powder coat finish
- · Non-marking swivel castors
- Capacity: 250kgs

T3090K - Single Tub

- Overall Dimensions: 710x420x960mm (LxWxH)
- Supplied with 1x Red No. 10 Tub and Clipboard

T3091K - Double Tub

- Overall Dimensions: 860x650x860mm (LxWxH)
- Supplied with 2x Red No. 10 Tubs and Cliphoard

T3094K - Twin Offset Tub

- Overall Dimensions: 900x420x910mm (LxWxH)
- Supplied with 2x Red No. 10 Tubs and Clipboard

Code	Description	Was	NOW
T3090K	Single Tub Order Picking Trolley	\$370.50	\$329
T3091K	Double Tub Order Picking Trolley	-\$546	\$464
T3094K	Twin Offset Tub Order Picking Trolley	\$544	\$462



Fully Welded 2 Tier Trolley • Fully welded powder coated steel construction Durolla Non-marking 125mm rubber swivel castors Overall Dimensions: 900x600x855mm (LxWxH) Internal Size of Top Shelf Area: 845x550mm (LxW) Mesh cage sides - 25x25mm size mesh Overall Length: 1080mm 25mm square tube fully welded frame Capacity: 300kgs Handle Height: 945mm Base Height: 180mm Height of Top Shelf 225mm Clearance Between Top and Bottom Shelf: 420mm Was \$608 Code: T8695







Heavy Duty Security Cage (with doors & roof)

with optional shelves

- Fully lockable security cages
- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality 150mm swivel rubber castors (front with brakes)
- These trolleys come with a removable bar at the front which when removed the door can be opened and sides folded in
- Comes with signboard area on the side
- Quality powdercoated finish
- Overall Size: 1100x850x1700mm (LxWxH)
- Internal Size: 1020x750mm (WxD)
- Base Height: 225mm
- Distances Between Shelves: 330, 360, 360, 300mm (bottom to top)
- Shelf Capacity: 125kg (evenly distributed)
- Overall Load Capacity: 500kg







Price Fach

Durolla Prestige

Code	Description	Was	NOW
T5315B	Heavy Duty Cage Trolley (Bar Version)	-\$ 878	\$779
T5315M	Heavy Duty Cage Trolley (Mesh Version)	\$1248	\$1098
T5315S	Optional Shelves to suit T5315 Trolleys	\$92.50	\$85



Heavy Duty Security Cage Trolley

- These cage trolleys are lockable and has the capability of having 3 shelf levels as pictured
- Shelves are supplied seperately
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality lockable castors for smooth and effortless moving
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Comes with signboard area on the side
- Quality 150mm swivel rubber castors (front with brakes)
- Quality powdercoated matt black finish
- Overall Size: 840x680x1700mm (LxWxH)
- Internal Size: 770x600mm (WxD)
- Base Height: 225mm
- Distances Between Shelves: 360, 330, 330, 350mm (bottom to top)
- · Load Capacity: 500kg





Price Each

Code	Description	Was	NOW
T5316	Heavy Duty Security Cage Trolley	-\$ 795	\$699
T5316S	Optional Shelves to suit T5316	-\$95	\$85











X-Cart Folding Plastic and Aluminium Trolley

- The X-Cart is a collapsible trolley that can be used for hundreds of applications.
- It is ideal for use in the workplace, schools, home, office, hospitals, courier services, shopping malls, nursing homes an much more!
- Extra baskets are available for use on both platforms or up to 4 baskets can be stacked on the bottom platform (the trolley is supplied with 1 basket)
- Robust foot pedal brake
- The X-Cart can also be used with our standard No.7, No.10.No.15 tubs

Specifications

- Total Trolley Capacity: 75kg
- Top Shelf Capacity: 25kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 8.4kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

Dimensions

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm

View more details here, www.mhaproducts.com.au/xcart





















Price Each

Code	Description	Was	NOW
T9000	X-Cart Folding Plastic & Aluminum Trolley (includes 1 Folding Basket)	_\$395	\$299
T9050	X-Cart Extra Basket	_\$45-	\$38




View video of this in operation here www.mhaproducts.com.au/xcart

Plastic Bin Trolleys - 400L

- Heavy duty rotomoulded tub with 25mm steel tubular frame
- Plastic Bin Colours: Blue or White
- Capacity: 400 Litre
- Overall Dimensions (LxWxH): 1200x740x780mm
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Load Capacity: 400kg
- Handle Height: 780mm
- 100mm castors
- Unit Weight: 25kg





Galvanised Scissor Lift Trolley

- Galvanised version which is great for food and medical areas
- Foot operated hydraulic operation
- Lever release control
- Double scissor lift version
- Safety overload bypass valve
- 100mm castors with brakes on rear wheels
- Stepless rate of lowering regardless of load weight
- 150kg load capacity
- Table Size: 500x830mm (WxL)
 - Minimum Height: 435mm Maximum Height: 1430mm Unit Weight: 80kg



Extra Large Scissor Lift Trolley

Now Only

Was \$1,115

Code: LT8720

The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder-coated finish
- Stepless rate of lowering regardless of load weight
- Table Size: 810x1600mm
- Lifting Range: 290-915mm



The Edge - Electric Pallet Truck



- The function of driving with the handle in the vertical position helps when working in confined areas and with a short body length of only 380mm makes the truck extremely compact and ideal for use in retail stores, elevators and delivery vehicles.
- The handle of the truck is supported by an air spring and the handle returns to its vertical position smoothly.
- Strong and compact structure ensures extreme durability but with an overall unit weight of only 123kg
- The Edge pallet truck comes standard with a built in security function where a pin can be set and the pallet truck can only be used once the pin is entered making it ideal for use in retail stores only giving authorised staff members use of the machine.
- Emergency stop button with a horn and reverse signals
- Electric drive and electric lifting and lowering of the pallet.
- The Edge is equipped with a maintenance-free 24V/24Ah Lithium battery with optional different capacities for various applications; with its fast charging feature the Edge works as easy as a hand pallet truck and virtually maintenance free. The battery weighs only 4.6kgs making it ideal for quick battery change over so there is no downtime with charging.
 - Load Capacity: 1500kg · Length of Tines: 1185mm
 - Polyurethane wheels Lowered Height: 80mm
 - Overall Length of Pallet Truck: 1530mm Overall Width: 685mm
 - Travel Speed (loaded/unloaded): 4.6/5.8 km/h

Liftex Edge Electric Pallet Truck

Description

Electromagnetic brake

Code

SA721

SA721B



Was

NOW

Removable Lithium Battery



Capacity up to 1500 kg and ability to overcome ramps up to 4/16% (loaded/unloaded) makes the truck suitable for work in loading docks and on delivery operations in different conditions



Ideal for use in delivery vehicles



Bishamon Pneumatic Rotating Pallet Positioner - EZ Loader

Now Only

Was \$4,985

Code: B1030

The most advanced pallet positioner available!

• EZ Loaders are designed to eliminate workers bending by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs, motors or hydraulics.

- The new EZ loader can now handle a wide range of weight capacities from 110 kilos to 1800 kilos.
- The EZ Adjust knob a three position knob that allows adjustment of the collapsed capacity without changing the air pressure.
- EZ Loaders also allows easy pallet rotation for near-side loading so the worker does not have to reach or strain.
- As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.
- The patented pneumatic system found only on the EZ Loader has proven to be the choice of industry professionals worldwide.
- Load Capacity: 110-1800kgs
- Low Height: 267mm
- Max Height: 775mm
- Base Frame Size: 617x1245mm



EZ adjust knob provides up to 550kgs of capacity adjustment with the turn of a knob



Patented self-contained pneumatic system offers unsurpassed performance



Rollers are entrapped in the base frame and platform for added stability



Watch a video of this in operation on our website here,

www.mhaproducts.com.au/B1030







Bishamon Pneumatic Rotating Pallet Positioner - EZ Loader X

- Bishamon automatic work positioners are the modern way to manually load and unload pallets
- They improve efficiency and reduce injury by bringing the level and location of the top of the load closer to the person doing the work.
- Pallet loading and unloading time can be reduced by 40%, thereby substantially increasing productivity
- Self leveling design automatically keeps the top of the load at a convenient working height
- Rotator ring with integral finger guard eliminates reaching and stretching
- Secured ball bearing centre pivot of the 1092mm diameter rotator ring provides smooth, even rotation
- EZ Loaders arrive at your facility fully assembled just add air!
- Rotator Ring Diameter: 1092mm
- Lowered Height: 249mm
- Raised Height: 757mm
- Base Frame Size: 1232x610mm (LxW)
- Minimum Self Levelling Capacity: 113kgs
- Maximum Self Levelling Capacity: 1588kgs
- Maximum Load Capacity: 1814kgs



Manifold with Combo Tank Valve, Purge Valve and Pressure Gauge



Hinged Maintenance Bars



Pneumatic System Reservoir









Watch a video of this in operation on our website here,

www.mhaproducts.com.au/B1020

MHA is the Exclusive Australian Agent for



Powered Rotatable Electric Lift Table

- The pallet elevator is electric up, down and rotating top via pendant control
- It is ideal for varying weight pallets as no need to change springs
- Powered Rotation in both directions which can be set to rotate continuously.
- No ground fixing required
- Can be easily moved around factory with a forklift
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Low Height: 340mm
- Max Height: 710mm
- Base Size: 920x930mm
- Power: 240V











Watch a video of this in operation on our website here,

www.mhaproducts.com.au/V2126

Galvanised Spring Loaded Rotating Pallet Table

- · The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting
- It proves highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg.
- Turntable allows the operator to rotate the load with minimal stretching and reaching
- No ground fixing required
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Low Height: 230mm
- Max Height: 705mm
- Base Size: 915x935mm
- Finish: Galvanised



Ready to load

Beginning loading



Partly loaded



Fully loaded



2 Tonne Capacity Caged Goods Lift

- Ideal for transporting goods to 2nd level or mezzanine area
- Self-lubricating bushings on pivot points
- Removable lifting eyes to facilitate installation and maintenance.
- Upper platform fitted with Aluminium safety bar preventing descent on contact with obstructions
- Low volt (24v) control box with up-down buttons.
- Internal power pack equipped with relief valve against overloading and compensated flow valve for controlled lowering speed
- Heavy duty cylinders with drainage system and check valve to stop the lift table lowering in case of hose burst
- Safety clearance between scissors to prevent trapping during operation.
- Push button pendant control with up, down and emergency stop (two supplied)
- This Lift table is fitted with a Safety Curtain and Guard Railing as pictured
- Power Supply: 240V Single Phase
- Capacity: 2000kg
- Platform Size (LxW): 1700x1200mm
- Base Frame Size (LxW): 1650x1100mm
- Maximum Height: 3000mm
- Minimum Height: 560mm
- Lift time: 55-65 seconds
- Safety Railing Height: 1200mm
- Gate opening width: 1150mm
- Unit Weight: 650kg


















2.0 Tonne Hook & Tow Jib Attachment



This 2000kg hook & tow jib is suitable for most forklifts and is a simple slip-on attachment with safety chain and swivel hook as pictured.

- Safe Working Load: 2000kg at 1160mm load centre
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 250mm
- Fork Pocket Length: 1220mm
- Unit Weight: 45kg
- Finish: Zinc plated
- Maximum weight on towball must not exceed 500kg
- Hook jib has 2 lifting positions
- Overall dimensions: 1420x420x135mm (LxWxH)





Crane / Forklift Spreader Beam - 9.0 Tonne

The type FL2439 Spreader Beam is a unique multitasking Beam which can be used by Crane or Forklift to lift long loads. Using a Crane, loads can be lifted via the centre single hook point (as a 'Lifting Beam'), or end lifted using a 2 leg Chain Sling (as a 'Spreader Beam'). If lifting by forklift, the 600mm long slipper pockets allow for fast and safe connection to the truck.

The Spreader Beam load connection points are adjustable to 3 positions by moving the extendable arms each end. Both extendable arms are locked into position via safety pins. The unit is supplied standard with a safety swivel hook each end.

The extendable arms are zinc plated with the main body painted in 'safety orange'.

- Rated Capacity (RC Max.): 9000kg
- Load Centre (LC): 2405mm Unit Weight: 172kg







Electric Expanding Roller Conveyors

- Simply plug in and go, this powered electric roller conveyor is great for carrying boxes and items uphill where gravity may not be achievable
- This conveyor is flexible and expands from 1500mm to 4000mm and can be joined to make one continuous powered conveyor system
- Great for loading and unloading containers
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Quiet operation 240V AC motor with forward and reverse action and adjustable
- Capacity: 120kg per metre
- Length Retracted: 1500mm





		Price Each		
Code	Conveyor Width	Was	NOW	
40143	460mm wide	\$5990	\$5329	
40144	610mm wide	\$6700	\$5992	

*other widths and lengths available on request - view our website!

Expanding Skate Conveyors

- Self tracking flexible conveyor which expands from 1100mm to 4000mm and can be joined to make one continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels
- Capacity: 100kg per metre
- Length Retracted: 1100mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm





FIICE	Eacii
lac	NO

Code	Conveyor Width	Was	NOW
40125	460mm wide	-\$1660	\$1477
40129	610mm wide	\$1873	\$1685
40130	760mm wide	\$2175	\$1948

Expanding Roller Conveyors

- The flexible roller conveyor expands from 1500mm to 4000mm and can be joined to make one continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods for which the skate wheel conveyor wont work
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers
- Capacity: 130kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm





\$1675

\$1895

\$2195

\$1490

\$1689

\$1968

Forklift Safety Cage/Work Platform

- Manufactured to meet Australian Standards AS 2359-1
- · Zinc plated finish
- Designed to carry 2 persons (250kg max)
- · Mesh safety screen
- Toe boards all sides with skid resistant floor plate
- · Inward opening, self closing door
- · Internal handrail with safety loops to hook safety harness
- · Full length fork sleeves
- \bullet Castors can be fitted to the bottom of cage for easy maneuverability in warehouse or yard
- Supplied as flatpack for easy storage and transport

• Can be ordered and delivered as a fully assembled unit • Floor Dimensions Inside: 1000x1100mm

• Fork Pocket Size: 160x60mm • Fork Pocket Centres: 640mm • Unit Weight: 110kg







460mm wide

610mm wide

760mm wide

40123

40124

40128









Dangerous Goods Cabinets (Indoor)

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- All our flammable liquids cabinets are made to AS 1940-2004



30L Dangerous Goods Cabinet Code: DG8030 Internal Size: 553x418x370mm External Size: 800x500x450mm (Height x Width x Depth)



60L Dangerous Goods Cabinet Code: DG8006 Internal Size: 818x418x370mm External Size: 1065x500x450mm (Height x Width x Depth)



100L Dangerous Goods Cabinet Code: DG8100 Internal Size: 553x838x535mm External Size: 800x920x615mm (Height x Width x Depth)



160L Dangerous Goods Cabinet Code: DG8160 Internal Size: 973x1018x370mm External Size: 1220x1100x450mm (Height x Width x Depth)

Price Each

Code	Description	Storage Capacity	4L Drums Capacity	20L Drums Capacity	No. Of Shelves	Unit Weight	Was	NOW
DG8030	Flammable Liquid Cabinet	30L	8	1	2	33kg	_ \$995 _	\$885
DG8006	Flammable Liquid Cabinet	60L	12	2	2	41kg	\$1059	\$942
DG8100	Flammable Liquid Cabinet	100L	24	3	2	65kg	_\$ 138 5	\$1232
DG8160	Flammable Liquid Cabinet	160L	40	6	2	78kg	\$1470	\$1292

250L Dangerous Goods Cabinet (Indoor)

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- All our flammable liquids cabinets are made to AS 1940-2004
- Internal Size: 1503x1018x420mm (HxWxD)
- External Size: 1970x1100x500mm (HxWxD)
- Storage Capacity: 250L
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- No. of Shelves: 3
- Unit Weight: 123kg



Lockable doors



Adjustable Shelves















Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Powercoated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety









Code	Description	LPG Cylinder Capacity	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight	Was	NOW
AS8040	Fork Gas Cage	2 Cylinders	915x690x428mm	1023x750x450mm	35kg	_\$765	\$698
AS8041	Fork Gas Cage	4 Cylinders	975x690x690mm	1050x750x750mm	65kg	_\$995	\$885
AS8042	Fork Gas Cage	6 Cylinders	975x1020x670mm	1050x1100x750mm	95kg	\$1824	\$1590
AS8043	Fork Gas Cage	12 Cylinders	1925x1020x670mm	2000x1100x750mm	182kg	\$2505	\$1914

Aerosol Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Powercoated green
- All cages have lockable doors and bolt down plates for added security
- Made in Australia to AS 3833-2007

AS8040



12 Can Aerosol Storage Cabinet

Code: AS8050



60 Can Aerosol Storage Cabinet

Code: AS8051





108 Can Aerosol Storage Cabinet

Code: AS8052



432 Can Aerosol Storage Cabinet

Code: AS8055



216 Can Aerosol Storage Cabinet

Code: AS8054

Price Each

Code	Description	Can Storage	Internal Dimensions	External Dimensions	Unit		
		Capacity	(H x W x D)	(H x W x D)	Weight	Was	NOW
AS8050	Aerosol Cage	12 cans	320x420x120mm	400x500x200mm	9kg	_\$510	\$439
AS8051	Aerosol Cage	60 cans	420x620x220mm	500x700x300mm	12kg	_\$ 639	\$565
AS8052	Aerosol Cage	108 cans	820x770x320mm	900x850x400mm	34kg	_\$ 992	\$872
AS8053	Aerosol Cage	216 cans	820x1575x320mm	900x1655x400mm	67kg	\$1382	\$1216
AS8054	Aerosol Cage	216 cans	1720x770x320mm	1800x850x400mm	67kg	\$1382	\$1216
AS8055	Aerosol Cage	432 cans	1720x1575x320mm	1800x1655x400mm	131kg	\$2103	\$1786

Drum Tipper / Dumper

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required.
- A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Working Load Limit (WLL): 500kg
- Rotational ability 180 degrees



Now Only Code: DL7215



Drum Decanting Cradle

- This decanting cradle is a safe, easy and cost effective tool to decant liquids from steel and plastic drums.
- No more need to struggle with heavy drums of liquid and risk injuries with these decanting cradles
- Unique pivot point design enables accurate pouring to greatly reduce the risk of spills or wastage
- Returns to safe position unaided when released by operator

Holds all common 15, 20 and 25 litre containers

Powder Coated Finish





Hook Drum Lifter

- Suitable for both steel and plastic 210 litre drums
- Works on almost any drum that has a rim to grab onto
- Ideal for picking up a drum in the middle of a cluster without having to move any that are in front
- Capacity: 500kg
- Overall Dimensions: 215x711x711mm (HxWxD)
- Unit Weight: 13kg



Drum Depalletiser & Rotator

- This drum depalletiser combines transport and drum rotation into one
- Lifts, transports and rotates steel and plastic drums
- Load Capacity: 250kg
- Max Lift Height: 800mm
- Drum Size: 570-600mm diameter
- Wheel Size: 125x50mm
- Unit Weight: 165kg







Steel & Plastic Drum Trolley







Wet & Dry Vacuum Cleaner



Round Plastic Waste Bins (swinging lid)

- Double-ribbed base and rims increase stability and durability
- Strong, snap-on lids with swinging lid
- Built-in handles allow easy, non-slip lifting
- Plastic construction will not rust, chip or peel, resists dents.
- Quick and easy twist on, twist off dolly available to suit
- Colour: Grey
- Lid Supplied
- The dolly raises the bin overall height by 120mm

B5015 Specifications:

- Capacity: 120L
- Overall Diameter (inc. Handle): 630mm
- Dimensions: 500mm dia, 1020 high

B5010 Specifications:

• Capacity: 80L



Code	Description	Dimensions	Was	NOW
B5010	80L Circular Waste Bin	500mm dia, 910mm high	-\$75	\$60
B5015	120L Circular Waste Bin	550mm dia, 1020mm high	-\$95	\$76
B5004	Round Dolly to suit B5010 & B5015	400mm dia, 130mm high	-\$45	\$39

Manual Push Floor Sweeping Machine



Plastic Cube Bin - 225L



70L Garbage Bins



			· · · · · · · · · · · · · · · · · · ·
Code	Description	Was	NOW
WB70Y	70L Garbage Bin - Yellow	_ \$98 _	\$79
WB70B	70L Garbage Bin - Blue	-\$98	\$79
WB70GY	70L Garbage Bin - Grey	-\$98	\$79
WB70G	70L Garbage Bin - Green	-\$98	\$79

Foot Pedal Lid Lifting Wheelie Bins



Round Plastic Waste Bins & Dollies

- Crush-resistant construction makes these containers tough enough to stand up to the harshest work environments
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids allow for secure, stable stacking
- Built-in handles allow easy, non-slip lifting
- Plastic construction will not rust, chip or peel, resists dents.
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- Quick and easy twist on, twist off dolly available to suit
- Colour: Grey
- Lid Supplied
- The dolly raises the bin overall height by 120mm



	Pric				Each (includ	ling lid)
Code	Description	Capacity	Overall Dia. (Incl Handle)	Dimensions	Was	NOW
B5003	Round Plastic Waste Bin	80L	555mm 50	0mm dia, 620mm high	_\$68	\$59
B5002	Round Plastic Waste Bin	120L	630mm 55	0mm dia, 695mm high	_\$89	\$79
B5001	Round Plastic Waste Bin	168L	700mm 61	0mm dia, 795mm high	\$116	\$98
B5004	Round Dolly to suit 80-120L Round Bin	s -	40	0mm dia, 130mm high	_\$45	\$39
B5005	Round Dolly to suit 168L Round Bins	-	45	0mm dia, 130mm high	-\$45	\$39



VERDEX

Multi-Tip Battery Electric Bin Tipper

The Multi-Tip bin-tipper is everything a bin tipper should be - safe, economic, easy to use, versatile, and efficient.

Perfect for light industrial use to empty bins at schools, factories, recycling centres and more. These tippers are battery powered which have a sealed battery and an industrial-quality 'float' charger built in.

Specifications:

- 150kg safe lifting capacity
- · Fast 20 seconds to empty a bin
- Tipping Height: 1.6m
- Battery-powered with a sealed battery and an industrial-quality 'float' charger built in
- Indoor or outdoor use
- 125mm castors, 2 with brakes
- Rugged powder coated frame
- Suits popular bin sizes 80L,
- 120L, 140L and 240L, with no adjustment Lockout key and two-hand controls for safety
- Simple plug in to charge overnight







View video of this in operation here www.mhaproducts.com.au/MT1600



Self Dumping 1500kg Capacity Tipping Bins

Nestable

These large self dumping tipping bins are suitable for any waste and rubbish application

Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat

Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)

- Available in 3 standard sizes
- Drain plug fitted as standard
- Optional wheel kits available
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x75mm
- Fork Pocket Centres: 380mm (WB2920)
- Fork Pocket Centres: 680mm (WB2922)



View video of this in operation here https://www.mhaproducts.com.au/WB2920

Optional Wheel Kit Available

Code	Description	Dimensions (WxLxH)	Bin Capacity	Unit Weight	Was	NOW
WB2920	Self Dumping Tipping Bin	1010x1570x1010mm	950L	180kg	_\$ 138 7	\$1195
WB2922	Self Dumping Tipping Bin	1910x1570x1010mm	1850L	245kg	_\$ 1940	\$1690
WB29K	Wheel Kit to suit (includes 4 wheels)				\$305	\$189

Pull Cord Forklift Wheelie Bin Tipper

- These tippers are available for tipping 240 litre bins
- Simple and safe tipping operation operated via a pull cord from the drivers seat

The wheelie bin is firmly secured into position by the frame assembly preventing any bin movement, with the additional securing chain around the front of the bin.

Returning the bin to the upright position can be done manually or with the forklift, the bin automatically locking into position once upright.

- 180 degree tipping operation
- Finish: Enamel painted
- Fork Pocket Size: 190x70mm
- Safe Working Load: 500kg
- Fork Pocket Centres: 840mm





Peg Board Tool Trolley

Price Each

- Great tool trolley for general workshop use
- Comes with metal pegboard on back as well as the sides which can be used to hold tools and equipment
- Supplied Flatpacked Assembly available on request
- Overall Width: 415mm
- Overall Length: 670mm
- Overall Height: 1730mm
- Back Panel Width: 605mm Back Panel Height: 440mm
- Top Shelf Height: 900mm
- Middle Shelf Height: 510mm
- Bottom Shelf Height: 160mm 4 heavy duty castors
- (2 swivel and lockable and 2 fixed) Load Capacity: 250kg
- Finish: Powdercoated light grey
- Handle Height: 825mm






troden

Pegboard Accessories

· Large range of hanging hooks accessories available which fit all our pegboard products


			Price Each		
Code	Description	Dimensions	1-49	50-99	100+
C8204	Single Hook	25mm long	\$3.50	\$2.70	\$2.20
C8205	Single Hook	75mm long	\$3.50	\$2.70	\$2.20
C8206	Single Hook	150mm long	\$3.50	\$3.15	\$2.65
C8207	Double Hook	25mm long	\$3.50	\$3.15	\$2.65
C8208	Double Hook	75mm long	\$4.00	\$3.60	\$3.05
C8209	U Shape Hook	23x35mm (LxW)	\$3.50	\$3.15	\$2.65
C8210	U Shape Hook	70x25mm (LxW)	\$3.50	\$3.15	\$2.65
C8211	3 Prong Hook	150mm long	\$5.90	\$5.30	\$4.50
C8212	Round Hook	23x55mm	\$3.50	\$3.15	\$2.65
C8213	Spanner Holder	135mm long	\$11.00	\$9.90	\$8.35
C8214	Screwdriver Holder	390mm long	\$13.00	\$11.70	\$9.85



7 Drawer Industrial Tooling Cabinet

- Heavy duty tooling cabinets, ideal for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% drawer access
- Single key lock design for safe storage
- Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers





- Drawer Capacity: 100kg each
- Size: 881x653x1200xmm (WxDxH)
- Drawer 1 to 6 150mm high
- Drawer 7 200mm high
- Unit Weight: 100kg





Heavy Duty Industrial Work Bench

- Heavy duty steel industrial work bench with optional back board panel and lockable drawer set
- This work bench has a 1000kg bench capacity
- Comes standard with adjustable feet for levelling on uneven floors
- Finish: Powdercoated light grey
- Drawer Capacity: 100kg per drawer
- Metal peg and louvre panel is great for storing parts bins and tools and bottom tray for additional off-bench storage space
- Bench Length: Available in 1800mm and 2100mm
- Supplied Flatpacked Assembly available on request







Code	Description	Dimensions	NOW
B8101	Work Bench - 1800mm	1800x750x900mm (LxWxH)	\$385
B8102	Back Panel (for B8101)	1735x205x825mm (LxWxH)	\$229
B8107	Work Bench - 2100mm	2100x750x900mm (LxWxH)	\$425
B8108	Back Panel (for B8107)	2035x205x825mm (LxWxH)	\$249
B8100	Drawer Unit (2 drawers)	565x580x280mm (WxDxH)	\$179
B8103	Drawer Unit (6 drawers)	565x580x750mm (WxDxH)	\$549
B8101C	Castor Kit to fit benches	includes 4 swivel castors with brakes	\$165



Please Note: Benches shown in images includes optional back panel and drawer unit

Industrial Tooling Drawer Unit

• These industrial tooling drawers are a heavy duty drawer cabinet for industrial applications

Now Only

- The 1/2 height industrial cabinet can be mounted on top of the tooling cabinet (as per image shown below)
- Finish: Powdercoated light grey with light blue coloured drawers
- Drawer Capacity: 75kgs
- 2 x 100mm deep drawers



Industrial Storage & Tool Cabinets

- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Full height cabinets come standard with 4 adjustable shelves and 1/2 height cabinet comes standard with 2 adjustable shelves
- Extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Drawers come standard with adjustable dividers as pictured)
- Finish: Powdercoated light grey with light blue coloured doors



Full Height Cabinet

- Shelf Capacity: 150kgs 4 adjustable shelves
- 2 point key lock system
- Optional drawer units available which fit inside unit so doors can be locked

Code: C8120





Industrial Tooling Workstation

- Heavy duty tooling cabinets for industrial workshop applications
- The sliding drawers have quality smooth operation bearings
- 5 lockable drawers and cupboard
- Draw Capacity: 100kg per drawer
- Finish: Powdercoated light grey and blue
- Bench Height: 950mm



Industrial Tooling Cabinet on Wheels

- Heavy duty tooling cabinets, ideal for industrial applications and serious workshops
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% drawer access
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- · 2 fixed & 2 swivel 125mm castor wheels
- All drawers come with adjustable steel dividers
- Drawer Capacity: 100kg each • Size: 565x580x900mm (WxDxH)
- 6 Drawers:
- 2 Drawers x 75mm
- 2 Drawers x 100mm 2 Drawers x 150mm
- Unit Weight: 100kg





1/2 Height Cabinet

- Shelf Capacity: 150kgs
- 2 adjustable shelves as standard 2 point key lock system
- Optional drawer units available which fit inside unit so doors can be locked

Code: C8121



Price Each

Code	Description	Dimensions	Was	NOW
C8121	1/2 Height Industrial Cabinet	900x900x450mm (HxWxD)	_\$298	\$278
C8120	Full Height Industrial Cabinet	1800x900x450mm (HxWxD)	_\$524	\$498
C8123	Small Drawer Unit 100mm deep (fi	ts inside cabinets)	_\$120	\$108
C8124	Large Drawer Unit 200mm deep (fi	_\$159-	\$143	
C8144	Extra Shelves (to suit cabinets)		\$39.50	\$35

Heavy Duty Parts Cabinet (30 Parts Trays)

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside
- Specially designed to prevent accidental slip off
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- Parts Bin Loading Capacity: 10kg each
- Plastic Parts Bin size (LxWxH): 415x170x105mm
- Overall Dimensions (HxWxD): 880x900x420mm



Parts Bin Trolley

tanko

- 100mm casters with total 400kg loading capacity
- PVC mat on top and bottom tray
- Transparent front window on the parts bin
- Each bin comes with one divider and one bin label card
- Specially designed to prevent accidental slip off
- Plastic Parts Bin size (LxWxH): 450x165x105mm
- Distance Between Shelves: 110mm
- 265mm distance between bottom and middle shelf on C7226 model
- Tray Size (LxW): 755x465mm



Code	Description	Was	NOW
C7226	Parts Bin Trolley (8 parts bins)	\$572	\$498
C7227	Parts Bin Trolley (16 parts bins)	\$739	\$658

Heavy Duty Parts Cabinet (60 Parts Trays)

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside.
- Specially designed to prevent accidental slip off
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- Parts Bin Loading Capacity: 10kg each
- Plastic Parts Bin size (LxWxH): 415x170x105mm
- Overall Dimensions (HxWxD): 1760x900x420mm



Storage Cabinet / Work Station

- Heavy duty storage cabinet with Bench and pegboard back panel
- Striped vinyl mat work bench
- Hooks can be applied to perforated boards
- 6 lockable drawers and cupboard with adjustable shelves
- Internal Drawer Size (LxWxH): 370x355x100mm
- Roller bearing drawer runners
- Overall Dimensions (HxWxD): 1790x905x455mm
- Accessories not included
- Bench Height: 900mm
- Back Panel Height: 900mm



Plastic Stack & Nest Crates Price Each • These stack and nest crates are injection moulded from tough, durable, UV Size (LxWxD) Volume 21-49 Code resistant polypropylene they are suitable for food handling, engineering, warehousing or distribution \$8.55 10404 *Bin #4 430x323x127mm 13.5L \$9.50 SPOA Crates can stack or nest depending on which way around they are stored \$10.20 10405 *Bin #4D 430x323x210mm 22L \$11.35 \$POA Size 4 and 4D are nest only • Available in 5 colours (please specify your preferred colour when ordering) 10407 *Bin #7 645x413x210mm 32L \$20.50 \$18.45 **\$POA** 10410 *Bin #10 52L \$22.10 645x413x276mm \$24.50 \$POA Colours Available (in all sizes) 10415 *Bin #15 645x413x397mm 68L \$41.10 \$38.40 \$POA 10412 \$7.10 Lid to suit No.4 crates (white) \$7.95 \$POA 10417 Lid to suit No.7-15 crates (white) \$11.85 \$10.65 \$POA *Please specify bin colour when placing your order White Blue Red Yellow Green

Enviro Plastic Stack & Nest Crates

Size #7

				Price	e Each
Code	Bin	Size (LxWxD)	Volume	1-20	21-49
10404RC	Bin #4	430x323x127mm	13.5L	\$7.10	\$6.40
10405RC	Bin #4D	430x323x210mm	22L	\$9.00	\$8.10
10407RC	Bin #7	645x413x210mm	32L	\$14.65	\$13.20
10410RC	Bin #10	645x413x276mm	52L	\$15.65	\$14.10
10415RC	Bin #15	645x413x397mm	68L	\$38.75	\$34.85
10412RC	Lid to suit N	lo.4 crates (black)		\$5.80	\$5.20
10417RC	Lid to suit N	lo.7-15 crates (black)		\$9.55	\$8.60

Size #4D

Size #4

- These stack and nest crates are injection moulded from tough, durable, UV resistant polypropylene they are suitable for non food applications
- Crates can stack or nest depending on which way around they are stored

Size #10

Size 4 and 4D are nest only



Size #15


Price Each

Spare Parts Trays



- Strong polypropylene oil resistant trays which are supplied with dividers are ideal for small parts storage
- Our standard spare parts tray colour is grey as pictured however other colours are available on request (blue, green, red, yellow)
- Extra dividers are available to create more compartments in the trays
- Hospital grade material bacterial free and chemical free
- Can be used with steel shelving to create a neat and organised parts storage area

Code	Tray	Size (LxWxH)	Dividers Supplied	Ctn Qty	Ctn Buy	4+ Ctns
IH-012	Size #12	300x100x100mm	2	24	\$5.65	\$4.80
IH-017	Size #17	400x100x100mm	2	24	\$6.85	\$5.90
IH-027	Size #27	600x100x100mm	5	12	\$10.75	\$9.10
IH-024	Size #24	300x200x100mm	2	12	\$8.70	\$7.50
IH-025	Size #25	400x200x100mm	2	12	\$10.45	\$8.80
IH-028	Size #28	600x200x100mm	5	6	\$14.60	\$12.60
IH-014	Spare Parts	Tray Dividers -100mm	n wide	12	\$0.50	\$0.40
IH-026	Spare Parts	Tray Dividers -200mm	n wide	12	\$0.75	\$0.65







- This steel shelving is roll formed from premium pre-painted steel to ensure durability and engineering integrity for both office and warehouse storage applications.
- Standard Colour: Silver Grey
- Supplied Flatpacked Easy to assemble
- Shelf sets come standard with 5 adjustable shelves plus a top and bottom shelf, each with a 100kg load rating (top and bottom shelves are fixed)
- Dimensions (WxDxH): 910x400x2200mm





Double Width Storage Transport Cage

- Front and rear gates half fold down and are fully removable, allowing safe, easy and fast access to goods
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Collapse/Assemble in seconds
- Lockable lids & weather covers are available on request
- 4 Way forklift access & pallet truck entry
- Anti-tip base design
- Half fold down & Fully removable front and rear gates
- Zinc plated finish
- Stackable 4 high
- Dimensions: 2200x1158x1035mm (LxWxH)
- Safe Working Load: 1050kg





Mesh Stillage Transport Storage Cage

- Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Drop down removable front gate
- Rear gate hinges open for easy access to cage
- Cages can be stacked 3 high when loaded and 5 high unloaded
- Internal Dimensions (WxDxH): 1080x1080x825mm
- External Dimensions (WxDxH): 1160x1160x1040mm
- Supplied flatpacked for easy transport (can be assembled on request)
- Finish: Zinc plated
- Base Height: 130mm
- Load Capacity: 1000kg
- Unit Weight: 75kg





Stackable Stillage Cage

These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse

- Fits standard Australian size pallets including Chep and Loscam
- External Dimensions (outside of post): 1390x1390x1650mm (WxDxH)
- Internal Dimensions: 1250x1250x1490mm (WxDxH)
- Post Height from top of base: 1490mm
- Load Capacity: 1500kg
- Can be safely stacked 3 high when in use





Stillage Mesh Cage

- These mesh cages are an excellent form of warehouse storage.
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage mesh cages may be stacked higher than a normal mesh cage due to the stillage posts.
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking

Powdercoated frames with gal mesh side Forklift access from front and sides

- Solid steel floor
- Can be collapsed for storage
- Collapsed Height: 300mm
- Size: 1200x1000x970mm (WxDxH)
- Load Capacity: 1000kg





Stillage Pallet Cage (with hardwood pallet)





















Safety Bollards

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- 4 options available however other sizes can be made to order to your particular specifications
- The 1200mm high bollard (AB8704) can be concrete filled





AB8704 has a removable cap so that the bollards can be concrete filled if required



Code	Description	Details	Was	NOW
AB8701	'U' Bar High Bollard	-	_\$245	\$205
AB8702	'U' Bar Low Bollard	-	-\$149	\$129
AB8703	Standard Straight Bollard - 915mm (Powercoated)	Fixed Cap	-\$98	\$85
AB8704	Large Straight Bollard - 1200mm (Powercoated)	Removable Cap	-\$195	\$165
AB8706	Tru-Bolt 16x120mm (M16)	Galvanised	-\$3.50	\$2.50

Code	Bollard Type	Size	Diameter	Bolt Hole Size	Base Plate Size	Wall Thickness	Finish
AB8701	U Bar High	1068x1220mm (HxL)	115mm	22mm	205x205x10mm	3mm	Powdercoated
AB8702	U Bar Low	2301220mm (HxL)	115mm	22mm	205x205x10mm	3mm	Powdercoated
AB8703	Straight	915mm (H)	115mm	22mm	255x255x10mm	3mm	Powdercoated
AB8704	Straight	1200mm H)	165mm	17mm	280x280x10mm	3mm	Galvanised + Powdercoated



Orbitwrap 1000 Semi-Auto Stretch Wrapping Machine

The ORBITWRAP machines have been designed and built with economy, efficiency and safe operation in mind.

These stretch wrapping machines will give you all of the features you need to wrap pallet loads quickly and efficiently. The OR-1000 can dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) **orbitwrap** stretch wrapping

- Forklift relocation slots for easy machine transportation
- Automatic and manual wrapping programs Includes ramp for pallet truck access
- User friendly 'Soft Touch' controls
- Eliminate the need for labour-intensive, inefficient manual hand wrapping
- Rugged steel construction for long-term reliability

Standard Features

- Electronic screen with 'Soft Touch' control
- Variable film carriage and turntable speeds
- Forklift relocation slots
- Photocell eye for automatic height detection
- Automatic and Manual wrapping programs
- Soft-start and stop turntable drive
- Ramp can be fixed to the table at 3 different angles
- Includes pallet truck access ramp
- Adjustable friction brake stretch system
- Heavy-duty industrial chain driven turntable
- Safety crush prevention device fitted to carriage
- Standard 12 month warranty

Technical Data

Load capacity:

2200 mm Max height of wrapping: Ramp Size: 1070x1325mm (WxL) Max pallet size: 1200 x 1200 mm Turntable diameter: 1520 mm 1-10 RPM Turntable speed: Stretch film size: 500 mm 1500 ka

240v, single phase Power supply:

Warranty: 1 Year Machine weight: 450 kg





Card Holder's Full Name:

Card No.

PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

Card Expiry Date:

3 Digit Security Code:

Sydney

Tel: (02) 8865 1800 Fax: (02) 8865 1830 Magnetic new@mhaproducts.com.au

Melbourne

Tel: (03) 9115 9100 Fax: (03) 9115 9150 ✓ vic@mhaproducts.com.au **Brisbane**

Tel: (07) 3181 5630 Fax: (07) 3181 5635 ☑ qld@mhaproducts.com.au

Your Company Details		Please p	photocopy for future use		
Company Name:					
Invoice Address:					
Delivery Address:					
ABN:	Tel: ()	Fax: ()			
Contact Name:	Position:				
Contact Email:	Accounts Email:	il:			
Your Order Number:	Date:				
Code Desc	cription	Qty Unit pri	ce Total price		
			-		
Freight Charges		Sub Total			
Please check our website	Obtain freight quote or charge to	my freight account	Please tick if required		
www.mhaproducts.com.au for correct freight cost	Charge to my freight account.	Freight			
to your postcode, otherwise please tick 'obtain freight quote' and place your order using	(please list details below)	GST			
this form and we will contact you to confirm		Total (inc GST)			
freight cost before processing your order.					
Payment Options (Please tick)			Order form October 2019		
Please email invoice for payment by direct d	eposit Instant 30 Day	We accept VISA, MASTERCARD & AMEX (no surcharge)			
Please invoice on my 30 day account	account for government department	Master Card VIS	AMERICAN EXPRESS		
Please invoice on my 14 day account Please charge to credit card	Australian Government Orders		•		
VISA MASTERCARD AMEX	Card Holder's Signature				













































