

Specials End June 30th 2021





Order Online www.mhaproducts.com.au

**1800 750 900** 

# BONUS GIVEAWAYS These Giveaways are available FREE with every order from \$500!

Sydney Office Tel: 02 8865 1800

✓ nsw@mhaproducts.com.au

#### **Melbourne Office**

Tel: 03 9115 9100

✓ vic@mhaproducts.com.au

#### **Brisbane Office**

Tel: 07 3558 9700

✓ gld@mhaproducts.com.au

#### **Picnic Blanket**

#### FREE with orders over \$500 (ex GST)

Our wonderful picnic blanket will surely make packing for your family picnic easy and fun. Manufactured from sturdy 1200mm x 1370mm woven polyester fleece with a water proof PE backing for protection. It folds up after use with a Velcro closure and has a handy carry handle.



Please quote offer code: GA2101 when placing your order

#### **Slate Serving Board**

#### FREE with orders over \$1000 (ex GST)

Perfect for hosting or entertaining these deluxe slate serving boards are a rustic added touch. The serving board hosts four non-slip and non-marking polyurethane pads on the base. They have natural hemp rope handles and come beautifully presented in an unbleached cardboard gift box.

- · Natural slate material
- Serving board
- 4x Non slip/marking polyurethane pads on base
- Natural hemp rope handles
- Presented in unbleached cardboard gift box

Please quote offer code: GA2102 when placing your order

#### **Cooler Seat Picnic Set**

#### FREE with orders over \$2500 (ex GST)

A handy seat with an insulated cooler section to place your food. It has a 2 person picnic set with complete utensils, plates, cutlery, a bottle opener, cutting board and glasses for drinks. Carry it as a backpack and enjoy your picnic.

- Insulated cooler section
- Plates
- Cutlery
- · Bottle opener • Cutting board
- Glasses





Please auote offer code: GA2103 when placing your order

#### Single Burner Portable BBQ

#### FREE with orders over \$5000 (ex GST)

Compact and lightweight Voyager BBQ. You can easily create a feast on the go with convenient rotary piezo ignition and generous grill/plate cooking surface.

- Fuel: Universal LPG
- Firebox Finish: Vitreous enamel
- Ignition: Rotary piezo
- Roasting Hood: Powder coated
- Temperature Gauge: Yes Main burners: 1 x Stainless steel
- Output: 12 MJ/H
- Cooking surface finish: Satin enamel cast iron
- Cooking area hotplate: 230mm x 330mm
- Overall dimensions: Lid closed (WxDxH) 600mmx380mmx360mm





Please quote offer code: GA2104 when placing your order

#### **Terms & Conditions**

- This offer is available as a promotion for a limited time only.
- This offer is not available in conjuction with any other offers and/or special/contract priced items.
- The order amounts listed on this promotion exclude 10% GST and giveaways are available per invoice or order only.
- These order amounts exclude the freight component of your order.
- Images pictured on this promotion are for illustration purposes only and may be substituted if they become unavailable.
- Please ensure you quote the offer or deal code at time of order and your choice of giveaway to ensure you receive this with your order.
- One giveaway is available per offer code.
- Offer ends 30th June 2021

Visit, www.mhaproducts.com.au/giveaways for detailed information on each of these giveaways.











#### 2 Tier Picking Platform Trolley

- Rubber lined shelves to help stop items from sliding off when moving around
- Wire tool basket supplied as standard which is great for tool and scanner storage
- Fully welded steel construction with powder coated blue finish
- Basket Dimensions (LxWxH): 265x145x170mm
- Distance between Shelves: 655mm
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 500kg
- Castors: 125mm
- Handle Height: 1055mm
- Shelf Size: 910x610mm
- Shelf Heights: 190 + 880mm
- Overall Size (LxWxH): 1080x610x1055mm
- Unit Weight: 39kg





#### **Fully Welded 2 Tier Trolley**

- Fully welded steel construction
- Powder coated finish
- Mesh cage sides 25x25mm size mesh
- 25mm square tube fully welded frame
- Base Height: 175mm
- Clearance Between Top and Bottom Shelf: 415mm
- Height To Top Platform: 620mm
- Depth of Top Tray: 225mm
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 300kg
- Castors: 125mm
- Handle Height: 940mm
- Platform Size: 905x605mm
- Internal Size of Top Shelf: 845x550mm
- Overall Size (LxWxH): 1046x605x940mm
- Unit Weight: 35kg

Code

T8695



Durollo

#### **Fully Welded Cage Trolley**

- Fully welded steel construction with powder coated finish
- Drop down front which makes it easy for loading and unloading
- Mesh cage sides 50x50mm size mesh
- 25mm square tube fully welded frame
- Height to Top Rail: 860mm
- Height to Middle Rail:
- 535mm Rubber castors - 2 x fixed,
- 2 x swivel with brakes • Load Capacity: 300kg
- Castors: 125mm
- Handle Height: 980mm
- Base Height: 175mm
- Internal Size (LxWxH): 850x550x670mm
- Overall Size (LxWxH):
- 1090x630x980mm Unit Weight: 33kg

Code	WAS

Code	WAS	NOW
T8696	<del>-\$766</del>	\$687

### Durolla

Durolla





#### Extra Large Prestige Platform Trolley

- Wire cage has fold down sides to make loadingand unloading easier
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley

WAS

\$725

- 200mm polyurethane castors 2 x fixed, 2 x swivel
- Overall Size (LxWxH): 1270x770x1000mm
- Load Capacity: 500kg
- Handle Height: 1000mm
- Cage Height: 770mm Platform Size: 1170x770mm
- Platform Height: 240mm
- Unit Weight: 47kg



Code	WAS	NOW	
Т9338	<del>\$856</del>	\$769	Durolla

## **Solid Cage Trolley**

- Front gate folds down for easy access to trolley
- Powder coated finish
- Polyurethane castors 2 x fixed, 2 x swivel
- Load Capacity: 500kg
- Castors: 150mm
- Handle Height: 850mm
- Internal Size (LxWxH): 1040x645x630mm
- Overall Size (LxWxH): 1200x700x850mm
- Unit Weight: 47kg



Code	WAS	NOW
T5203	\$935	\$839

Durolla

## Single Tub Order Picking Trolley

- Bolt together steel construction (supplied flatpack)
- · Powder coated finish
- Rubber castors 2 x swivel,
- 2 x swivel with brakes
- Kit supplied with 1 x No. 10 Plastic Tub (please specify preferred colour when ordering)
- Suits plastic tubs size No.7, 10, 15
- Trolley comes with removable clipboard handle
- Load Capacity: 250kg
- Castors: 125mm
- Overall Size (LxWxH): 980x420x1340mm



D	Uro	Q

Code	Details	Unit Weight (kg)	WAS	NOW
T3090V	Order Picking Trolley	10	\$346	\$308
T3090VK	Order Picking Trolley Kit	15	\$370.50	\$332

#### 3 Tier Utility Service Cart

- Heavy duty plastic construction which resists dents, chips and rust.
- Supplied standard with 2 removable buckets
- Small bucket size (LxWxH): 360x290x360mm
- Large bucket size (LxWxH): 360x290x560mm
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 100mm
- Top Shelf Size (internal): 450x740mm
- Overall Size (LxWxH): 1395x50x975mm
- Unit Weight: 19kg



# **Parcel Trolley with Removable Sides**

- This Parcel Trolley is ideal for stock picking and transfering boxed products.
- · Removable sides for ease of access to platform.
- Height of handle can be adjusted
- Electro galvanised finish with white laminate base
- Rubber castors 2 x fixed,
   2 x swivel with brakes
- Load Capacity: 300kg
- Castors: 160mm
- Overall Size (LxWxH): 1190x650x1025mm
- Unit Weight: 36kg



Code	WAS	NOW
М1675	<del>\$942</del>	\$846

**VERDEX** 

#### 3 Tier Service Trolley

- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 100mm

Code

M7100



#### **Extra Long 3 Tier Service Trolley**

- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 100mm
- Shelf Size: 920x520mm
- Overall Size (LxWxH): 1110x520x1010mm
- Unit Weight: 21kg



Code	WAS	NOW
M1456	\$495	\$445

#### **Mesh Trolley**

- The Mesh Trolley is suitable for holding and storing a large variety of items
- This trolley is ideal for use in warehouses, hospitals, schools and sporting events etc
- Electro galvanised finish
- Polyurethane castors 2 x swivel,
   2 x swivel with brakes
- Load Capacity: 100kg
- Castors: 125mm
- Overall Size (LxWxH): 830x630x735mm
- Unit Weight: 18kg

Code

M1683

• Optional Lid Available (M1684)

WAS

\$355



#### Mesh Trolley with Folding Lid

- The Mesh Trolley with Folding Lid is the perfect solution for hospitals, laundries and nursing homes etc
- Lockable lid ensures that goods can be stored securely in high traffic areas
- White powder coated finish
- Polyurethane castors 4 x swivel
- Load Capacity: 100kg
- Castors: 100mm
- Size of Basket: 770x400mm
- Overall Size (LxWxH): 800x600x915mm
- Unit Weight: 18kg

Code

M1680



WAS

\$367

#### 3 Tier Step Ladder Trolley

- Great for picking stock when you need to reach up high
- Middle shelf has 3 shelf positions
- Ladder is connected with the brake to stop wheels turning which enhances security when using the ladder
- Anti-slip steps which ensure safe operation
- Polyurethane castors 2 x fixed,
   2 x swivel with brakes
- Load Capacity: 400kg
- Castors: 100mm
- Shelf Size: 700x500mm
- Overall Size (LxWxH): 1125x525x1110mm
- Unit Weight: 45kg

Code	WAS	NOW
T6100	\$ <del>998</del>	\$897





#### Prestige 2 & 3 Tier Trolleys

Heavy duty steel trolleys which are great for dozens of uses in warehouses, schools, hospitals etc.

- Powder coated steel construction
- Chrome steel handle with plastic end caps
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors 2 x fixed, 2 x swivel
- Load Capacity: 200kg
- Castors: 100mm
- Handle Height: 890mm
- Shelf Size: 750x500mm
- Overall Size (LxWxH): 830x500x930mm



NOW
\$264
\$353

#### Stainless Steel 2 & 3 Tier Trolleys

- Heavy duty stainless steel 2 and 3 tier trolleys which are great for use in hospitality areas.
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors 4 x swivel
- 304 grade stainless steel
- Overall Length Including Handle: 750mm
- Load Capacity: 200kg
- Castors: 100mm
- Handle Heights: 910mm
- Tray Size (WxDxH): 600x400x50mm
- Platform Size: 655x400mm



Code	Details	Distance between trays (mm)	Unit Weight (kg)	WAS	NOW
ST620	2 Tier Trolley	670	14	\$464	\$415
ST630	3 Tier Trolley	305	18	\$598	\$535

#### **Steel Panel Rack Cart**

- Removable Convenient tool bucket located in middle of unit for storing small parts and tools
- Easy loading rollers included on 1 end
- Space Between Outer Bars: 70mm
- Space Between Inner Bars: 205mm
- Heavy duty resin castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 700kg
- Castors: 100mm
- Platform Height: 200mm
- Platform Size: 685x810mm
- Overall Size (LxWxH): 820x690x1120mm
- Unit Weight: 51kg



Tool bucket supplied with cart 510x270x190mm

Code	WAS	NOW
T8666	<del>\$525</del>	\$472

Durolla

#### **Heavy Duty Panel Rack Cart**

These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.

- Middle divider post can be removed
- Space Between Bars: 310mm
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 200kg
- Castors: 125mm
- Platform Height: 220mm
- Platform Size: 770x915mm
- Overall Size (LxWxH): 770x915x970mm
- Unit Weight: 79kg

Code

T8667



#### **Quad Deck Tool Cart**

• Excellent tool cart with square hole pegboard

WAS

\$595

- Supplied with accessories
- Tray depth: 50mm
- Nylon castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 300kg
- Castors: 100mm
- Platform Heights: 170 + 370 + 570 + 770mm
- Shelf Size: 585x405mm
- Overall Size (LxWxH): 690x430x1215mm
- Unit Weight: 24kg
- Accessories Supplied: 5 x hooks; 2 x T-Handle Rack, 2 x Plastic trays



Code	WAS	NOW
M1466	\$ <del>695</del>	\$620

# **VERDEX**

#### **A Frame Panel Cart**

- These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.



#### 3 Tier Plastic Utility Cart

- · Heavy duty plastic construction which resists dents, chips and rust virtually maintenance free!
- · Built in storage bin in the handle which is great for storing small parts or tools
- Rubber castors 2 x fixed, 2 x swivel
- Load Capacity: 250kg Castors: 125mm
- Handle Height: 840mm
- Distance between Trays:
- 200mm
- Tray Size (LxWxH): 950x650x110mm
- Overall Size (LxWxH): 1170x650x840mm
- Unit Weight: 28kg

Code

T2053



Heavy	<b>Duty</b>	' Applia	nce Tro	llev

• Industrial quality hand trolleys to suit a variety of applications

WAS

\$364

- Load Capacity: 220kg
- Foot Size (WxD): 470x175mm
- Overall Size (WxDxH): 720x500x1260mm
- · Unit Weight: 18kg



Code	WAS	NOW
M1254	\$420	\$377

#### 4 Tier Adjustable Shelf Trolley

Underside of shelf

- The multiple use trolley is great for dozens of uses in the workplace
- The fixed centre wheels, swivel steer wheels at either end, and narrow body make it ideal for maneuverability and stability in narrow corridors or aisles.
- Three metal shelves supplied with 5 height adjustments for convenience.
- Fitted with rubber bumpers at each corner for wall and furniture protection
- Powder coated finish
- Load Capacity: 350kg
- 2 x Centre Wheels: 125mm diameter
- 4 x Swivel Wheels: 100mm diameter
- Overall Height: 1525mm
- Overall Length: 1280mm Overall Width: 420mm
- Unit Weight: 35kg

Code

T4079










\$677

#### **Heavy Duty Sloping 4 Shelf Trolleys**

- Heavy duty bolt together trolley which is great for stock picking
- · 4 backwards sloping shelves which prevents items falling off

\$756

- Shelves are removable but not adjustable
- Shelves have 10° decline
- 350mm space between each shelf
- Push/pull handles on each end
- Rubber castors: 2 fixed, 2 swivel with brakes
- Load Capacity: 500kg
- Castors: 150mm




underneath for extra strength

Code	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)	WAS	NOW
19344	1160x580	1410x620x1770	94	\$839	\$754
19345	1460x730	1730x770x1770	122	\$1,135	\$1,019



#### 3 Tier Convertible Trolley

- The 3 Tier Convertible Trolley is one of a kind.
- It can be configured with over 6 combinations to suit multiple applications.
- · The middle and top shelves are reversable, meaning you can have the smooth side up. If you require a tray, simply flip the shelf.
- These shelves can also be mounted flat, sloping forwards or backwards.
- Foot release braking system.
- Mesh Size: 50x50mm
- · Powder coated finish
- Rubber castors 2 x swivel, 2 x fixed castors
- Load Capacity: 500kg
- Castors: 150mm
- Handle Height: 960mm
- Shelf Size: 1140x490mm
- Base Shelf Height: 220mm
- Overall Size (LxWxH): 1240x490x1460mm
- · Unit Weight: 88kg



#### **Heavy Duty Goods Trolley with Shelf**

- An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use.
- Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.
- Powder coated finish
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 700mm
- Lower Shelf Height: 205mm
- Upper Shelf Height: 1010mm
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Optional pneumatic wheel kit available (WKP10)
- Load Capacity: 500kg
- Castors: 125mm
- Shelf Size: 1030x750mm
- Overall Size (LxWxH): 1100x800x1700mm
- Unit Weight: 90kg

#### Durolla





Code	WAS	NOW
T4975	_ <del>\$93</del> 5	\$842

#### **Heavy Duty Security Cage Trolley**

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Optional heavy duty removable shelves available as pictured
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Comes with signboard area on the side
- Powder coated finish
- Base Height: 225mm
- Distance Between Shelves:
   320, 360, 360, 300mm /hatt
- 330, 360, 360, 300mm (bottom to top)
- Shelf Capacity: 125kg (evenly distributed)
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 500kg
- Castors: 150mm
- Shelf Size: 1020x750mm
- Overall Size (LxWxH): 1100x850x1700mm
- Unit Weight: 50kg



Code	Details	WAS	NOW
T5315B	Bar Trolley	\$878	\$791
T5315S	Optional Shelf	\$98	\$88

#### **500KG Scissor Lift Trolley**

- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Durable powder coated finish
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Castors: 125mm



#### 1000KG XL Scissor Lift Trolley

- The extra large scissor lift trolleys are excellent for handling large bulky items.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder coated finish
- Stepless rate of lowering regardless of load weight

Extremely lightweight - Great for vehicle transport

Aluminium construction with a painted finish

Foot operated hydraulic operation

Stepless rate of lowering regardless of

Safety overload bypass valve

Polyurethane castors - 2 x fixed,

Lever release control

2 x swivel with brakes

Load Capacity: 100kg

Handle Height: 1000mm

Table Size: 700x450mm

load weight

Foldable handle

Castors: 100mm

Nylon castors- 2 x fixed, 2 x swivel with brakes

Load Capacity: 1000kg

Castors: 180mm

Table Size: 2035x750mm

Lifting Range: 360-1360mm

Unit Weight: 198kg

Code



100KG Aluminum Scissor Lift Trolley

#### **500KG Spring Scissor Lift Trolley**

- · Self-leveling, fully adjustable, weight sensitive
- · Designed to maintain an ideal working height for assembly lines and loading / unloading operations
- Balance achieved by double springs fitted to the shock absorbers
- Simple to operate spring tension adjustment
- Centre wheel kit is ideal for movement in small spaces
- Polyurethane castors 2 x fixed centre, 4 x swivel with brakes
- Load Capacity: 500kg
- Centre Castors: 200mm
- Swivel Castors: 100mm
- Table Size: 830x500mm • Lifting Range: 360-770mm
- Unit Weight: 65kg



#### WAS Code IFTEX M2075 \$1,482 \$1,330

#### Lifting Range: 265-755mm Unit Weight: 24kg

#### IIFTEX

Code	WAS	NOW
LT8713	<del>\$869</del>	\$778

Code	WAS	NOW
LT8713	<del>\$869</del>	\$778

Smooth lifting of heavy loads with ease

# **500KG Electric Scissor Lift Trolley**

- Smooth lifting of heavy loads with ease
- Automatic 12v charger
- Push button, battery/hydraulic operation

WAS

\$2,987

- Polyurethane castors 2 x fixed. 2 x swivel with brakes
- · Load Capacity: 500kg
- Castors: 150mm
- Table Size: 1010x520mm
- Lifting Range 495-1618mm
- Unit Weight: 198kg





1000KG Electric Scissor Lift Trolley

Code LT7224

NOW \$3,390 \$3,049



NOW

\$2,685

Code

LT7233

#### **Rough Terrain Scissor Lift Trolley**

- Rough terrain scissor lift trolley is ideal for outdoor applications
- Foot Pedal Cycles to Max Height: 25
- Durable powder coated finish Rubber castors - 2 x fixed, 2 x swivel with brakes
- Load Capacity: 200kg
- Castors: 200mm
- Table Size: 1000x500mm
- Lifting Range: 340-1010mm
- Unit Weight: 71kg

LT8712



\$798



#### **Electric Scissor Lift Trolley**

- Smooth lifting of heavy loads with ease
- Automatic 12v charger
- Push button, battery/hydraulic operation
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 300kg
- Castors: 125mm
- Table Size: 850x500mm
- Lifting Range: 290-880mm
- Unit Weight:115kg



Code	WAS	NOW
LT7230	\$2,999	\$2,685

#### 1000KG Hi-Lift Pallet Truck

• Great for lifting skids and pallets with no bottom rail Electric Quick-lift as standard with automatic transfer to normal lifting loads over 150kg

\$715

- Automatic descending speed control, regardless of load Front support legs and adjustable stabilisers ensure maximum stability
- Heavy duty design
- Conforms to EN 1757-4
- Not suitable for closed pallets with a bottom rail
- Battery: 12v, 54Ah
- Load Capacity: 1000kg
- Length: 1150mm
- Width: 680mm
- Min. Fork Height: 800mm
- Tine Size: 50x160mm
- Lifting Range: 85-800mm
- Unit Weight: 160kg

Code	WAS	NOW
PT9333	\$2,995	\$2,689



# **Galvanised Scissor Lift Trolley**

- Galvanised version which is great for food and medical areas
- Foot operated hydraulic operation
- Lever release control
- Double scissor lift version
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 150kg
- Castors: 100mm
- Table Size: 830x500mm
- Lifting Range: 435-1430mm
- Unit Weight: 80kg



### 2000KG Low Profile Pallet Lift Table

- Using this pallet lift table elevates pallets to the optimum lift height reducing the risk of repetitive strain injury and increasing productivity.
- Supplied with entry ramp to allow pallet truck entry
- Upper platform fitted with safety perimeter to prevent descent on contact with obstructions
- 24v control box with UP and DOWN buttons and emergency stop
- External power pack equipped with a relief valve against overloading and a compensating flow valve for controlling lowering speed
- Power Supply: 240v
- Hose burst safety valve to stop the lift table lowering incase of hose breakage
- Removable lifting eyes to facilitate handling and installation of the lift table
- Load Capacity: 2000kg
- Platform Size: 1180x1600mm
- Lifting Range: 105-880mm
- Lift Time: 25 secs
- Unit Weight: 419kg







IIFTEX

#### **Electric Scissor Lift Trolley with Cage**

- · These self propelled lift tables reduce the need to push heavy items manually as well as having electric operated lift.
- With the centre drive wheel it makes it extremely easy to manoeuvre loads.
- Comes complete with side cage as pictured which can be removed if not required
- 4 x swivel castors with brakes
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W Motor (Lifting): 400W
- Lifting Time: 17 seconds
- Load Capacity: 400kg
- Castors: 150mm
- Middle Wheels: 275mm
- Table Size: 1000x600mm
- Lifting Range: 460-900mm
- Cage Height: 600mm

1240x600 • Unit Weig	x1100mm	(3)	0
Code	WAS	NOW	
LT7240	\$ <del>5,23</del> 5	\$4,690	<u>  IFTEX</u>

#### **Self Propelled Electric Scissor Lift Trolley**

- Powered Lift and Drive makes this unit ideal for a wide range of applications, including in hospitals and libraries
- Single Scissor
- 2 x rear swivel castors with brakes 2 x pneumatic drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds
- Load Capacity: 400kg
- Rear Castors: 150mm
- Front Wheels: 275mm
- Table Size: 1000x600mm
- Lifting Range: 460-900mm
- Overall Size (LxWxH): 1240x600x1100mm
- Unit Weight: 180kg


Ľ



Code	WAS	NOW
T7340	\$4,365	\$3,920

#### Fork Extension Slippers/Tines

- Galvanised Fork slippers extend the versatility of your lift truck
- The safe working load (SWL) is measured per pair at 600mm load centre
- Slippers conform to relevant Australian Standards
- SWL: 8000kg





Code	Length (mm)	HGC (mm)	Weight Per Pair (kg)	WAS	NOW
F2938	1800	830	133	- <del>\$995</del>	\$893
F2939	2400	1135	177	\$1,235	\$1,109

carpet handling, but usage is generally restricted to larger forklifts due to the extended

# Fork Extension Slippers/Tines

- Powder coated Fork slippers extend the versatility of your lift truck
- The safe working load (SWL) is measured per pair at 600mm load centre Slippers conform to relevant Australian Standards
- SWL: 1814kg
- Internal Size: 140x50mm
- External Size: 155x60mm



Fork slipper hooks around the back of the fork tines to keep secure during use



Code	Length (mm)	HGC (mm)	Weight Per Pair (kg)	WAS	NOW
F2931	2435	1095	79	\$480	\$431
F2932	1830	825	55	\$455	\$405
F2933	1524	685	49	\$342	\$305

# Slip-On Forklift Roll Prong Slip-on Roll Prong suitable for fabric, cable and coil products. Can also be used for

only the connection of a safety chain to prevent unintentional disengagement.

- Prongs are manufactured from solid steel
- Finish: Zinc Plated
- The safe working load (SWL) is measured at 1400mm load centre
- SWL: 510kg
- Prong Diameter: 70mm
- Length: 2800mm
- Fork Pockrt Size: 190x65mm
- Fork Centres: 345mm HCG: 845mm
- Unit Weight: 163kg

Code	WAS	NOW
F2992	\$1,990	\$1,785





- Width Inside Front Wheels: 1230mm
- Front Wheel Size: 550x132mm (Dia x Width)
- Rear Wheel Size: 265x80mm (Dia x Width)
- Turning Radius: 1500mm
- Axle Distance Between

Front and Rear Pneumatic Wheels: 973mm

- Load Capacity: 1200kg
- Load Centre: 450mm
- Tine Size: 100x50mm
- Fork Length: 860mm • Min. Fork Height: 63mm
- Max. Fork Height: 233mm
- Overall Size (LxWxH): 1375x1605x1200mm
- Unit Weight: 245kg

Code	WAS	NOW
T7420	\$1 <del>,935</del>	\$1,740



#### Crane/ Forklift Spreader Beam The Spreader Beam is a unique multitasking Beam which can be used by Crane or Forklift to lift long loads Using a Crane, loads can be lifted via the centre single hook point (as a 'Lifting Beam'), or end lifted using a 2 leg Chain Sling (as a 'Spreader Beam'). If lifting by forklift, the 600mm long slipper pockets allow for fast and safe connection to the truck. The Spreader Beam load connection points are adjustable to 3 positions by moving the extendable arms each end. Both extendable arms are locked into position via safety pins. The unit is supplied standard with a safety swivel hook each end. The extendable arms are zinc plated with the main body painted in 'safety orange' • F/Lift HCG: 300mm • Fork Pocket Size: 190x65mm • Fork Centres: 345mm Rated Capacity When used as Fully Retracted (LC @ 2405mm) Middle Position (LC @ 2405mm) Fully Extended (LC @ 3925 mm) • Unit Weight: 172kg Forklift Attachmen 3500kg 1500kg 750kg WAS NOW Code Liftina Beam 4500ka 2500kc 1300ka IFTEX FL2439 \$2,320 \$2,035 7200ka

#### Stainless Steel Work Positioner

- These stainless steel lifters are ideal for the food and pharmaceutical industries where hose down is required.
- Automatic electric overload protection system ensures safe operation.
- EN1757 compliant. CE marked
- Battery electric with built in charger that you can plug in anywhere
- Battery: 24V, 12.0Ah
- Power: 24V, 200W
- Load Centre: 235mm
- 75mm fixed rubber castors on front
- 125mm swivel rubber castors with brakes on rear
- Leg Height: 115mm
- Load Capacity: 150kg
- Platform Attachment Size: 470x600mm
- Lifting Range: 130-1500mm
- Overall Size (LxWxH): 890x600x1790mm
- · Unit Weight: 66kg



Pendant controller on flexi cord



Control Unit

Code	WAS	NOW
WS7230	\$5,600	\$4,996



#### Semi Auto Electric Fork Stacker

- These semi auto fork stackers are the ideal machine for any warehouse.
- They are manual push and electric up/down with handle-chain assisted steering which greatly reduces operator labour intensity.



Overall Length: 1735mm Tine Dimensions: 60x142x1070mm

- Unit Weight: 385kg



#### 4.5 Tonne Fixed Long Jib

- This 4500kg long jib is a general purpose jib which is great for reaching across pits and areas where the forklift cant drive up to as it has a 3.5 metre reach when fully extended
- Safe Working Load: 4500kg
- Finish: Zinc plated
- 6 jib positions
- Overall Dimensions (closed): 2040x490x250mm (LxWxH)
- SWL: 4500ka
- Jib Length when closed: 2000mm
- Jib Length when extended: 3500mm
- Fork Pocket Size:185x65mm
- Fork Pocket Centres: 290mm
- Unit Weight: 140kg



			POSITIO
			EXTENS
Code	WAS	NOW	SWL (kg
JL4500	\$1,678	\$1,493	

SAFE WORKING LOADS (SWL) PER POSITION						
POSITION	1	2	3	4	5	6
EXTENSION (mm)	870	1945	2325	2705	3085	3465
SWL (kg)	4500	1300	750	560	380	200



#### 2.0 Tonne Hook & Tow Jib Attachment

This 2000kg hook & tow jib is suitable for most forklifts and is a simple slip-on attachment with safety chain and swivel hook as pictured.

- Safe Working Load: 2000kg at 1160mm load centre
- Finish: Zinc plated
- Maximum weight on towball must not exceed 500kg
- Hook jib has 2 lifting positions
- Overall Dimensions: 1410x420x140mm (LxWxH)
- Jib Length when closed: 2000mm
- Jib Length when extended: 3500mm
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 250mm
- Fork Pocket Length: 1220mm
- Unit Weight: 45kg



Code	WAS	NOW
HJ2005	<del>\$650</del>	\$583



#### **Powered Rotatable Electric Lift Table**

- The pallet elevator is electric up, down and rotating top via pendant control
- It is ideal for varying weight pallets as there is no need to change springs
- Powered Rotation in both directions which can be set to rotate continuously.
- Can be easily moved around factory with a forklift
- No ground fixing required
- Power: 240V
- Load Capacity: 2000kg
- Lifting Range: 340-710mm
- Table Diameter: 1110mm
- Base Frame Size (LxW); 935x915mm
- Unit Weight: 190kg



Code WAS NOW \$6,800 M2126 \$6.115



View this product video online at www.mhaproducts.com.au/poweredrotatable-electric-lift-table

IIFTE)

#### 4.5 Tonne Fixed Short Jib

- This 4500kg short fixed jib is designed as an affordable general purpose jib which is great for confined spaces and has a 1.9 metre reach when fully extended.
- Finish: Zinc plated
- 4 jib positions
- Overall Dimensions (closed): 1270x490x250mm (LxWxH)
- SWL: 4500kg
- Jib Length when closed: 1250mm
- Jib Length when extended: 1900mm
- Fork Pocket Size: 185x65mm
- Unit Weight: 95kg



SAFE WORKING LOADS (SWL) PER POSITION					
POSITION	1	2	3	4	
EXTENSION (mm)	670	1165	1545	1925	
SWL (kg)	4500	2900	1300	750	



#### 4.5 Tonne Long Tilting Jib

This 4500kg long tilting jib is the most versatile jib in our range and allows for additional height of up to 2.23 metres.

NOW

\$1,158

SWL chart is show in table

WAS

\$<del>1,295</del>

- · Finish: Zinc plated
- 6 jib positions

Code

JS4500

- Overall Dimensions (closed): 2100x520x650mm (LxWxH)
- SWL: 4500kg
- Jib Length when closed: 2100mm
- Jib Length when extended: 3530mm
- Fork Pocket Size: 185x65mm
- · Fork Pocket Centres: 322mm
- Unit Weight: 190kg

SAFE WORKING LOADS (SWL) PER POSITION						
POSITION	1	2	3	4	5	6
EXTENSION (mm)	770	2010	2390	2770	3150	3530
SWL (kg)	4500	1100	630	470	300	150

Code	WAS	NOW
TJ4500	\$ <del>2,460</del>	\$2,194



#### **Spring Loaded Rotating Pallet Table**

- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting
- It proves highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg.
- Turntable allows the operator to rotate the load with minimal stretching and reaching.
- Supplied standard with PVC protection screen
- · No ground fixing required
- Galvanised Model
- Load Capacity: 2000kg Table Diameter: 1110mm
- Lifting Range: 230-705mm
- Base Frame Size (LxW): 935x915mm
- Unit Weight: 160kg





Code	WAS	NOW
31032A	\$2,235	\$1,994










#### 2200KG Standard Pallet Hook

The PH2906 Pallet Hook features variable body height and adjustable tine width, making this versatile attachment ideal for the transport and construction industry.

Load balancing is via the moveable lifting ring.

The Pallet Hook has been designed & certified in accordance with relevant Australian



• Tine Size: 100x45x1055mm

• Adjustable Clearance: 1005-1605mm

• Unit Weight: 215kg



Code	WAS	NOW
PH2906	\$1,940	\$1,733

# 2000KG Automatic Pallet Hook

The automatic pallet hook, type PH2908, is self-levelling for ease of operation An internal spring mechanism ensures the lifting eye is in the correct position to keep the tines horizontal, eliminating the need to reposition the lifting ring Enclosed frame members protect the operator from moving parts. The Pallet Hook has been designed & certified in accordance with relevant Australian Standards

Clearance is the minimum distance between tines and head

Finish: Zinc plated

SWL: 2000kg

Load Centre 600mm

Adjustable Tine Size: 100x45x1055mm

Clearance: 1355mm

• Unit Weight: 196kg





# 4500KG Heavy Duty Pallet Hook

A heavy duty 4.5 tonne capacity pallet hook for loads up to 4500kg. Fully adjustable tines makes this unit extremely versatile Load balancing is carried out by positioning the lifting ring to suit the

Centre of Gravity of the load. Load balancing is via the moveable lifting ring.

The Pallet Hook has been designed & certified in accordance with relevant Australian Standards

• Clearance is the distance between tines and head

· Finish: Enamel painted

• SWL: 4500kg

Load Centre: 900mm

Tine Size: 125x50x1070mm

Clearance Between Tines and Head: 1405mm

• Unit Weight: 456kg

### IIFTEX

Code	WAS	NOW
PH2915	\$4,995	\$4,435

#### **Pallet Rotator Ring**

- The rotator ring is popular due to its light weight and easy maneuverability.
- It can be moved easily by one person
- Load Capacity: 2000kg
- Overall Size (WxH): 1000x65mm
- Unit Weight: 36kg



Suits Pallet Lift Table



Code	WAS	NOW
P1066	\$902	\$805



#### **Expanding Roller Conveyors**

- The flexible expanding roller conveyor expands from 1500mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods where the skate wheel conveyor wont work
- Easy and quick setup with height adjustable legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers Height Range: 690-1000mm
- 130kg load capacity per metre





Steel Rollers

Code	Width (mm)	Unit Weight (kg)	WAS	NOW
40123	460	96	\$1,775	\$1,585
40124	610	116	\$1,995	\$1,790
40128	760	126	\$ <del>2,29</del> 5	\$2,060



#### 5.5 Tonne Capacity I Piece Container Ramp

This container ramp is a great general purpose ramp for unloading containers using pallet trucks or forklifts.

This is a one piece unit with forklift slots at the front for easy transport.

Finished in painted yellow and supplied with chain & D Shackle, the 5.5 Tonne container ramp is ready for immediate delivery.

- Load Capacity: 5500kg
- Width: 2200mm
- Height: 160mm · Length: 1200mm
- Unit Weight: 160kg





#### 2.5 Tonne Forklift Tine Hook

- Converts forklift into a mobile crane in seconds
- Adjustable mounting position along the length of the fork

Secured to forks by thumb screw





- Suitable for both steel and plastic 210 litre drums
- Works on almost any drum that has a rim to grab onto
- Ideal for picking up a drum in the middle of a cluster without


having to move any that are in front Load Capacity: 500kg



Code	WAS	NOW
DL7253	\$249	\$222



#### **Hydraulic Drum Truck**



\$355

- Pallet truck style design
- Nylon wheels

DL7200

\$395





DL7430 \$736 \$659

#### Steel & Plastic Drum Lifter & Rotator

- This drum lifter can pickup and rotate drums with ease
- Manual foot or handle hydraulic pump for lifting
- Worm drive handle for drum tilting
- Load Capacity: 450kg
- Lifting Height: 1500mm
- Leg Length: 770mm
- Distance between legs: 630mm
- Overall Size (LxWxH): 1400x1000x2100mm
- Unit Weight: 190kg



\$1,730

#### **Drum Palletiser Stacker**

- These drum palletisers stackers are great for loading and unloading both plastic and steel drums onto pallets
- Can also be used to stack drums on top of another drum or to place on a truck or ute
- Features a battery operated weighing scale which gives you an accurate measurement of the drums weight
- Load Capacity: 450kg
- Max Lift Height: 1100mm
- Leg Length: 500mm
- Overall Size (LxWxH); 1150x950x1900mm



#### Fully Electric Drum Stacker & Rotator

<u> IFTEX</u>

• Stand on or walk behind battery electric operation

\$1,945

DL7203





Code	WAS	NOW
DL7280	\$1 <del>4,900</del>	\$13,350



## Flammable Liquid Safety Cabinets

- High quality construction using zinc coated steel sheeting
- · Powder coat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Adjustable and removable shelves







4L Drums Capacity: 40 20L Drums Capacity: 6 Number of Shelves: 2

DG8160



Code	Storage Capacity (L)	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)	WAS	NOW
DG8030	30	550x410x370	800x510x470	33	\$995	\$894
DG8100	100	715x825x525	800x920x620	65	\$ <del>1,38</del> 5	\$1,244
DG8160	160	1030x1010x370	1300x1100x470	78	\$1,470	\$1,315

#### **Lockable Storage Cage**

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Full metal roof which provides weather protection
- Finish: Zinc plated
- Lockable door
- Safe Working Load: 750kg
- Fork Pocket Size: 165x65mm
- Overall Size (WxDxH): 1060x1060x1800mm
- Unit Weight: 180kg











#### 250L Flammable Liquid Cabinet

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All cabinets supplied inclusive of all relevant safety signage and decals
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- Adjustable slow release user friendly hydraulic door control closure systems
- Adjustable and removable shelves
- Cabinet sits on feet for easy cleaning underneath
- Internal Size: 1503x1018x420mm (HxWxD)
- External Size: 1970x1100x500mm (HxWxD)
- Storage Capacity: 250 litre
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- 3 Shelves Supplied Unit Weight: 123kg



Code	WAS	NOW
DG2500S	\$1,795	\$1,595







#### Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Power coated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety
- Designed to comply with relevant Australian Standards
- AS8043 Distance between shelves: 880mm









**STORMAX** 

Code	LPG Cylinder Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)	WAS	NOW
AS8040	2	780x710x395	960x730x430	35	\$765	\$682
AS8041	4	790x720x695	990x730x740	65	\$995	\$875
AS8042	6	840x1030x675	1005x1090x740	95	\$1,824	\$1,638
AS8043	12	1790x1030x675	1950x1090x470	182	\$1,915	\$1,705

#### **Aerosol Storage Cages**

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards
















Code	Can Storage Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Distance between shelves (mm)	Unit Weight (kg)	WAS	NOW
AS8050	12	305x490x220	400x500x250	_	9	\$510	\$453
AS8051	60	570x690x270	650x700x300	270	12	\$639	\$555
AS8052	108	805x850x370	900x850x400	250	34	\$992	\$890
AS8053	216	800x1645x365	900x1655x400	250	67	\$1,382	\$1,235
AS8054	216	1715x840x360	1800x850x400	325	67	\$1,382	\$1,235
AS8055	432	1715x1650x360	1800x1655x400	325	131	\$ <del>2,10</del> 3	\$1,869







#### **Pull Cord Forklift Wheelie Bin Tipper**

- These tippers are available for tipping 240 litre wheelie bins
- Simple and safe tipping operation operated via a pull cord from the drivers seat
- The wheelie bin is firmly secured into position by the frame assembly preventing any bin movement, with the additional securing chain around the front of the bin. Returning the bin to the upright position can be done manually or with the forklift, the bin automatically locking into position once upright.
- 180 degree tipping operation
- Enamel painted finish
- Bin Capacity: 240L
- SWL: 500kg
- Load Centre: 1000mm
- Fork Pocket Size: 180x65mm
- Pocket Centres: 800mm
- Unit Weight: 185kg





troden
--------

Code	WAS	NOW
F2962	_\$960	\$860

#### 1500kg Capacity Tipping Bins

- These heavy duty tipping bins are ideal for heavy waste including metal, timber and building site rubble
- The tipping release mechanism is activated by the forklift operator pulling the pull cord from the drivers seat - the custom built shock absorber prevents impact forces being transmitted to the forklift when emptying
- Fitted with removable drain plug
- Finish: Zinc plated
- Fork Pocket Size: 185x70mm
- Fork Pocket Centres: 695mm





Code	Bin Capacity (L)	swL (kg)	Overall Size WxLxH (mm)	Unit Weight (kg)	WAS	NOW
WB2952	590	1500	1150x1807x555	165	\$1,860	\$1,670
WB2953	1100	1500	1150x1807x905	215	\$2,290	\$2,057
WB2954	2100	1500	1986x1807x905	215	\$2,860	\$2,570

# 70L Garbage Bins

- Small waste bins with four swivel castors
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV Ravs
- Available in four colours: Yellow, Blue, Grey and Green
- Overall Size (WxDxH): 450x440x680mm





Code	Bin Capacity (L)	Castors (mm)	Unit Weight (kg)	WAS	NOW
WB70Y	70	50	5	\$98	\$88
WB70B	70	50	5	<del>\$98</del>	\$88
WB70GY	70	50	5	\$98	\$88
WB70G	70	50	5	\$98	\$88

**VERDEX** 

# 7 Drawer Industrial Tooling Cabinet

- Heavy duty tooling cabinets for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers
- Drawer 1 to 6 150mm high
- Drawer 7 200mm high
- 100kg Individual Drawer Capacity

WAS

\$1,095

- Overall Size (WxDxH): 881x6531200mm
- Unit Weight: 135kg

Code

C8125



#### **5 Drawer Industrial Tooling Cabinet**

- These industrial tooling drawers are a heavy duty drawer cabinet for industrial applications
- Finish: Powder coated light grey with light blue coloured drawers
- 2 x 100mm deep drawers
- 3 x 200mm deep drawers



#### **Heavy Duty Industrial Storage Cabinets**

- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Full height cabinets come standard with 4 adjustable shelves and 1/2 height cabinet comes standard with 2 adjustable shelves - extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Drawers come standard with 15 compartments (4 slotted partitions & 10 dividers)
- Total Cabinet Load Capacity: 600kg
- Shelf Capacity: 100kg
- Finish: Powder coated light grey with light blue coloured doors/drawers







#### 1/2 Height Cabinet

- Shelf Capacity: 100kgs
- 2 adjustable shelves as standard
- 3 point key lock system
- Option drawer units available which fit inside unit so doors can be locked

Code: C8121



Code	Details	Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)	WAS	NOW
C8121	1/2 Height Industrial Cabinet	100 per shelf	980x450x900	45	\$320	\$285
C8120	Full Height Industrial Cabinet	100 per shelf	980x450x1800	85	\$595	\$534
C8123	Small Drawer Unit to suit cabinets	50 per drawer	100mm deep	8	\$140	\$125
C8124	Large Drawer Unit to suit cabinets	75 per shelf	200mm deep	15	_\$180	\$160
C8144	Extra Shelves to suit cabinets	150	840x380x30	5	\$46	\$40

(STORMAX



#### **Heavy Duty Industrial Workbench**

- · Heavy duty steel industrial workbench with bottom shelf is ideal for use as a work or tool bench
- 600kg wood top bench capacity (M7300)
- 1000kg wood top bench capacity (B8101, B8107, M7305, M7306 & M7307)
- 28mm thick laminated wooden top (M7300)
- 40mm thick laminated wooden top (B8101, B8107
- 53mm thick laminated wooden top (M7306, M7307)
- Comes standard with adjustable feet for levelling on uneven floors and an optional lockable castor kit is available if required
- Drawer Unit Capacity: 100kg per drawer
- Finish: Powder coated light grey



Workbench with no bottom shelf M7300: 750mm long **B8101**: 1800mm long **B8107**: 2100mm long





Back Panel B8102: 1800mm long B8108: 2100mm long







Code	Details	Dimensions (mm)	WAS	NOW
M7300	Industrial Workbench 750mm	750x900x800 (LxWxH)	\$304	\$270
B8101	Industrial Workbench 1800mm	1800x750x900 (LxWxH)	\$435	\$390
B8107	Industrial Workbench 2100mm	2100x750x900 (LxWxH)	\$485	\$435
M7305	Industrial Workbench 1200mm (with bottom shelf)	1200x750x800 (WxLxH)	\$ <del>593</del>	\$530
M7306	Industrial Workbench 1800mm (with bottom shelf)	1800x750x900 (LxWxH)	\$835	\$749
M7307	Industrial Workbench 2100mm (with bottom shelf)	2100x750x900 (LxWxH)	\$829	\$744
B8102	Back Panel to suit 1800mm bench	1800mm long	\$284.80	\$255
B8108	Back Panel to suit 2100mm bench	2100mm long	\$304	\$270
M7310	Lockable Drawer Unit (1 drawer)	410x680x180 (WxDxH)	\$190.40	\$170
B8100	Lockable Drawer Unit (2 drawer)	565x650x280 (WxDxH)	\$224.40	\$198
B8103	Workbench 6 Drawer Unit to suit B8101 & B8107 Workbench	565x580x750mm (WxDxH)	\$715	\$642

#### Polyurethane Round Industrial Seat

- This seating is designed to withstand hard use, moisture and chemicals in the industrial environment
- Ideal for workplace environments such as factory production lines, clean rooms, workshops and laboratories

**NOW** 

\$165


- Easy clean polyurethane seat
- Gas lift chairs are available with glide feet or standard castors

Height Adjustment: 590-840mm



#### **Anti Fatigue Cushion Mat**

- Popular general purpose safety mat
- Comfort non-slip mat
- Bevelled edges for safety
- Optional grease resistant formula Ideal for factories, kitchens, food preparation
- areas, boats and behind counters
- Overall Size: 900x1500mm



Code	WAS	NOW
СМ900	\$98	\$88

## 30L Wet & Dry Vacuum Cleaner

Industrial wet and dry vacuum cleaners

WAS

\$185

- · Portable on wheel base with push handle
- Complete with all accessories
- Suitable for large workshops and factories
- Fitted with standard 10Amp 240V plug
- Motor: 1200W
- L/Second: 53

Code

C1203

- Hose Length: 2500mm
- Cable Length: 7200mm
- Height: 720mm
- Unit Weight: 11kg



Code	WAS	NOW
М3000	<del>\$295</del>	\$257

## Louvre & Pegboard Panel Trolleys

- · Strong metal panel trolleys which are ideal for storing either Stor-Pak Bins or tools on hooks
- Fitted with 4 swivel castors (2 with brakes)
- Powder coated grey colour
- Can be ordered one side with louvre panel and one side with square hole metal pegboard with code 10736
- Wheels can be removed to make fixed shelving if required


- Stor-Pak Bins and panel hooks are sold separately
- Overall Size (LxWxH): 980x600x1540mm
- Unit Weight: 60kg

Code 10730

10735

10736





Details	WAS	NOW
Louvre Panel Trolley	\$585	\$524
Square Pegboard Panel Trolley	\$585	\$524
Panel Trolley (1 side pegboard & 1 side louvre panel)	\$585	\$524





#### **Heavy Duty 60 Parts Tray Cabinet**

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside.
- Parts trays have a raised back lip
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- Parts Bin Capacity: 10kg
- Plastic Parts Bin Size (LxWxH): 415x170x105mm
- Overall Size (LxWxH): 900x420x1760mm
- Unit Weight: 110kg










#### **Industrial Cabinet with 2 Drawers**

- Storage cabinet is ideal for workshop and industrial applications
- · Metal pegboard to neatly arrange tools and equipment for easy access
- Sliding drawers with smooth operation bearings allow smaller parts to be organised. Drawers also have adjustable dividers.
- 2 door lockable cabinet with 1 adjustable shelf
- Shelf Capacity: 100kg
- Drawer Capacity: 75kg
- Bench Height: 1010mm
- Bench Size: 875x555mm
- Pegboard Size: 870x500mm
- Overall Size (WxDxH): 900x585x1515mm
- Unit Weight: 90kg





#### STORMAX

Code	WAS	NOW
M7211	\$1,359	\$1,222

#### **Industrial Tooling Workstation**

- Heavy duty tooling cabinets for industrial workshop applications
- The sliding drawers have quality smooth operation bearings
- Lockable cupboard with adjustable shelf
- Finish: Powder coated light grey and blue
- 2 fixed castors and 2 swivel lockable castors
- Fixed metal pegboard panel which suits our range of hooks and accessories Rubber mat on workbench area
- 5 lockable drawers with dividers (3 x 100mm and 2 x 200mm drawers)
- Individual Drawer Capacity: 75kg
- Bench Height: 950mm
- Overall Size (LxWxH): 1100x580x1450mm
- Unit Weight: 115kg









#### Wire Pallet Cage

Convert your pallets into cages with the quick and easy to use cages.

- Ideal for storing odd or awkward shaped goods/products
- Can be folded down flat for easy storage when not in use
- Pallet not included
- Overall Size (WxDxH): 1170x1170x800mm
- Mesh Size: 100x50x6mm
- Unit Weight: 44kg



Code	WAS	NOW	
SC754	\$279	\$249	



#### **Galvanised Mesh Cage**

These mesh cages are an excellent form of warehouse and yard storage. These units are stackable as well as having the capability of being stored in a pallet rack.

- Can be folded down flat for easy storage when not in use
- Folded Height: 300mm
- Can be safely stacked 4 high when in use and when empty
- Load Capacity: 1000kg
- Folded Height: 300mm
- Mesh Size 100x50x6mm
- Overall Size (WxDxH): 1150x1150x890mm
- Unit Weight: 80kg



Code	WAS	NOW
SC750	\$395	\$353



#### **Low Storage Cage**

- These cages have built in racking locators
- Rear gate hinges open for easy access to cage Cages can be stacked 3 high
- when loaded and 5 high unloaded
- Finish: Zinc plated
- Floor to the top of the front gate is 447mm (internally)
- Load Capacity: 1000kg
- Base Height: 132mm
- Internal Size (LxWxH): 1080x1080x377mm
- Overall Size (LxWxH): 1160x1200x614mm
- Unit Weight: 53kg



Code	WAS	NOW	
SC377	- <del>\$537</del>	\$480	



#### **Standard Storage Cage**

- Multi-purpose transport or storage cage is great for storing products both indoor and outdoor
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Drop down removable front gate
- Rear gate hinges open for easy access to cage
- Cages can be stacked 3 high when loaded and 5 high unloaded
- Finish: Zinc plated
- Base to the top of the front gate when folded is 390mm (internally)
- Base to the top of the front and back gates is 780mm (internally)
- Load Capacity: 1000kg
- Base Height: 130mm
- Internal Size (LxxH): 1100x1065x870mm
- Overall Size (LxWxH); 1160x1160x1010mm
- Unit Weight: 80kg

Code	WAS	NOW
SC880	\$ <del>575</del>	\$515



#### **Double Width Storage Transport Cage**

- Front and rear gates half fold down and are fully removable, allowing safe, easy and fast access to goods
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Collapse/Assemble in seconds
- Lockable lids & weather covers are available on request
- 4 Way forklift access & pallet truck entry
- Anti-tip base design
- Half fold down & Fully removable front and rear gates
- Zinc plated finish
- Stackable 2 high when in use and 4 high when empty
- Collapsed height: 320mm
- Load Capacity: 1050kg
- Internal Size (LxWxH): 2100x1085x810mm
- Overall Size (LxWxH): 2200X1160X1055mm
- Unit Weight: 125kg

Code	WAS	NOW		
SC220	<del>\$1,478</del>	\$1,318		






## Stackable Stillage Cage

These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse.

- Fits standard Australian size pallets including Chep and Loscam
- Can be safely stacked 3 high when in use and 5 high when empty
- Finish: Zinc plated
- Base Material Size: RHS 30x60x1.8mm
- Post Size: 60x2.5mm
- Cupped feet add an additional 100mm to the external size (50mm per side)
- Clearance between ground and bottom frame is 110mm
- Clearance between stillages when stacked is 1545mm
- Load Capacity: 1000kg
- Post Height from Top of Base: 1490mm
- Internal Size (LxWxH): 1250x1250x1490mm
- External Size (LxWxH): 1390x1390x1655mm
- Base Height: 170mmUnit Weight: 54kg







Code	WAS	NOW
SC955	\$ <del>424</del>	\$378




## Stillage Mesh Cage

- These mesh cages are an excellent form of warehouse storage
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage mesh cages may be stacked higher than
- a normal mesh cage due to the stillage posts.
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Powder coated frames with gal mesh sides
- Forklift access from front and sides
- Solid steel floor
- Can be collapsed for storage
- Can be safely stacked 3 high when in use and 5 high when empty
- Load Capacity: 1000kg
- Collapsed Height: 350mm
- Internal Size (LxWxH): 1160x960x790mm
- Overall Size (LxWxH): 1240x1050x980mm
- Unit Weight: 78kg









#### **Yellow Fixed Safety Bollard**

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- Can be concrete filled
- Powder coated finish

- Wall Thickness: 3mm



#### **Pallet Racking Column Guard**

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts.
- You can avoid major injuries and pallet rack damage by installing these protection guards.
- Conforms to relevant Australian Standards



#### **Heavy Duty Longspan Shelving**

- This 2400mm wide heavy duty longspan shelving system is a strong and versatile shelving system, which is similar to pallet racking just in a smaller profile, which is great for storing small parts and archives.
- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
- Shelf Capacity: 375kg per shelf (evenly distributed)
- Steel and mesh shelves are supplied as 2 seperate pieces per level
- Height: 1800mmWidth: 2400mm

Code

LS2400S

LS2400SA

LS2400SE

LS2400M

LS2400MA

LS2400ME

Depth: 450mm







\$454

\$134



#### **Steel Shelving Kits - Factory Seconds**

- · Factory seconds steel shelving of various colours
- Some pieces may have cosmetic damage (including scratches and small dents)

Add on Bay - Mesh Shelves

Extra Shelf Level - Mesh Shelves

- 100kg load rating per shelf
- Item comes flat packed easy assembly

#### Code: 10115

Steel Shelving Kit 1875H x 900W x 600D (mm) Supplied with 5 Shelves (inc top and bottom)

#### Code: 10116

Steel Shelving Kit 2175H x 900W x 400D (mm) Supplied with 7 Shelves (inc top and bottom)



Note: shelving kits may vary in colour; with a mix of these two colours

Code	WAS	NOW
10115	\$473.50	\$279
10116	\$390.20	\$229





#### Stor-Pak Parts Bins

- Strong polypropylene bins which are ideal for parts and products storage
- Sit on shelves, benches, stack them or clip them to louvre panels
- All Stor-Pak bins are stackable
- Available in green, blue, red, yellow and clear
- Optional dividers available for #60, #120 and #240 bins
- Hospital grade material bacterial free and chemical free
- Bin colours available (please specify preferred colour when ordering)

















Code	Description	Size WxDxH (mm)	Volume (L)	Outer Ctn Qty	CTN BUY	10 +CTNS
IH-060	Stor-Pak Bin #5	100x115x60	0.5	12	\$31.20	\$25.20
IH-061	Stor-Pak Bin #10	100x170x85	1.0	6	\$21.30	\$17.70
IH-062	Stor-Pak Bin #25	133x220x125	2.5	6	\$33.60	\$29.70
IH-063	Stor-Pak Bin #60	200x275x165	6.0	6	\$64.50	\$53.40
IH-200	Stor-Pak Bin #80	200x440x165	8.0	6	\$94.20	\$82.80
IH-064	Stor-Pak Bin #120	410x275x165	12	5	\$81.00	\$68.50
IH-065	Stor-Pak Bin #240	410x440x210	24	4	\$114.00	\$95.20
IH-058	Stor-Pak Dividers (suits bins #60 and #120)		_	1	\$2.50	\$1.95
IH-057	Stor-Pak Dividers (suits bins #240)		_	1	\$4.50	\$3.90



#### Spare Pa

- Strong polypropylene oil resistant trays which are supplied with dividers
- Extra dividers are available to create more compartments in the trays
- Ideal for small parts storage
- Hospital grade material bacterial free and chemical free
- Colour: Light grey

rts Tray	S				
Size #12	Size #17	Size #27	Size #24	Size #25	Size #28

Code	Description	Size LxWxH (mm)	Dividers supplied	Ctn Qty	CTN BUY	4 +CTNS
IH-012	Spare Parts Tray #12	300x100x100	2	24	\$135.60	\$115.20
IH-017	Spare Parts Tray #17	400x100x100	2	24	\$164.40	\$141.60
IH-027	Spare Parts Tray #27	600x100x100	5	12	\$129.00	\$109.20
IH-024	Spare Parts Tray #24	300x200x100	2	12	\$104.40	\$90.00
IH-025	Spare Parts Tray #25	400x200x100	2	12	\$125.40	\$105.60
IH-028	Spare Parts Tray #28	600x200x100	5	6	\$87.60	\$75.60
IH-014	Spare Parts Dividers-100mm wide	_	_	12	\$6.00	\$4.80
IH-026	Spare Parts Dividers-200mm wide	_	_	12	\$9.00	\$7.80



**Fischer** 

#### **Plastic Stack & Nest Crates**

- These virgin plastic stack and nesting crates are injection moulded from tough, durable, UV resistant polypropylene.
- They are suitable for food handling, engineering, warehousing or distribution Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only
- Available in 5 colours (please specify your preferred colour when ordering)















Green	Blue	Red	Yellow	White	
Code				D	escription
10404	No.4	4 Bins			
10405	No.	4D Bii	ns		
10407	No.	7 Bins	3		
10410	No.	10 Bin	S		
10415	No.	15 Bin	S		











10412

10417



Card No.

#### **PRIORITY ORDER FORM**

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

Card Expiry Date: ...

3 Digit Security Code:

Sydney

Tel: (02) 8865 1800 Fax: (02) 8865 1830 msw@mhaproducts.com.au Melbourne

Tel: (03) 9115 9100  **Brisbane** 

Tel: (07) 3558 9700 Fax: (07) 3558 9750 ■ qld@mhaproducts.com.au

Your Company Details			Please photo	copy for future use
Company Name:				
Invoice Address:				
Delivery Address:				
ABN:	Tel: ( )	Fax: (	( )	
Contact Name:	Position:			
Contact Email:	Accounts Email	<b>:</b>		
Your Order Number:	Date:			
Code De	scription	Qty	Unit price	Total price
- 1. a			Sub Total	
reight Charges	Obtain freight quote or charge			Place tick if required
Please check our website www.mhaproducts.com.au for correct freight cos	t		Freight	rease tick ii required
to your postcode, otherwise please tick	Charge to my freight account (please list details below)	t.	GST	
'obtain freight quote' and place your order using this form and we will contact you to confirm				
freight cost before processing your order.		Total	(inc GST)	
Payment Options (Please tick)				Order form 2021
Please email invoice for payment by direct	t deposit   ** 1 Instant 30 Day	We accept V	ISA, MASTERCARD	& AMEX (no surcharge
Please invoice on my 30 day account	account for government	MasterCard VISA AMERICAN GORRESS		
☐ Please invoice on my 14 day account ☐ Please charge to credit card	Australian Government orders		· ·	
☐ VISA ☐ MASTERCARD ☐ AMEX	Card Holder's Signature			
Card Holder's Full Name:	-		Card Expiry Date:	:/

















# View our full range online, www.mhaproducts.com.au

























Order Online

www.mhaproducts.com.au

1800 750 900

Specials valid to June 30th 2021 or while current stocks last





Brisbane (07) 3558 9700 
✓ qld@mhaproducts.com.au