MHA'S EOFY SPECIALS

SPECIALS END JUNE 30TH 2020







1800 750 900

Haven't bought from MHA before?



Contact us for a copy of our full catalogue or download a copy here, www.mhaproducts.com.au/catalogue



Sydney Office

1 Fairview Place, Marsden Park NSW 2765 Tel: 02 8865 1800 ✓ nsw@mhaproducts.com.au

Melbourne Office

41 Derrimut Drive, Derrimut VIC 3030 Tel: 03 9115 9100 ✓ vic@mhaproducts.com.au

Brisbane Office

161 Railway Parade Thorneside QLD 4158 Tel: 07 3558 9700

✓ gld@mhaproducts.com.au

....we've made it easy for you.

Simply fill out the priority order form inside the back cover and fax or email it to us. Alternatively you can place your order online at

www.mhaproducts.com.au



Folding Handle Platform Trolley

- Heavy duty castors
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Back wheels are fixed castors and front wheels are swivel castors
- Castor Size: 125mm
- Platform Size: 610x915mm
- · Platform Height: 210mm



Heavy Duty Platform Trolley

- Heavy duty steel platform trolleys are ideal for general warehouse use
 - Heavy duty polyurethane casters (front fixed and back swivel)
- Welded steel constuction
- Durable baked enamel paint finish
- Castor Size: 200mm
- Platform Size: 610x915mm
- Platform Height: 280mm
- Handle Height: 970mm Capacity: 450kgs



Heavy Duty Security Cages (with doors & roof)

- Fully lockable security cages
- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality 150mm swivel rubber castors (front with brakes)
- These trolleys come with a removable bar at the front which when removed the door can be opened and sides folded in
- Comes with signboard area on the side
- Quality powdercoated finish
- Overall Size: 1100x850x1700mm (LxWxH)
- Internal Size: 1020x750mm (WxD)
- Base Height: 225mm
- Distances Between Shelves: 330, 360, 360, 300mm (bottom to top)
- Shelf Capacity: 125kg (evenly distributed)

Overall Load Capacity: 500kg

Please Note: Trolley pictured with optional shelves

Price Each

| Code | Description | Was | NOW |
|--------|---|-----------|---------|
| T5315B | Heavy Duty Cage Trolley (Bar Version) | \$878.00 | \$835 |
| T5315M | Heavy Duty Cage Trolley (Mesh Version) | \$1248.00 | \$1186 |
| T5315S | Optional Shelves to suit T5315 Trolleys | \$116.40 | \$92.50 |













X-Cart Folding Plastic and Aluminium Trolley

- The X-Cart is a collapsible trolley that can be used for hundreds of applications.
- It is ideal for use in the workplace, schools, home, office, hospitals, courier services, shopping malls, nursing homes an much more!
- Extra baskets are available for use on both platforms or up to 4 baskets can be stacked on the bottom platform (the trolley is supplied with 1 basket)
- Robust foot pedal brake
- The X-Cart can also be used with our standard No.7, No.10.No.15 tubs

Specifications

- Total Trolley Capacity: 75kg
- Top Shelf Capacity: 25kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 8.4kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

Dimensions

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm

View more details here, www.mhaproducts.com.au/xcart






















| | | Price | Each |
|-------|---|----------------------|------------|
| Code | Description | Was | NOW |
| T9000 | X-Cart Folding Plastic & Aluminum Trolley (includes 1 Folding Basket) | _\$ 395 _ | \$279 |
| TOOFO | V Cart Evtra Packet | ¢1E- | ¢25 |









2500KG Industrial Pallet Truck

- These pallet trucks come with a maintenance free pump which are made using high quality parts and German seal kits
- Fitted with long life rollers and steering wheels
- 12 months warranty
- Capacity: 2500kg
- Width: 685mm
- Fork Length: 1150mm
- Min Fork Height: 85mm
- Tine Size: 50x160mm
- Steering Wheel Size: 50x180mm
- Standard wheels are polyurethane



Electric Hi Lift Pallet Truck

- Great for lifting skids and pallets with no bottom rail
- Extremely easy to pump and light weight
- · Quick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Automatic descending speed control, regardless of load
- Front support legs and adjustable stabilisers ensure maximum stability
- Heavy duty design
- Conforms to EN 1757-4
- Not suitable for closed pallets with a bottom rail
- Load Capacity: 1000kgs
- Minimum Fork Height: 85mm
- Maximum Fork Height: 800mm
- Fork Length: 1100mm



Forklift Extension Slippers

- $\bullet \hspace{0.4cm}$ Fork slippers extend the versatility of your lift truck
- Available in both galvanised and safety yellow powder coat finish
- Slippers conform to AS2359.15
- Available in both galvanised and safety yellow powder coat finish
- The safe working load (SWL) is measured per pair at the load centre



| Code | Description | SWL | Tine | НCG | Internal Tine | External Tine | Load | Was | NOW |
|-------|-----------------------------------|------|-------------|------|---------------|---------------|-------------|--------|--------|
| | | (kg) | Length (mm) | (mm) | Size (mm) | Size (mm) | Centre (mm) | | |
| F2933 | Extension Slippers - Powdercoated | 1814 | 1524 | 685 | 140x50 | 155x60 | 610 | -\$394 | \$342 |
| F2932 | Extension Slippers - Powdercoated | 1814 | 1830 | 825 | 140x50 | 155x60 | 610 | -\$525 | \$455 |
| F2931 | Extension Slippers - Powdercoated | 1814 | 2435 | 1095 | 140x50 | 155x60 | 610 | -\$553 | \$480 |
| F2937 | Extension Slippers - Galvanised | 4500 | 2400 | 1130 | 140x55 | 160x65 | 500 | -\$778 | \$675 |
| F2938 | Extension Slippers - Galvanised | 8000 | 1800 | 850 | 160x80 | 195x94 | 500 | \$1145 | \$995 |
| F2939 | Extension Slippers - Galvanised | 8000 | 2400 | 1135 | 160x80 | 195x94 | 500 | \$142T | \$1235 |
| F2940 | Extension Slippers - Galvanised | 8000 | 3000 | 1435 | 160x80 | 195x94 | 500 | \$1485 | \$1410 |

Compact Ride-On Electric Tug

- The Liftex ride-on compact electric tug is the ultimate manual handling solution designed for good's transport for trolleys and anything that is difficult to pushor pull around in the hospital, aged care and industrial warehouse environments.
- The Liftex Materials Handling Electric Towing Tug is a ride-on unit that doesn't compromise its small size for a ride. Its compact size allows it to be effective in confined spaces, whilst being able to turn on its self. With a very low centre of gravity, the risk of tipping is greatly reduced.
- Its two front steer wheels create exceptional stability across many rough surfaces.

Specifications

- Machine Length: 790mm
- Machine Width: 660mm
- Wheel Base: 620mm
- Platform Height: 170mm
- Overall Height: 1340mm
- Ground Clearance: 50mm
- Motor Voltage: 24 Volts
- Pull Capacity: 1,500kg Push Capacity: 1,200kg
- Range (km): Approx. 30-60km
- (depending on load
- Unit Weight: 115kg





Code: LT7252

Low Profile Electric Lift Table (2000kg capacity)

- Low clearance only 85mm
- Supplied with entry ramp to allow pallet truck entry
- Can be supplied with optional rotator ring
- Tables are specially made for handling pallets, no need for a pit or load ramps
- Upper platform fitted with safety perimeter to prevent descent on contact with obstructions
- 24v control box with UP and DOWN buttons and emergency stop
- External power pack equipped with a relief valve against overloading and a compensating flow valve for controlling lowering speed
- Power Supply: 240v (3 phase 415v availabe if required)
- Hose burst safety valve to stop the lift table lowering in case of hose breakage

Removable lifting eyes to facilitate handling and installation of the lift table

- Oil-less bushings on pivot point
- Lifting Capacity: 2000kg
- Low Height: 105mm
- Max Height: 880mm
- Platform Size: 1180x1600mm
- Lift Time: 25 seconds





Galvanised Spring Loaded Rotating Pallet Table

- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting.
- It proves highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg.
- Turntable allows the operator to rotate the load with minimal stretching and reaching
- · No ground fixing required
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- · Low Height: 230mm
- Max Height: 705mm
- Base Size: 915x935mm
- Finish: Galvanised







Code: 31032A





Ready to load







Bishamon Pneumatic Rotating Pallet Positioner - EZ Loader

Now Only

Code: B1030

Was \$5,733

The most advanced pallet positioner available!

 EZ Loaders are designed to eliminate workers bending by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs, motors or hydraulics.


- The new EZ loader can now handle a wide range of weight capacities from 110 kilos to 1800 kilos.
- The EZ Adjust knob a three position knob that allows adjustment of the collapsed capacity without changing the air pressure.
- EZ Loaders also allows easy pallet rotation for near-side loading so the worker does not have to reach or strain.
- As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.
- The patented pneumatic system found only on the EZ Loader has proven to be the choice of industry professionals worldwide.
- Load Capacity: 110-1800kgs
- Low Height: 267mm
- Max Height: 775mm
- Base Frame Size: 617x1245mm



EZ adjust knob provides up to 550kgs of capacity adjustment with the turn of a knob



Patented self-contained pneumatic system offers unsurpassed performance



Rollers are entrapped in the base frame and platform for added stability



Watch a video of this in operation on our website here,

www.mhaproducts.com.au/B1030







Bishamon Pneumatic Rotating Pallet Positioner - EZ Loader X

- Bishamon automatic work positioners are the modern way to manually load and unload pallets
- They improve efficiency and reduce injury by bringing the level and location of the top of the load closer to the person doing the work.
- Pallet loading and unloading time can be reduced by 40%, thereby substantially increasing productivity
- Self leveling design automatically keeps the top of the load at a convenient working height
- Rotator ring with integral finger guard eliminates reaching and stretching
- Secured ball bearing centre pivot of the 1092mm diameter rotator ring provides smooth, even rotation
- EZ Loaders arrive at your facility fully assembled just add air!
- Rotator Ring Diameter: 1092mm
- Lowered Height: 249mm
- Raised Height: 757mm
- Base Frame Size: 1232x610mm (LxW)
- Minimum Self Levelling Capacity: 113kgs
- Maximum Self Levelling Capacity: 1588kgs
- Maximum Load Capacity: 1814kgs





Manifold with Combo Tank Valve, Purge Valve and Pressure Gauge



Hinged Maintenance Bars



Pneumatic System Reservoir







Watch a video of this in operation on our website here,

www.mhaproducts.com.au/B1020

MHA is the Exclusive Australian Agent for



4.5 Tonne Fixed Short Jib

- This 4500kg short fixed jib is designed as an affordable general purpose jib which is great for confined spaces and has a 1.9 metre reach when fully extended.
- 4 jib positions
- Jib Length (when closed): 1.25m
- Jib Length (when extended): 1.9m
- Safe Working Load: 4500kg (SWL load chart is shown on jib)

Fork Pocket Size: 185x65mm Fork Pocket Centres: 290mm





| SAFE WORKING LOADS (SWL) PER POSITION | | | | | | | |
|---------------------------------------|------|------|------|------|--|--|--|
| POSITION | 1 | 2 | 3 | 4 | | | |
| EXTENSION (mm) | 670 | 1165 | 1545 | 1925 | | | |
| SWL (kg) | 4500 | 2900 | 1300 | 750 | | | |

Now Only

Was \$945

Code: R2995

Electric Expanding Roller Conveyors

- Simply plug in and go, this powered electric roller conveyor is great for carrying boxes and items uphill where gravity may not be achievable
- This conveyor is flexible and expands from 1500mm to 4000mm and can be joined to make one continuous powered conveyor system
- Great for loading and unloading containers
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Quiet operation 240V AC motor with forward and reverse action and adjustable
- Capacity: 120kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm





Price Each



| Code | Conveyor Width | Was | NOW | |
|-------|----------------|--------|--------|--|
| 40143 | 460mm wide | \$5990 | \$5690 | |
| 40144 | 610mm wide | \$6700 | \$6365 | |
| 40145 | 760mm wide | \$6990 | \$6640 | |
| | | | | |

 $* other widths \ and \ lengths \ available \ on \ request - view \ our \ website!$


5.5 Tonne Capacity Container Ramp



- Supplied with chain & D-shackle as pictured
- Capacity: 5500kgs Unit Weight: 160kgs
- Finish: Painted yellow
- Height: 160mm
- Width: 2200mm











7 Tonne Capacity Container Ramp

- This container ramp is designed primarily for bridging into a standard container from ground level that is slightly uneven due to its self-levelling lip.
- The ramp footing fold has handles which you can easily fold back to move the ramp



Forklift Safety Cage/Work Platform

- Manufactured to meet Australian Standards AS 2359-1
- Zinc plated finish
- Designed to carry 2 persons (250kg max)
- Mesh safety screen
- Toe boards all sides with skid resistant floor plate
- Inward opening, self closing door
- Internal handrail with safety loops to hook safety harness
- Full length fork sleeves
- Castors can be fitted to the bottom of cage for easy maneuverability in warehouse or yard
- Supplied as flatpack for easy storage and transport
- Can be ordered and delivered as a fully assembled unit
- Floor Dimensions Inside: 1000x1100mm
- Overall Height: 2000mm
- Height to Railing: 1000mm
- Fork Pocket Size: 160x60mm
- Fork Pocket Centres: 640mm







troden

Gas Storage Cage

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Full metal roof which provides weather protection
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Safe Working Load: 750kg
- Overall Size: 1060x1060x1800mm (WxDxH)
- Unit Weight: 180kg
- Finish: Zinc plated
- Fork Pocket Size: 165x65mm



| STORMAX |
|----------------|
|----------------|

| Code Description | | Was | NOW |
|------------------|--------------------|---------|--------|
| DG2960 | Gas Storage Cage | -\$1579 | \$1435 |
| DG2960A | Assembly of DG2960 | _\$150- | \$130 |

Lockable Mesh Storage Cage

- Lockable mesh storage cage is designed for strength, visibility and ventilation
- Ideal for use in workshops, warehouses, construction sites and industrial applications
- Can be bolted to the ground for additional security
- Key Lockable for safe and secure storage
- Supplied with 3 adjustable shelves
- Powdercoated finish
- Overall Size: 1150x450x1800mm (WxDxH)
- Mesh Size: 50 x 50mm



Fully Electric Drum Stacker & Rotator

- Stand on or walk behind battery electric operation
- Suitable for 210 litre steel drums and some plastic drums
- Will work with some plastic drums depending on size and shape



Dangerous Goods Cabinets (Indoor)

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing



30L Dangerous Goods Cabinet

Code: DG8030

Internal Size: 553x418x370mm External Size: 800x500x450mm (Height x Width x Depth)



60L Dangerous Goods Cabinet

Code: DG8006

Internal Size: 818x418x370mm External Size: 1065x500x450mm (Height x Width x Depth)



100L Dangerous Goods Cabinet

Code: DG8100

Internal Size: 553x838x535mm External Size: 800x920x615mm (Height x Width x Depth)



160L Dangerous Goods Cabinet

Code: DG8160

Internal Size: 973x1018x370mm External Size: 1220x1100x450mm (Height x Width x Depth)

Price Each

| Code | Description | Storage Capacity | 4L Drums Capacity | 20L Drums Capacity | No. Of Shelves | Unit Weight | Was | NOW |
|--------|--------------------------|---------------------|----------------------|-----------------------|-------------------|----------------|----------------------|--------|
| DG8030 | Flammable Liquid Cabinet | 30L | 8 | 1 | 2 | 33kg | _ \$995 _ | \$925 |
| DG8006 | Flammable Liquid Cabinet | 60L | 12 | 2 | 2 | 41kg | \$ 1059 | \$985 |
| DG8100 | Flammable Liquid Cabinet | 100L | 24 | 3 | 2 | 65kg | -\$ 138 5 | \$1288 |
| DG8160 | Flammable Liquid Cabinet | 160L | 40 | 6 | 2 | 78kg | \$1470 | \$1367 |

250L Dangerous Goods Cabinet (Indoor)

- · High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- Designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- Supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Internal Size: 1503x1018x420mm (HxWxD)
- External Size: 1970x1100x500mm (HxWxD)
- Storage Capacity: 250L
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- No. of Shelves: 3
- Unit Weight: 123kg



Lockable doors



Adjustable Shelves







Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- All cages have padlockable doors for increased safety
- Can also be used for site lockers for tools and equipment
- Designed to comply with relevant Australian Standards
- Powercoated green
- Cylinder chain restraint











| Code | Description | LPG Cylinder | Internal Dimensions | External Dimensions | Unit | | |
|--------|---------------|--------------|---------------------|----------------------------|--------|--------------------|--------|
| | | Capacity | (H x W x D) | (H x W x D) | Weight | Was | NOW |
| AS8040 | Fork Gas Cage | 2 Cylinders | 915x690x428mm | 1023x750x450mm | 35kg | _\$ 765 | \$727 |
| AS8041 | Fork Gas Cage | 4 Cylinders | 975x690x690mm | 1050x750x750mm | 65kg | _\$995 | \$946 |
| AS8042 | Fork Gas Cage | 6 Cylinders | 975x1020x670mm | 1050x1100x750mm | 95kg | \$1824 | \$1733 |
| AS8043 | Fork Gas Cage | 12 Cylinders | 1925x1020x670mm | 2000x1100x750mm | 182kg | \$2303 | \$1815 |

Aerosol Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Powercoated green
- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards



12 Can Aerosol Storage Cabinet Code: AS8050



60 Can Aerosol Storage Cabinet

Code: AS8051



Code: AS8053

432 Can Aerosol Storage Cabinet

Code: AS8055



108 Can Aerosol Storage Cabinet

Code: AS8052

216 Can Aerosol Storage Cabinet Code: AS8054

Drico Each

| | | | | | | Price | Each |
|--------|--------------|-------------------------|------------------------------------|------------------------------------|----------------|--------|--------|
| Code | Description | Can Storage Capacity | Internal Dimensions (H x W x D) | External Dimensions (H x W x D) | Unit Weight | Was | NOW |
| AS8050 | Aerosol Cage | 12 cans | 320x420x120mm | 400x500x200mm | 9kg | _\$562 | \$510 |
| AS8051 | Aerosol Cage | 60 cans | 420x620x220mm | 500x700x300mm | 12kg | \$704 | \$639 |
| AS8052 | Aerosol Cage | 108 cans | 820x770x320mm | 900x850x400mm | 34kg | \$1092 | \$992 |
| AS8053 | Aerosol Cage | 216 cans | 820x1575x320mm | 900x1655x400mm | 67kg | \$1522 | \$1382 |
| AS8054 | Aerosol Cage | 216 cans | 1720x770x320mm | 1800x850x400mm | 67kg | \$1522 | \$1382 |
| AS8055 | Aerosol Cage | 432 cans | 1720x1575x320mm | 1800x1655x400mm | 131kg | \$2314 | \$2103 |

Drop Bottom Bin (Solid Sides)

- · These drop bottom bins are a heavy duty bin made for all types of waste
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying with a shock absorbing system to avoid impact to the forklift or crane during emptying
- Pull-rope release mechanism for bottom discharge
- Safe Working Load: 1000kg
- Sheet metal sides with sheet metal base
- Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm
- Volume approx 1500L
- Bin size to outside of frame approx 1540mm x 950mm x 1350mm high
- Durable Zinc finish
- Unit weight: 200kg



Drop Bottom Bin (Mesh Sides)

- · These drop bottom bins are a heavy duty bin made for all types of waste
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying
- Safe Working Load: 1000kg
- Meshl sides with sheet metal base
- Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm Volume approx 1500L
- Bin size to outside of frame approx: 1540mm x 950mm x 1350mm high
 - Durable Zinc finish
- Unit weight: 145kg




Self Dumping 1500kg Capacity Tipping Bins

These large self dumping tipping bins are suitable for any waste and rubbish application

Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat

- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Drain plug fitted as standard
- Optional wheel kits available
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x75mm
- Fork Pocket Centres: 380mm (WB2920)
- Fork Pocket Centres: 680mm (WB2921 & WB2922)







Tipping Bins (with release mechanism)

- These heavy duty tipping bins are ideal for heavy waste including metal, timber and building site rubble
- The tipping release mechanism is activated by the forklift operator pulling the pull cord from the drivers seat
- Fitted with removable drain plug
- Optional wheel kit available
- Safe Working Load: 1500kg
- Finish: Zinc plated
- Fork Pocket Size: 185x70mm
- Fork Pocket Centres: 695mm

| Code | Unit Weight | Bin Capacity | Dimensions WxLxH (mm) |
|--------|----------------|-----------------|--------------------------|
| WB2952 | 165kg | 590L | 1150x1807x555 |
| WB2953 | 215kg | 1100L | 1150x1807x905 |
| WB2954 | 275kg | 2100L | 1986x1807x905 |

Price Each

| Code | Description | Was | NOW |
|--------|--------------------------------------|----------------------|--------|
| WB2952 | Tipping Bin (with release mechanism) | -\$1860 | \$1674 |
| WB2953 | Tipping Bin (with release mechanism) | -\$2290 | \$2060 |
| WB2954 | Tipping Bin (with release mechanism) | -\$ 28 60 | \$2574 |
| WB295K | Wheeel Kit to suit Tipping Bins | -\$300 | \$270 |



Stackable Stillage Cage

These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse.

- Fits standard Australian size pallets including Chep and Loscam
- External Dimensions (outside of post): 1390x1390x1650mm (WxDxH)
- Internal Dimensions: 1250x1250x1490mm (WxDxH)
- Post Height from top of base: 1490mm Load Capacity: 1500kg
- Can be safely stacked 3 high when in use Finish: Zinc plated



Stillage Mesh Cage

- These mesh cages are an excellent form of warehouse storage
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage mesh cages may be stacked higher than a normal mesh cage due to the stillage posts.
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Powdercoated frames with gal mesh sides Forklift access from front and sides
- Solid steel floor



Louvre & Square Hole Panel Trolleys

- Strong metal panel trolleys which are ideal for storing either Stor-Pak bins
- Fitted with 2 lockable castors
- Powdercoated grey colour
- Dimensions: (WxDxH) 980x600x1540mm
- Storpak bins seperate to the trolleys however the storpak version can be purchased in a full kit as pictured


10730K - Louvre Panel Trolley Kit (with Stor-pak bins)


- 16 x No.5 Storpak Bins (Blue)
- 16 x No.5 Storpak Bins (Yellow)
- 16 x No.10 Storpak Bins (Red)
- 16 x No.10 Storpak Bins (Green)
- 12 x No.25 Storpak Bins (Yellow)
- 8 x No.60 Storpak Bins (Blue)
- 8 x No.60 Storpak Bins (Red)
- 4 x No.120 Storpak Bins (Green)






| Code | Description | Was | NOW |
|--------|---|--------|-------|
| 10730 | Louvre Panel Trolley | -\$674 | \$585 |
| 10730K | Louvre Panel Trolley Kit (with Stor-nak hins exactly as shown in image) | \$1257 | \$995 |







Heavy Duty Parts Cabinet (60 Parts Trays)

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside.
- Specially designed to prevent accidental slip off
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- Parts Bin Loading Capacity: 10kg each
- Plastic Parts Bin size (LxWxH): 415x170x105mm
- Overall Dimensions (HxWxD): 1760x900x420mm



Industrial Tooling Workstation

- Heavy duty tooling cabinets for industrial workshop applications
- The sliding drawers have quality smooth operation bearings
- 5 lockable drawers and cupboard
- Draw Capacity: 100kg per drawer
- Finish: Powdercoated light grey and blue



10 Drawer Tooling Cabinet

- Heavy duty tooling cabinets for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation

Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at

a time, preventing the cabinet from tipping over

- All drawers come with adjustable steel dividers
- Drawer 1 to 9 100mm high
- Drawer 10 200mm high
- Overall Size: 881x653x1200mm
- Unit Weight: 160kg
- Individual Drawer Capacity: 100kg






Manual Push Floor Sweeping Machine



Wet & Dry Vacuum Cleaner - 70L







Industrial Work Bench 1200 Series

- Heavy duty steel industrial workbench with bottom shelf is ideal for use as a work or tool bench
- 1000kg wood top bench capacity

Workbench pictured

with 2 Tier Shelf Unit

and 3 Drawer Unit





| <u> </u> |
|--|
| Adjustable Shelf |
| |
| |
| |
| Can be used flat or on angle as pictured |
| |



2 Drawer Unit 2x 100mm drawers

Optional Castor Kit

(4 swivel castors

with brakes)

3 Drawer Unit - 2x 100mm, 1x 200mm drawers


| | | | Price Each | | |
|--------|--|-----------------------|----------------------|-------|--|
| Code | Description | Details | Was | NOW | |
| M7305 | Industrial Work Bench | 1200x750x800 (WxLxH) | \$593.00 | \$521 | |
| B8100 | Lockable Drawer Unit (2 drawer) | 565x650x280mm (WxDxH) | \$224.40 | \$195 | |
| M7312 | Lockable Drawer Unit (3 drawer) | 565x650x450mm (WxDxH) | \$521.00 | \$494 | |
| M7315 | Lockable Cabinet Unit (with shelf) | 565x650x450mm (WxDxH) | \$201.00 | \$190 | |
| M7253 | 2 Tier Shelf Unit to suit M7305 | 1200mm long | \$ 159.60 | \$151 | |
| M7250 | Adjustable Shelf to suit M7305 | 1200mm long | \$103.7 0 | \$98 | |
| B8101C | Work Bench Castor Kit (includes 4 swivel casto | rs with brakes) | \$212.20 | \$184 | |




Industrial Work Bench 1800/2100 Series

- Heavy duty steel industrial workbenches which are ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- 40mm thick laminated wooden top (B8101)
- 53mm thick laminated wooden top (M7306, M7307)
- Comes standard with adjustable feet for levelling on uneven floors and an optional lockable castor kit is available if required
- Bottom shelf benches available in both 1800 and 2100mm sizes
- Back Panels and shelf units are interchangable between work benches with and without bottom shelf
- M7312 & M7315 can only be used on benches with bottom shelf
- Drawer Unit Capacity: 100kg per drawer
- Finish: Powder coated light grey



















Price Each

| Code | Description | Details | Was | NOW |
|--------|---|-----------------------|-----------------------|-------|
| B8101 | Industrial Work Bench 1800mm | 1800x750x900 (LxWxH) | \$495.00 | \$395 |
| M7306 | Industrial Work Bench 1800mm (with bottom shelf) | 1800x750x900 (LxWxH) | \$835.00 | \$793 |
| M7307 | Industrial Work Bench 2100mm (with bottom shelf) | 2100x750x900 (LxWxH) | \$829.00 | \$787 |
| M7251 | Adjustable Shelf to suit 1800mm benches | 1800mm long | \$124.90 | \$118 |
| M7252 | Adjustable Shelf to suit 2100mm bench | 2100mm long | \$137.00 | \$130 |
| M7254 | 2 Tier Shelf Unit to suit 1800mm benches | 1800mm long | \$196.80 | \$186 |
| M7255 | 2 Tier Shelf Unit to suit 2100mm bench | 2100mm long | \$ 215.9 0 | \$205 |
| B8102 | Back Panel Kit to suit 1800mm benches | 1800mm long | \$284.80 | \$247 |
| B8108 | Back Panel Kit to suit 2100mm bench | 2100mm long | \$304.00 | \$264 |
| B8100 | Lockable Drawer Unit (2 drawer) | 565x650x280mm (WxDxH) | \$224.40 | \$195 |
| M7312 | Lockable Drawer Unit (3 drawer) | 565x650x450mm (WxDxH) | \$52 1.00 | \$494 |
| B8103 | Lockable Drawer Unit (6 drawer)* | 565x580x750mm (WxDxH) | \$715.00 | \$595 |
| M7315 | Lockable Cabinet Unit (with shelf) | 565x650x450mm (WxDxH) | \$ 20 1.00 | \$190 |
| B8101C | Work Bench Castor Kit (includes 4 swivel castors with I | \$212.20 | \$184 | |



Card No.

PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

3 Digit Security Code:

Sydney

Tel: (02) 8865 1800 Fax: (02) 8865 1830 Mary nsw@mhaproducts.com.au Melbourne

Tel: (03) 9115 9100 Fax: (03) 9115 9150 ✓ vic@mhaproducts.com.au **Brisbane**

Tel: (07) 3558 9700 Fax: (07) 3558 9750 ■ qld@mhaproducts.com.au

| Your Company Details | | | | | | Please | ohotod | copy for future use |
|--|--------------|---|------------------------|-------|-------------|------------|----------|-------------------------|
| Company Name: | | | | | | | | |
| Invoice Address: | | | | | | | | |
| Delivery Address: | | | | | | | | |
| ABN: | | Tel: () | | | Fax: (|) | | |
| Contact Name: | | | Position: | | | | | |
| Contact Email: | | | Accounts Emai | l: | | | | |
| Your Order Number: | | | Date: | | | | | |
| Code | | ription | | | lty | Unit pri | | Total price |
| Code | Desci | трион | | G. | (L) | Onit pri | CC | Total price |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Freight Charges | | | | | (| Sub Total | | • |
| Please check our website | | Obtain freight q | uote or charge | to my | / freight a | account | T A | Please tick if required |
| www.mhaproducts.com.au for correct freig | ght cost | | | Frei | | Freight | | |
| to your postcode, otherwise please tick 'obtain freight quote' and place your order using this form and we will contact you to confirm | | Charge to my freight accour (please list details below) | | GS' | | | | |
| | | | | | | GSI | | |
| freight cost before processing your order. | | | | | Total | (inc GST) | | |
| | | | | | | | | |
| Payment Options (Please tic | :k) | | | | | | Orde | r form June 2020 |
| Please email invoice for payment by | y direct dep | posit ** | Instant 30 Day |] We | e accept VI | SA, MASTER | CARD 8 | & AMEX (no surcharge) |
| Please invoice on my 30 day accour | nt | | account for government | | Maste | rCard VIS | A A | VIERICAN EXPRESS |
| Please invoice on my 14 day accour | nt | Australian Govern | department orders | | | | • E | |
| Please charge to credit card | | | | | | | | |
| ☐ VISA ☐ MASTERCARD ☐ | AMEX | Card Hold | er's Signature | | | | | |
| Card Holder's Full Name: | | | | | | Card Expi | ry Date: | <i>I</i> |