EASTER 2021 SPECIALS

SPECIALS END APRIL 16TH 2021





Order Online
www.mhaproducts.com.au

1800 750 900

BONUS GIVEAWAYS Have you got your Easter gear ready? These Giveaways are available FREE with every order from \$500!

Sydney Office

Tel: 02 8865 1800 ✓ nsw@mhaproducts.com.au

Melbourne Office

Tel: 03 9115 9100

✓ vic@mhaproducts.com.au

Brisbane Office

Tel: 07 3558 9700 ✓ gld@mhaproducts.com.au

Picnic Blanket

FREE with orders over \$500 (ex GST)

Our wonderful picnic blanket will surely make packing for your family picnic easy and fun. Manufactured from sturdy 1200mm x 1370mm woven polyester fleece with a water proof PE backing for protection. It folds up after use with a Velcro closure and has a handy carry handle.



Please auote offer code: GA2101 when placing your order

Slate Serving Board

FREE with orders over \$1000 (ex GST)

Perfect for hosting or entertaining these deluxe slate serving boards are a rustic added touch. The serving board hosts four non-slip and non-marking polyurethane pads on the base. They have natural hemp rope handles and come beautifully presented in an unbleached cardboard gift box.

- Natural slate material
- Serving board
- 4x Non slip/marking polyurethane pads on base
- Natural hemp rope handles
- Presented in unbleached cardboard gift box

Please auote offer code: GA2102 when placing your order

Cooler Seat Picnic Set

FREE with orders over \$2500 (ex GST)

A handy seat with an insulated cooler section to place your food. It has a 2 person picnic set with complete utensils, plates, cutlery, a bottle opener, cutting board and glasses for drinks. Carry it as a backpack and enjoy your picnic.

- Plates
- Cutlery
- Bottle opener
- Cutting board





Please auote offer code: GA2103 when placing your order

Single Burner Portable BBQ

FREE with orders over \$5000 (ex GST)

Compact and lightweight Voyager BBO. You can easily create a feast on the go with convenient rotary piezo ignition and generous grill/plate cooking surface.

- Fuel: Universal LPG
- Firebox Finish: Vitreous enamel
- Ignition: Rotary piezo
- Roasting Hood: Powder coated
- Temperature Gauge: Yes
- Main burners: 1 x Stainless steel
- Output: 12 MJ/H
- Cooking surface finish: Satin enamel cast iron
- Cooking area hotplate: 230mm x 330mm
- Overall dimensions: Lid closed (WxDxH) 600mmx380mmx360mm





Please quote offer code: GA2104 when placing your order

Terms & Conditions

- This offer is available as a promotion for a limited time only.
- This offer is not available in conjuction with any other offers and/or special/contract priced items.
- The order amounts listed on this promotion exclude 10% GST and giveaways are available per invoice or order only.
- These order amounts exclude the freight component of your order. Images pictured on this promotion are for illustration purposes only and may be substituted if they become unavailable.
- Please ensure you quote the offer or deal code at time of order and your choice of giveaway to ensure you receive this with your order.
- One giveaway is available per offer code.
- Offer ends 16th April 2021

Visit, www.mhaproducts.com.au/giveaways for detailed information on each of these giveaways.



Extra Large Prestige Platform Trolley Powder coated steel construction with vinyl decks Surround bumper on perimeter of trolley Polyurethane castors - 2 x fixed, 2 x swivel Optional pneumatic wheel kit available includes 2 swivel wheels and 2 fixed wheels (T9350P) Load Capacity: 500kg Castors: 200mm Handle Height: 1000mm Platform Size: 1180x760mm Platform Height: 290mm Unit Weight: 40kg Now Only \$682 +GST ea Was \$759 Code: T9350





Large Powered Platform Trolley



- Platform has an anti-slip grip so that items don't slide off easily in transit
- Supplied with removable cage
- Emergency stop button
- Forward and reverse drive Variable speed controller
- Powered by 3 x 12V/55Ah batterie
- Pneumatic wheels
- Clearance From Battery Box to Ground: 75mm
- Moving Speed: 5-8km/hr
- Electro magnetic brake
- Load Capacity: 800kg
- Wheels: 310mm
- Handle Height: 950mm
- Platform Size: 1400x900mm
- Platform Height: 385mm
- Overall Size with Cage (LxWxH): 2070x900x980mmm
- Unit Weight: 170kg



2 Tier Platform Trolley

- General purpose industrial quality 2 tier trolleys for goods movement
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Polyurethane castors 2 x fixed, 2 x swivel
- Load Capacity: 370kg
- Castors: 125mm
- Handle Height: 1000mm
- Shelf Size: 920x620mm
- Shelf Heights: 180 + 780mm

Unit Weight: 27kg

Now Only \$382 +GST ea Was \$425 Code: T9334





3 Tier Stainless Steel Trolley

- These stainless steel trolleys are great for use in medical areas, food preparation, schools, laundrys etc where hygiene is important
- Rubber corner protectors as standard
- Middle shelf can be removed to make a 2 tier trolley
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Castors: 100mm
- Load Capacity: 150kg
- Handle Height: 960mm Shelf Size: 900x500mm
- Shelf Heights: 200 + 510 + 820mm
- Overall Size:
- 1010x560x960mm (LxWxH)
- Unit Weight: 15kg



Now Only

3 Basket Office Trolley

- Great for storing small parts and items neatly in the office
- Supplied with plastic baskets as pictured
- Integrated frame handles
- Plastic Basket Size (LxWxH): 510x360x200mm
- Nylon castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 50kg
- Castors: 100mm
- Shelf Size: 500x400mm
- Overall Size (LxWxH): 520x470x1085mm
- Unit Weight: 11kg





3 Tier Service Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Lockable front doors

VERDEX

- Rubber castors 2 x swivel, 2 x swivel with brakes
- Castors: 100mm
- Load Capacity: 250kg
- Shelf Size: 680x450mm
- Overall Size (LxWxH): 870x500x1010mm
- Unit Weight: 17kg





VERDEX













Extra Long 3 Tier Service Trolley

This utility cart has the same specifications as the other

3 Tier Tool Trolley (With Drawer)

- Single drawer with ball bearing sliders and quick return system
- Drawer depth: 80mm
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 100mm
- Shelf Size: 680x450mm
- Overall Size (LxWxH): 780x500x1010mm
- Unit Weight: 15kg

Now Only \$349 +est ea Was \$388 Code: M1460





2 Tier Tool Trolley (With Drawers)

- Twin drawers with ball bearing sliders and quick return system
- Top drawer depth: 60mm
- Bottom drawer depth: 80mm
- Rubber castors 2 x swivel,
 2 x swivel with brakes
- Castors: 100mm
- Load Capacity: 250kg
- Shelf Size: 680x450mm
- Overall Size: 870x500x950mm (LxWxH)
- Unit Weight: 20kg

Now Only \$399 + 65T ea Was \$445 Code: M1485

VERDEX



Extra Large Prestige Platform Trolley

- Wire cage has fold down sides to make loading and unloading easier
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Polyurethane castors 2 x fixed, 2 x swivel
- Optional pneumatic wheel kit available includes 2 swivel wheels and 2 fixed wheels (T9338P)
- Includes cage
- Load Capacity: 500kg
- Castors: 200mm
- Handle Height: 1000mm
- Cage height: 770mmPlatform Size: 1170x770mm
- Platform Height: 240mm
- Overall Size (LxWxH): 1270x770x1000mm
- Unit Weight: 47kg







Quad Deck Tool Cart (With Tool Board)

- · Excellent tool cart with square hole pegboard
- Supplied with accessories
- Tray depth: 50mm
- Nylon castors 2 x swivel, 2 x swivel with brake
- Load Capacity: 300kg
- Castors: 100mm
- Platform Heights: 170 + 370 + 570 + 770mm
- Shelf Size: 585x405mm
- Overall Size (LxWxH): 690x430x1215mm
- Unit Weight: 24kg
- Accessories Supplied: 5 x hooks;2 x T-Handle Rack, 2 x Plastic trays

Now Only \$624 +GST ea Was \$695 Code: M1466

VERDEX



Computer Cart (Triple Deck)

- This computer cart is great for both office and warehouse use
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 100mm
- Shelf Size: 620x450mm
- Overall Size (LxWxH): 810x510x1160mm
- Unit Weight: 18kg

VERDEX

Now Only \$354 +65T ea Was \$395 Code: M1470



Computer Cart (Quad Deck)

- This computer cart is great for both office and warehouse use
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 100mm
- Shelf Size: 610x460mm
- Overall Size (LxWxH): 610x520x910mm
- Unit Weight: 28kg
- Includes a slide out tray

Now Only \$435 +65T ea Was \$485 Code: M1472



VERDEX

2 & 3 Tier Plastic Utility Carts

- Heavy duty plastic construction which resists dents, chips and rust - virtually maintenance free!
- Built in storage bin in the handle which is great for storing small parts or tools
- Sturdy and stable but lightweight making it easy for manoeuverability
- Round corners which avoid marking of walls and furniture from sharp edges
- Rubber castors 2 x fixed, 2 x swivel





| Code | Load Capacity (kg) | Castors (mm) | Handle Height (mm) | Distance Between Trays (mm) | Tray Size LxWxH (mm) | Overall Size LxWxH (mm) | Unit Weight (kg) | Was | NOW |
|-------|-----------------------|-----------------|-----------------------|--------------------------------|-------------------------|----------------------------|---------------------|--------------------|-------|
| T2052 | 250 | 125 | 840 | 500 | 950x650x110 | 1170x650x840 | 21 | _\$ 298 | \$265 |
| T2053 | 250 | 125 | 840 | 200 | 950x650x110 | 1170x650x840 | 28 | _\$364 | \$325 |

Mesh Cage Trolley Comes with 3 sheet metal steel shelves plus the base shelf Shelf Heights: 650mm, 1050mm and 1440mm Base Height: 270mm Kev lockable Mesh Size: 50x50mm Powder coated finish Rubber castors - 2x fixed, 2x swivel with brakes Load Capacity: 500kg Castors: 200mm Handle Height: 940mm

Now Only \$795 +GST ea Was \$890 Code: T8430



Shelf Size: 1170x730mm

Unit Weight: 55kg

Overall Size (LxWxH): 1300x750x1790mm

Multi-Purpose Cage Trolley

- Industrial quality trolleys with cage stop goods falling off the platform
- The cage has fold down sides for easy loading and unloading
- Powder coated steel construction with vinyl platform
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Polyurethane castors 2 x fixed, 2 x swivel
- Load Capacity: 370kg
- Castors: 125mm
- Handle Height: 1000mm
- Platform Size: 920x620mm
- Platform Height: 190mm
- Overall Size (LxWxH):1000x620x1000mm
- Unit Weight: 27kg







Heavy Duty Sloping 4 Shelf Trolley

- Heavy duty bolt together trolley which is great for stock picking
- 4 backwards sloping shelves which prevents items falling off
- Shelves are removable but not adjustable
- Shelves have 10° decline
- 350mm space between each shelf
- Push/pull handles on each end Rubber castors: 2 fixed,
- 2 swivel with brakes
- Load Capacity: 500kg
- Castors: 150mm
- Shelf Size: 1460x730mm Overall Size (LxWxH): 1730x770x1770mm
- Unit Weight: 122kg



Durolla



X-Cart Folding Plastic and Aluminium Trolley

- The X-Cart is a collapsible trolley that can be used for hundreds of applications
- It is ideal for use in the workplace, schools, home, office, hospitals, courier services, shopping malls, nursing homes an much more!
- It can be completely collapsed by the push of a button on the handle. The wheels are able to be removed by the push of a button and stored underneath for compact transport and storage
- The X-Cart is supplied with one collapsible basket which will lock into place on either the top or bottom platform.

Specifications

- Total Trolley Capacity: 75kg
- Top Shelf Capacity: 25kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 8.4kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm





| Was | NO |
|-----|----|

| Code | Description | Was | NOW |
|-------|--|-------|-------|
| T9000 | X-Cart Folding Plastic and Aluminium Trolley (includes 1 folding basket) | \$395 | \$279 |
| T9010 | X-Cart Vinyl Cover | \$135 | \$98 |
| T9020 | X-Cart Tool Bin (supplied with 2 removable dividers) | -\$48 | \$37 |
| T9050 | X-Cart Extra Basket | _\$45 | \$39 |



All Terrain Platform Trolley

- The All Terrain Platform Trolley is perfect for construction sites and general warehouse use
- Heavy duty trolley construction
- Handle activated brake
- Swivel handle for steering the trolley
- Powder coated frame with plywood deck
- Optional sides available (M1064)
- 4 x pneumatic wheels with steel rim
- Load Capacity: 1300kg
- Castors: 300mm
- Overall Size (LxWxH): 1200x690x397mm
- Unit Weight: 49kg



Fully Welded Cage Trolley

- Fully welded steel construction
- Powder coated finish
- Drop down front which makes it easy for loading and unloading
- Mesh cage sides 50x50mm size mesh
- 25mm square tube fully welded frame
- Height to Top Rail: 860mm
- Height to Middle Rail: 535mm Rubber castors - 2 x fixed,
- 2 x swivel with brakes
- Load Capacity: 300kg
- Castors: 125mm
- Handle Height: 980mm Base Height: 175mm
- Internal Size (LxWxH): 850x550x670mm
- Overall Size (LxWxH): 1090x630x980mm
- Unit Weight: 33kg

Durolla



Now Only

Was \$766

Code: T8696

\$687 +GST ea

Heavy Duty Goods Trolley with Shelf

- An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use.
- Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration
- Powder coated finish
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 700mm
- Lower Shelf Height: 205mm
- Upper Shelf Height: 1010mm
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Optional pneumatic wheel kit available (WKP10)
- Load Capacity: 500kg
- Castors: 125mm
- Shelf Size: 1030x750mm
- Overall Size (LxWxH): 1100x800x1700mm
- Unit Weight: 90kg









4 Tier Adjustable Shelf Trolley

- The multiple use trolley is great for dozens of uses in the workplace
- The fixed centre wheels, swivel steer wheels at either end, and narrow body
 make it ideal for maneuverability and stability in narrow corridors or aisles.
- Three metal shelves supplied with 5 height adjustments for convenience.
- Fitted with rubber bumpers at each corner for wall and furniture protection
- Powder coated finish
- Load Capacity: 350kg
- 2 x Centre Wheels: 125mm diameter
- 4 x Swivel Wheels: 100mm diameter
- Overall Height: 1525mm
 Overall Length: 1280mm
- Overall Length: 1280mi
 Overall Width: 420mm
- Unit Weight: 35kg







Underside of shelf



Durolla

Fully Welded 2 Tier Trolley

- Fully welded steel construction
- Powder coated finish
- Mesh cage sides 25x25mm size mesh
- 25mm square tube fully welded frame
- Base Height: 175mm
- Clearance Between Top and Bottom Shelf: 415mm
- Height To Top Platform: 620mm
- Depth of Top Tray: 225mm
- Rubber castors 2 x fixed,
 2 x swivel with brakes
- Load Capacity: 300kg
- Castors: 125mm
- Handle Height: 940mm
- Platform Size: 905x605mm
- Internal Size of Top Shelf: 845x550mm
- Overall Size (LxWxH): 1046x605x940mm
- Unit Weight: 35kg

Durolla





A Frame Panel Cart

- These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 1000kg
- Castors: 125mm
- Platform Height: 230mm
- Platform Size: 1830x815mm
- Overall Size (LxWxH): 1915x920x1400mm
 - Unit Weight: 120kg





3 Tier Convertible Trolley

- The 3 Tier Convertible Trolley is one of a kind.
- It can be configured with over 6 combinations to suit multiple applications.
- The middle and top shelves are reversable, meaning you can have the smooth side up.
 If you require a tray, simply flip the shelf.
- These shelves can also be mounted flat, sloping forwards or backwards.
- The 3 tier trolley has quality castors for smooth as well as effortless moving, fitted with a foot release braking system.
- Mesh Size: 50x50mm
- Powder coated finish
- Rubber castors 2 x swivel, 2 x fixed castors
- Load Capacity: 500kg
- Castors: 150mm
- Handle Height: 960mm
- Shelf Size: 1140x490mm
- Base Shelf Height: 220mmOverall Size (LxWxH): 1240x490x1460mm
- Overall Size (EXVVX)Unit Weight: 88kg





Durolla

Scissor Lift Trolleys

- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- · Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- The 150kg version code LT8701 has a foldable handle
- Durable powder coated finish
- Polyurethane castors 2 x fixed, 2 x swivel with brakes



| Code | Description | Load Capacity (kg) | Castors (mm) | Table Size (mm) | Lifting Range (mm) | Unit Weight (kg) | Was | NOW |
|--------|----------------|-----------------------|-----------------|--------------------|-----------------------|---------------------|-------------------|---------|
| LT8701 | Single Scissor | 150 | 100 | 700x450 | 225-730 | 46 | _\$445- | \$399 |
| LT8702 | Single Scissor | 300 | 125 | 850x500 | 340-900 | 77 | _\$655 | \$589 |
| LT8703 | Single Scissor | 500 | 125 | 850x500 | 340-850 | 81 | -\$695 | \$629 |
| LT8704 | Double Scissor | 350 | 125 | 910x500 | 380-1330 | 105 | \$759 | \$682 |
| LT8705 | Double Scissor | 700 | 125 | 1220x610 | 445-1510 | 195 | -\$1,635 | \$1,469 |
| LT8708 | Single Scissor | 750 | 150 | 1000x510 | 435-1000 | 175 | -\$965 | \$866 |

Electric Scissor Lift Trolley

- Smooth lifting of heavy loads with ease
- Automatic 12v charger
- Push button, battery/hydraulic operation
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
 - Load Capacity: 500kg
- Castors: 150mm
- Table Size: 1010x520mm
- Lifting Range 495-1618mm
- Unit Weight: 198kg

IIFTEX

Now Only \$2,689 + GST ea WGS \$2,987 Code: LT7233



Self Propelled Electric Scissor Lift Trolley

- With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow eisles or tight spaces.
- Comes complete with side cage as pictured which can be easily removed if not required
- 4 x swivel castors with brakes
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33AhCurtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds
- Load Capacity: 400kg
- Castors: 150mm
- Middle Wheels: 275mm
- Table Size: 1000x600mmLifting Range: 460-900mm
- Cage Height: 600mm
- Overall Size (LxWxH): 1240x600x1100mm
- Unit Weight: 180kg

Was \$5,235 Code: LT7240

Now Only

\$4,710 +GST ea

| IFTEX



Extra Large Scissor Lift Trolleys

- The extra large scissor lift trolleys are excellent for handling large bulky items.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder coated finish
- Stepless rate of lowering regardless of load weight
- Available in 500kg and 1000kg load capacities
- LT8720: Polyurethane castors- 2 x fixed, 2 x swivel with brakes
- LT8721: Nylon castors- 2 x fixed, 2 x swivel with brakes





| Code | Description | Load Capacity (kg) | Castors (mm) | Table Size (mm) | Lifting Range (mm) | Unit Weight (kg) | Was | NOW |
|--------|----------------------|-----------------------|-----------------|--------------------|-----------------------|---------------------|----------|---------|
| LT8720 | Scissor Lift Trolley | 500 | 125 | 1600x810 | 300-935 | 154 | -\$1,285 | \$1,156 |
| LT8721 | Scissor Lift Trolley | 1000 | 180 | 2035x750 | 360-1360 | 198 | _1,735 | \$1,559 |

Stainless Steel Scissor Lift Trolleys

- These stainless steel scissor lift trolleys are great for use in food, pharmaceutical or hygiene areas.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Scissor and pump unit is galvanised
- Stainless Steel Grade 304
- Polyurethane castors 2 x fixed, 2 x swivel with brakes







| | Code | Load Capacity (kg) | Castors (mm) | Table Size (mm) | Handle Height (mm) | Lifting Range (mm) | Unit Weight (kg) | Was | NOW | |
|---|--------|-----------------------|-----------------|--------------------|-----------------------|-----------------------|---------------------|----------|---------|--|
| , | LT8714 | 100 | 100 | 700x445 | 1000 | 250-1220 | 55 | _\$1,595 | \$1,435 | |
| | LT8715 | 350 | 100 | 830x500 | 1000 | 330-1295 | 78 | _\$1,955 | \$1,759 | |

Self Propelled Electric Scissor Lift Trolley

Powered Lift and Drive makes this unit ideal for a wide range of applications, including in hospitals and libraries

Single Scissor

2 x rear swivel castors with brakes

2 x pneumatic drive wheels

Batteries: 2x12V 33Ah

Curtis Controller: 70A

Motor (Driving): 400W Motor (Lifting): 400W

Lifting Time: 17 seconds

Load Capacity: 400kg

Rear Castors: 150mm

Front Wheels: 275mm

Table Size: 1000x600mm

Lifting Range: 460-900mm Overall Size (LxWxH):1240x600x1100mm

Unit Weight: 180kg





Self Propelled Electric Scissor Lift Trolley with Cage

- The centre drive wheel makes it easy to manoeuvre loads in narrow eisles or tight spaces.
- Comes complete with side cage as pictured which can be easily removed if not required
- Double Scissor
- Includes centre wheel unit
- 4 x swivel castors with brake
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds
- Load Capacity: 400kg
- Castors: 150mm Middle Wheels: 260mm
- Table Size: 1000x600mm
- Lifting Range: 450-1625mm Code: LT7640
- Cage Height: 450mm
- Overall Size (LxWxH): 1340x600x1055mm
- Unit Weight: 234kg





| IFTEX

Spring Loaded Rotating Pallet Tables

- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting.
- It proves highly effective at reducing the incidences of repetitive strain and back injury
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg. Turntable allows the operator to rotate the load with minimal stretching and reaching.

Supplied standard with PVC protection screen













(Powder Coated Model)

31032A (Galvanised Model) **Price Each**

31035 (Mobile Pallet Table Dolly)



| Code | Load Capacity (kg) | Table Diameter (mm) | Lifting range (mm) | Base Frame Size LxW (mm) | Unit Weight (kg) | Was | NOW |
|--------|---------------------|---------------------------|--------------------|--------------------------|------------------|---------|---------|
| 31031A | 2000 | 1110 | 230-705 | 935x915 | 160 | \$1,980 | \$1,782 |
| 31032A | 2000 | 1110 | 230-705 | 935x915 | 160 | \$2,235 | \$1,998 |
| 31035 | Galvanised Mobile F | Pallet Base & Dolly Frame | | | | _\$895 | \$698 |

Low Profile Pallet Lift Table

- Many applications require the regular loading and unloading of palletised goods.
- Repetitive lifting and stretching can be time consuming and hazardous.
- Using pallet lift tables elevates pallets to the optimum lift height reducing the risk of repetitive strain injury and increasing productivity.
- Supplied with entry ramp to allow pallet truck entry
- Can be supplied with optional rotator ring (P1066)
- Tables are specially made for handling pallets, no need for a pit or load ramps
- Upper platform fitted with safety perimeter to prevent descent on contact with obstructions
- 24v control box with UP and DOWN buttons and emergency stop
- External power pack equipped with a relief valve against overloading and a compensating
 - flow valve for controlling lowering speed
- Power Supply: 240v
- Hose burst safety valve to stop the lift table lowering in case of hose breakage

Now Only

- Removable lifting eyes to facilitate handling and installation of the lift table
- Oil-less bushings on pivot points
- Load Capacity: 2000kg
- Platform Size: 1180x1600mm
- Lifting Range: 105-880mm
- Lifting Time (seconds): 25



Battery Electric Work Positioner

- A range of highly manoeuvrable, lightweight lifts, designed to take the strain out of any lifting job from ground level to over shoulder height
- Ideal for use in narrow aisles and confined spaces. Perfect for all applications from pharmaceutical to catering, from packing line to food processing
- Automatic electric overload protection system ensures safe operation
- Quick change attachment options available
- EN1757 compliant. CE marked
- Battery electric with built in charger that you can plug in anywhere


Load Centre: 237mm

- 24v. 7.2Ah batterv
- 75mm fixed polyurethane castors on front
- 100mm swivel polyurethane castors with brakes on rear
- Leg Height: 105mm
- Load Capacity: 100kg
- Platform/Attachment Size: 475x605mm
- Lifting Range: 130-1700mm
- Overall Size (LxWxH): 920x505x2160mm



Pallet Rotator Ring

- The rotator ring is popular due to its light weight and easy maneuverability.
- It can be moved easily by one person.
- Load Capacity: 2000kg





2000KG Automatic Pallet Hook

The automatic pallet hook, type PH2908, is self-levelling for ease of operation. An internal spring mechanism ensures the lifting eye is in the correct position to keep the tines horizontal, eliminating the need to reposition the lifting ring. Enclosed frame members protect the operator from moving parts. The Pallet Hook has been designed & certified in accordance with relevant Australian Standards Clearance is the minimum distance between tines and head Finish: Zinc plated SWL: 2000kg Load Centre 600mm Adjustable Tine Size: 100x45x1055mm Clearance: 1355mm Unit Weight: 196kg Now Only \$2,005 +GST ea

Was \$2,235 Code: PH2908

Rough Terrain Pallet Truck

\$1,738 +GST ea

Was \$1,935

Code: T7420

This rough terrain pallet truck is great for applications such as timber yards, brick yards and hard stand areas where the ground is gravel or rough. Now Only

- Large pneumatic wheels
- Adjustable Fork Width: 228-735mm
- Width Inside Front Wheels: 1230mm
- Front Wheel Size: 550x132mm (Dia x Width)
- Rear Wheel Size: 265x80mm (Dia x Width)
- Turning Radius: 1500mm
- Axle Distance Between
- Front and Rear Wheels: 973mm
- Load Capacity: 1200kg
- Load Centre: 450mm
- Tine Size: 100x50mm
- Fork Length: 860mm Min. Fork Height: 63mm
- Max. Fork Height: 233mm
- Overall Size (LxWxH):
- 1375x1605x1200mm Unit Weight: 245kg



Manual Fork/Platform Stacker

Foot pump hydraulic lift

Comes with a removable platform and has 2 adjustable fork tines under platform for lifting skids and pallets Polyurethane castors

- 2 x fixed, 2 x swivel with brakes

- Load Capacity: 400kg
- Rear Castors: 125mm
- Front Castors: 75mm
- Platform Size: 660x580mm Fork Length: 650mm
- Lifting Range: 75-1500mm
- Overall Size (LxWxH): 1040x590x1710mm







Galvanised Scissor Lift Trolley

- Galvanised version which is great for food and medical areas
- Foot operated hydraulic operation
- Lever release control
- Double scissor lift version
- Safety overload bypass valve
- Stepless rate of lowering
- regardless of load weight Polyurethane castors - 2 x fixed, 2 x swivel with brakes
- Load Capacity: 150kg Castors: 100mm
- Table Size: 830x500mm
- Lifting Range: 435-1430mm
- Unit Weight: 80kg





Expanding Roller Conveyors

- The flexible expanding roller conveyor expands from 1500mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods where the skate wheel conveyor wont work
- Easy and quick setup with height adjustable legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers
- Height Range: 690-1000mm





Price Each



Expanding Skate Conveyors

- Self tracking flexible expanding conveyor which expands from 1100mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels
- Height Range: 690-1000mm







Skate Wheel

Price Each

| Code | Width (mm) | Load Capacity Per M (kg) | Castors (mm) | Length Retracted (mm) | Length Expanded (mm) | Unit Weight (kg) | Was | NOW |
|-------|------------|--------------------------|--------------|-----------------------|----------------------|------------------|----------|---------|
| 40125 | 460 | 100 | 125 | 1100 | 4000 | 112kg | -\$1,770 | \$1,590 |
| 40129 | 610 | 100 | 125 | 1100 | 4000 | 124kg | \$1,873 | \$1,685 |
| 40130 | 760 | 100 | 125 | 1100 | 4000 | 142kg | \$2,275 | \$2,039 |

troden

Electric Expanding Roller Conveyors

- Simply plug in and go, this powered electric roller conveyor is great for carrying boxes and items up hill where gravity may not be achievable
- This conveyor is flexible and expands from 1500mm to 4000mm
- Multiple units can be joined to make 1 continuous powered conveyor system
- Great for loading and unloading containers
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Quiet operation 240V AC motor with forward and reverse action and adjustable roller speed
- Height Range: 690-1000mm







| 1 | | | Price Eac | :h |
|----------|----------------------|------------------|-----------|---------|
| ted (mm) | Length Expanded (mm) | Unit Weight (kg) | Was | Now |
| | 4000 | 126kg | -\$6,210 | \$5,579 |
| | 4000 | 131kg | \$7,320 | \$6,588 |
| | | , | _ | |



| Code | Width (mm) | Load Capacity Per M (kg) | Castors (mm) | Length Retracted (mm) | Length Expanded (mm) | Unit Weight (kg) | Was | Now |
|-------|------------|--------------------------|--------------|-----------------------|----------------------|------------------|----------|---------|
| 40143 | 460 | 140 | 125 | 1500 | 4000 | 126kg | -\$6,210 | \$5,579 |
| 40144 | 610 | 140 | 125 | 1500 | 4000 | 131kg | \$7,320 | \$6,588 |
| 40145 | 760 | 140 | 125 | 1500 | 4000 | 172kg | \$7,490 | \$6,739 |

70L Garbage Bins

- Small waste bins with four swivel castors
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV Rays
- Available in four colours: Yellow, Blue, Grey and Green
- Overall Size (WxDxH): 450x440x680mm









Price Each

| Code | Details | Castors (mm) | Bin Capacity (L) | Unit Weight (kg) | Was | NOW |
|--------|------------------------|--------------|------------------|------------------|------------------|------|
| WB70Y | 70L Garbage Bin-Yellow | 50 | 70 | 5 | -\$98 | \$88 |
| WB70B | 70L Garbage Bin- Blue | 50 | 70 | 5 | -\$98 | \$88 |
| WB70GY | 70L Garbage Bin- Grey | 50 | 70 | 5 | -\$98 | \$88 |
| WB70G | 70L Garbage Bin- Green | 50 | 70 | 5 | _\$98 | \$88 |



Zinc Plated Forklift Waste Tipping Bins

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout workplace
- Manual push over for tipping into larger bins or skips
- Available in 2 standard sizes
- Drain plug fitted as standard
- Zinc plated finish
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 367mm





| Code | Description | Bin Capacity (L) | Safe Working Load (kg) | Overall Size WxDxH (mm) | Unit Weight (kg) | Was | NOW |
|--------|----------------|------------------|------------------------|-------------------------|------------------|--------|-------|
| WB2940 | Fork Waste Bin | 350 | 350 | 720x1115x890 | 65 | _\$799 | \$719 |
| WB2941 | Fork Waste Bin | 650 | 350 | 1000x1115x890 | 90 | \$885 | \$796 |

Self Dumping 1500kg Capacity Tipping Bins

- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Optional wheel kit available
- Zinc plated finish
- SWL: 1500kg
- Fork Pocket Size: 185x75mm









| Code | Details | Bin Capacity (L) | Fork Pocket Centres (mm) | Overall Size WxLxH (mm) | Unit Weight (kg) | Was | NOW |
|--------|------------------|-------------------------|--------------------------|-------------------------|------------------|---------|---------|
| WB2920 | Tipping Bin | 950 | 380 | 1010x1570x1010 | 180 | \$1,650 | \$1,485 |
| WB2921 | Tipping Bin | 1250 | 680 | 1310x1570x1010 | 205 | \$1,750 | \$1,575 |
| WB2922 | Tipping Bin | 1850 | 680 | 1910x1570x1010 | 245 | \$2,350 | \$2,115 |
| WB29K | Wheel Kit to sui | t Tipping Bins (include | es 4 wheels) | | | -\$305 | \$274 |

Stack & Nest Crate Dolly

- Zinc plated wheels with bearings
- Stackable for secure storage through reservoirs for the wheels
- Dimensions (LxWxH): 405x610x170mm
- Internal Base Dimensions: 545x390mm
- Load Capacity: 250kg



Low Profile Drum Trolley

- This drum trolley has a built in handle which is used for tilting the drum back to push the trolley under.
- Handle has built in bung remover and seal remover
- Wheel Size: 150x50mm (front), 75x32mm (rear)
- Load Capacity: 500kg
- Radius of Arm: 270mm Overall Size (LxWxH): 950x570x750mm



Drum Dolly (Powder Coated)

- Drum dollies are suitable for both steel and plastic drums and containers
- Heavy duty easy wheel castors
- Load Capacity: 300kg
- Overall Size (LxWxH): 610x710x150mm
- Unit Weight: 7.5kg

Now Only \$79 +GST ea WGS \$89 Code: 60415



Deluxe Drum Cradle



Parrot Beak Drum Lifter (Single)

- Suitable for both steel and plastic 210 litre drums
- Simple auto clamp operation no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Height adjustable for use with different drum shapes
- Finish: Painted safety yellow
- Load Capacity: 360kg
- Fork Pocket Size (LxWxH): 750x150x55mm
- Fork Pocket Centres: 500mm

Now Only

\$566 +GST ea

Was \$630 Code: DL7250

Unit Weight: 45kg



Hook Drum Lifter

- · Suitable for both steel and plastic 210 litre drums
- Works on almost any drum that has a rim to grab onto
- Ideal for picking up a drum in the middle of a cluster without having to move any that are in front
- D-Shackle not supplied
- Load Capacity: 500kg
- Overall Size (HxWxD): 215x711x711mm
- Unit Weight: 13kg



Wire Pallet Cages

Convert your pallets into cages with the quick and easy to use cages.

- Ideal for storing odd or awkward shaped goods/products
- Can be folded down flat for easy storage when not in use
- Pallet not included

| IFTEX



SC753 - 1/2 Height Pallet Cage




SC754 - Full Height Pallet Cage

Price Each



| Code | Description | Overall Size (WxDxH) | Mesh Size (mm) | Unit Weight (kg) | Was | NOW |
|-------|-------------------------|----------------------|----------------|------------------|-------|-------|
| SC753 | 1/2 Height Pallet Cage | 1170x1170x400 | 100x50x6 | 28 | \$195 | \$172 |
| SC754 | Full Height Pallet Cage | 1170x1170x800 | 100x50x6 | 44 | \$279 | \$249 |





Galvanised Mesh Cage

These mesh cages are an excellent form of warehouse and yard storage.

These units are stackable as well as having the capability of being stored in a pallet rack.

- Can be folded down flat for easy storage when not in use
- Folded Height: 300mm
- Load Capacity: 1000kg
- Folded Height: 300mm
- Mesh Size: 100x50x6mm
- Overall Size (WxDxH): 1150x1150x890mm
- Unit Weight: 80kg

(STORMAX





Double Width Storage Transport Cage

- Front and rear gates half fold down and are fully removable, allowing safe, easy and fast access to goods
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Collapse/Assemble in seconds
- Lockable lids & weather covers are available on request
- 4 Way forklift access & pallet truck entry
- Anti-tip base design
- Half fold down & Fully removable front and rear gates
- Zinc plated finish
- Stackable 4 high
- Collapsed height: 320mm
- Load Capacity: 1050kg
- Internal Size (LxWxH): 2100x1085x810mm
- Overall Size (LxWxH):
 2200X1160X1055mm
- Unit Weight: 125kg



Now Only

Was \$1,478

\$1,328 +GST ea



Lockable Storage Cage

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with cranelifting lugs and fork pockets underneath
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Full metal roof which provides weather protection
- · Finish: Zinc plated
- Lockable door
- SWL: 2000kg
- Fork Pocket Size: 165x65mm
- Overall Size (WxDxH): 1060x1060x1800mm
- Unit Weight: 180kg
- Supplied as flatpack for easy storage and transport however can be ordered with assembly

Now Only \$1,509 + GST ed Was \$1,679





No. 10 Stack & Nest Crate

- This recycled stack and nesting crate is injection moulded from tough, durable, UV resistant recycled polypropylene.
- Crates can stack or nest depending on which way around they are stored
- Overall Size (LxWxD): 645x413x276mm
- Capacity: 52L
- Recycled plastic
- Price excludes lid



Rolling Metal Step Stool

- This rolling step stool is the most popular in our range
- Spring loaded castors for rolling which spring upwards when you step on the stool
- Non-Slip rubber surface on both steps
- Powder coated steel construction
- Load Capacity: 250kg
- Top step (Dia): 290mm
- Bottom step (Dia): 330mm
- Base Dia: 435mm
- Height to Top Step: 430mm
- Castors: 30mm
- Unit Weight: 4.5kg







Heavy Duty Industrial Work Benches

- Heavy duty steel industrial workbenches which are ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- 40mm thick laminated wooden top (B8101, B8107)
- 53mm thick laminated wooden top (M7306)
- Comes standard with adjustable feet for levelling on uneven floors
- Finish: Powder coated light grey
- B8101 Overall Dimensions (LxWxH): 1800x750x900mm
- B8107 Overall Dimensions (LxWxH): 2100x750x900mm
- M7306 Overall Dimensions (LxWxH): 1800x750x900mm



View our full range of work benches and accessories online!





| Code | Description | Was | NOW |
|-------|---|---------------------|-------|
| B8101 | Industrial Work Bench - 1800mm long | -\$ 43 5 | \$390 |
| B8107 | Industrial Work Bench - 2100mm long | -\$485 | \$435 |
| M7306 | Industrial Work Bench - 1800mm long (with bottom shelf) | -\$835 | \$750 |



Card No.

PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

3 Digit Security Code:

Sydney

Tel: (02) 8865 1800 Fax: (02) 8865 1830 nsw@mhaproducts.com.au Melbourne

Brisbane

Tel: (07) 3558 9700 Fax: (07) 3558 9750 ■ qld@mhaproducts.com.au

| Your Company Details | | Please photocopy | for future use |
|---|------------------------------------|---------------------------------|-------------------------|
| Company Name: | | | |
| Invoice Address: | | | |
| Delivery Address: | | | |
| ABN: | Tel: () | Fax: () | |
| Contact Name: | Position: | | |
| Contact Email: | Accounts Emai | il: | |
| Your Order Number: | Date: | | |
| | | | |
| Code De | scription | Qty Unit price To | otal price |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | Sub Total | |
| Freight Charges | | | |
| Please check our website www.mhaproducts.com.au for correct freight cos | Obtain freight quote or charge | | e tick if required |
| to your postcode, otherwise please tick | Charge to my freight accour | rt. Freight | |
| 'obtain freight quote' and place your order using this form and we will contact you to confirm | (picase list details selevi) | GST | |
| freight cost before processing your order. | | Total (inc GST) | |
| | | | |
| Payment Options (Please tick) | | | Order form 2021 |
| Please email invoice for payment by direct | deposit Instant 30 Day account for | We accept VISA, MASTERCARD & AM | IEX (no surcharge) ■ |
| ☐ Please invoice on my 30 day account☐ Please invoice on my 14 day account | government department | Master Card VISA AMERICAN |] 5 |
| Please charge to credit card | Australian Government Orders | J | |
| ☐ VISA ☐ MASTERCARD ☐ AME | Card Holder's Signature | | |
| Card Holder's Full Name: | | Card Expiry Date: | 1 |

















View our full range online, www.mhaproducts.com.au





























