





Order Online
www.mhaproducts.com.au

1800 750 900

Haven't bought from MHA before?



....we've made it easy for you.

Simply fill out the priority order form inside the back cover and fax or email it to us. Alternatively you can place your order online at

www.mhaproducts.com.au

Ask us for a copy of our new 356 page full catalogue or download a copy here, www.mhaproducts.com.au/catalogue



Sydney Office

1 Fairview Place, Marsden Park NSW 2765 Tel: 02 8865 1800 ✓ nsw@mhaproducts.com.au

Melbourne Office

41 Derrimut Drive, Derrimut VIC 3030 Tel: 03 9115 9100 ✓ vic@mhaproducts.com.au

Brisbane Office

161 Railway Parade Thorneside QLD 4158 Tel: 07 3558 9700

Now Only

Was \$763

\$686 +GST ea

✓ gld@mhaproducts.com.au



Instant 30 Day account for government department

Extra Heavy Duty Steel Platform Trolley

- Extra large heavy duty steel platform trolleys are ideal for demanding warehouse uses
- Available with single or double handle versions
- Fully welded steel construction
- Powder coated blue
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Optional centre wheel kit available for easy turning in tight spaces
- Load Capacity: 500kg
- Castor size: 150mm
- Overall length: 1210mm
- Handle Height: 1000
- Platform Size: 1100x600mm Platform Height: 235mm
- Unit Weight: 34kg





Stainless Steel Folding Handle Platform Trolley

- Heavy duty stainless steel platform trolley which is great for use in food and hygiene areas.
- Foldable handle
- Corner bumpers
- 304 grade stainless steel
- Castor Size: 150mm
- Platform Size: 620x920mm Handle Height: 920mm
- Load Capacity: 350kg




Prestige Platform Trolley

- Powder coated steel construction with vinvl decks
- Surround bumper on perimeter of trolley Polyurethane castors - 2 x fixed, 2 x swivel
- Castors: 125mm
- Load Capacity: 370kg
- Handle Height: 1000mm Platform Size: 920x620mm
- Platform Height: 190mm



Extra Large Prestige Platform Trolley (with cage)

- Wire cage has fold down sides to make loading and unloading easier
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley Polyurethane castors - 2 x fixed, 2 x swivel
- Load Capacity: 500kg Castors: 200mm
- Cage height: 770mm
- Handle Height: 1000mm
- Platform Size: 1170x770mm
- Overall Size: 1270x770x1000mm Unit Weight: 47kg
- Optional pneumatic wheel kit available includes 2 swivel wheels and







Now Only

Was \$780

Code: T9338

\$694 +GST ea



Multi Purpose 2 Tier Cage Trolley

- General purpose 2 tier trolleys with wire sides which keep items on platform
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Polyurethane castors 2 x fixed, 2 x swivel
- Load Capacity: 220kg
- Castors: 100mm
- Handle Height: 1010mm
- Platform Size: 740x480mm
- Platform Height: 140 + 660mm
- Overall Size:

790x480x1010mm (LxWxH)





Now Only

Service Cart With Side Rails

- Ideal cart for use in environments such as restaurants. hospitals, libraries, retail stores, schools etc.
- Lightweight trolley yet very robust design
- Electro galvanised finish
- Rubber castors 2 x swivel, 2 x swivel with brake
- Load Capacity: 250kg
- Castors: 125mm
- Distance Between Shelves: 325mm
- Height to top shelf: 705mm
- Tray Size: 935x535x90mm (LxWxH)



Solid Cage Trolley (with fold down side)

- Great for stock picking in the warehouse or for linen collection in hospitals
- Front cage folds down for easy access to trolley Quality castors for smooth and effortless moving
- Powder coated finish
- Polyurethane castors 2 x fixed, 2 x swivel



Wire Cage Trolley (with hinged lid)

- Great for stock picking in the warehouse or for linen collection in hospitals and nursing homes
- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- Powder coated finish
- Polyurethane castors 2 x fixed, 2 x swivel
- Load Capacity: 500kg
- Castors: 150mm
- Handle Height: 850m
- Gate Height: 520mm
- Platform Height: 225 Internal Size:
- 1040x640x630mm (LxWxH) Overall Size:
- 1200x720x850mm (LxWxH) Unit Weight: 52kg
- Durolla



Prestige 2 & 3 Tier Trolleys

Heavy duty steel trolleys which are great for dozens of uses in warehouses, schools, hospitals etc.

- Powder coated steel construction
- Chrome steel handle with plastic end caps
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors 2 x fixed, 2 x swivel







| Code | Description | Load Capacity (kg) | Castors (mm) | Handle Height (mm) | Shelf Size (mm) | Overall Size LxWxH (mm) | Unit Weight (kg) | Was | NOW |
|-------|----------------|-----------------------|-----------------|-----------------------|--------------------|----------------------------|---------------------|---------|-------|
| T0255 | 2 Tier Trolley | 200 | 100 | 890 | 750x500 | 830x500x930 | 18 | \$295 | \$265 |
| T0256 | 3 Tier Trolley | 200 | 100 | 890 | 750x500 | 830x500x930 | 22 | _\$346- | \$305 |

Heavy Duty Sloping 4 Shelf Trolleys

- Heavy duty bolt together trolley which is great for stock picking
- 4 backwards sloping shelves which prevents items falling off
- Shelves are removable but not adjustable
- Shelves have 10° decline
- 350mm space between each shelf
- Push/pull handles on each end
- Rubber castors: 2 fixed, 2 swivel with brakes





| Code | Description | Load Capacity (kg) | Castors (mm) | Shelf Size (mm) | Overall Size LxWxH (mm) | Unit Weight (kg) | Was | NOW |
|-------|------------------------------------|-----------------------|-----------------|--------------------|----------------------------|---------------------|------------------|-------|
| 19344 | Sloping Shelf Trolley- 1410mm wide | 500 | 150 | 1160x580 | 1410x620x1770 | 94 | _\$839 | \$746 |
| 19345 | Sloping Shelf Trolley- 1730mm wide | 500 | 150 | 1460x730 | 1730x770x1770 | 122 | \$998 | \$897 |

General Purpose Trolley (with extended handle & writing shelf)

- Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.
- Comes with a writing shelf which is good for picking stock orders.
- Bolted steel construction
- Powder coated blue
- Distance Between Shelves: 540mm
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 125mm
- Handle Height: 980mm
- Shelf Heights: 220 + 790mm
- Shelf Size: 895x495mm
- Overall Size: 1300x510x1070mm (LxWxH)
- Unit Weight: 40kg









Heavy Duty Cage Trolley

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- These trolleys come with a removable bar at the front which when removed the sides can be folded in
- Comes with signboard area on one side
- Powder coated finish
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Castors: 150mm
- Load Capacity: 500kg
- Internal Size: 890x740x1460mmm (LxWxH)
- Overall Size: 950x800x1700mm (LxWxH)
- Unit Weight: 50kg



Steel Panel Rack Cart (with tool bin)

These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.

- Convenient tool bucket located in middle of unit for storing small parts and tools
- Bucket is removable if not required
- Easy loading rollers included on 1 end
- Space Between Outer Bars: 70mm
- Space Between Inner Bars: 205mm
- Heavy duty resin castors 2 x fixed, 2 x swivel with brakes
- Castors: 100mm
- Load Capacity: 700kg
- Platform Height: 200mm
- Platform Size: 685x810mm
- Overall Size: 820x690x1120mm (LxWxH)



Heavy Duty Panel Rack Cart (2000kg capacity)

These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.

- Middle divider post can be removed
- Space Between Bars: 310mm
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Castors: 125mm
- Load Capacity: 2000kg
- Platform Height: 220mm



A Frame Panel Cart

- These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Castors: 125mm
- Load Capacity: 1000kg
- Platform Height: 230mm
- Platform Size: 1830x815mm
- Overall Size: 1915x920x1400mm (LxWxH)
- Unit Weight: 120kg





A Frame Panel Trolley

- Ideal for transporting large and bulky items on rough ground due to the pneumatic wheels
- Construction trolley with steel tubular frame and heavy duty plywood base
- Handy basket for storage of small items
- Very manoeuvrable due to the centre wheels
- 2 x swivel rubber castors with brake
- 2 x pneumatic fixed centre wheels
- Pneumatic Wheels: 260mm
- Rubber Castors: 200mm
- Load Capacity: 500kg
- Platform Height: 320mm
- Overall Size: 1000x700x1250mm (LxWxH)
- Unit Weight: 36kg






Heavy Duty Appliance Trolley

- Industrial quality hand trolleys to suit a variety of applications
- Available in flat free or solid stair climber wheels tyres
- Load Capacity: 220kg
- Foot Size: 470x175mm (WxD)

Overall Size: 720x500x1260mm (WxDxH) Unit Weight: 18kg







Clear Plastic



Nestable Stock Trolley

- The Nestable Stock Trolley is ideal for transporting heavy boxes and other product, due to its wide surface area and high quality onstruction.
- This trolley is the perfect addition to any supermarket store or factory where numerous goods need to be stacked or moved frequently with ease
- Electro galvanised construction and powder coated handles
- Rubber castors 4 x swivel
- Castors: 125mm
- Load Capacity: 200kg Platform Size: 850x600mm
- Unit Weight: 22kg





A Frame Panel Trolley

- The A frame panel trolley is ideal for transporting bulky items such as artworks, plasterboard, building material and mattresses etc.
- Optional trestle racks so that long lengths of product can be stored at different heights
- Electro galvanised 'A Frame'
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Castors: 200mm
- Load Capacity: 500kg
- Overall Size: 1000x700x1380mm (LxWxH)
- Unit Weight: 46kg
- Trestle Racks available to suit (M1262)





3 Tier Plastic Utility Cart

- Heavy duty plastic construction which resists dents, chips and rust virtually maintenance free!
- Built in storage bin in the handle which is great for storing small parts or tools
- Sturdy and stable but lightweight making it easy for manoeuverability
- Round corners which avoid marking of walls and furniture from sharp edges
- Rubber castors 2 x fixed, 2 x swivel
- Castors: 125mm
- Load Capacity: 250kg
- Handle Height: 840mm
- Distance Between Trays: 200mm
- Tray Size: 950x650x110mm (LxWxH)

Unit Weight: 28kg

Now Only \$327 +GST ed Was \$36 Code: T2053



C Sydney (02) 8865 1800





Plastic Bin Trolleys

- Heavy duty rotomoulded tub with 25mm steel tubular frame
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm




| Code | Description | Load Capacity (kg) | Castors (mm) | Handle Height (mm) | Bin Capacity (L) | Overall Size LxWxH (mm) | Unit Weight (kg) | Was | NOW |
|-------|---------------------|-----------------------|-----------------|-----------------------|---------------------|----------------------------|---------------------|--------|-------|
| T1120 | Bin Trolley (Blue) | 400 | 100 | 780 | 750x500 | 1200x740x780 | 25 | -\$448 | \$399 |
| T1125 | Bin Trolley (White) | 400 | 100 | 780 | 750x500 | 1200x740x780 | 25 | _\$448 | \$399 |

3 Tier Utility Carts Heavy duty plastic construction which resists dents, chips and rust Polypropylene handles with aluminium frames Sturdy and stable but lightweight making it easy to manoeuvre Rubber castors - 2 x swivel, 2 x swivel with brakes M1452 M1451

| Code | Description | Load Capacity (kg) | Castors (mm) | Shelf Size (mm) | Overall Size LxWxH (mm) | Unit Weight (kg) | Was | NOW |
|-------|---|-----------------------|-----------------|--------------------|----------------------------|---------------------|--------|-------|
| M1451 | 3 Tier Utility Service Trolley (Narrow) | 180 | 75 | 485x365 | 660x380x900 | 6 | _\$169 | \$158 |
| M1452 | 3 Tier Utility Service Trolley | 180 | 100 | 615x450 | 810x500x970 | 10 | _\$220 | \$199 |

3 Tier Service Cart Heavy duty plastic construction which resists dents, chips and rust Polypropylene handles with aluminium frames Sturdy and stable but lightweight making it easy to manoeuvre Lockable front doors Rubber castors - 2 x swivel. 2 x swivel with brakes Castors: 100mm Load Capacity: 250kg Shelf Size: 680x450mm Overall Size: 870x500x1010mm (LxWxH) Unit Weight: 17kg Now Only \$324 +GST ea Code: M1461



- Twin drawers with ball bearing sliders and quick return system
- Top drawer depth: 60mm
- Bottom drawer depth: 80mm
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Castors: 100mm
- Load Capacity: 250kg
- Shelf Size: 680x450mm
 - Overall Size: 870x500x950mm (LxWxH)
- Unit Weight: 20kg





Twin Offset Tub Order Picking Trolley

- Fully welded steel construction
- Powder coated finish
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Kit supplied with 2 x No. 10 Plastic Tubs
- Suits plastic tubs size No.7, 10, 15
- Castors:125mm
- Load Capacity: 250kg
- Overall Size: 1050x450x1300mm (LxWxH)
- Unit Weight: 15kkg
- Bin Colours Available: (please specify preferred colour when ordering)





Fully Welded Cage Trolley

- Fully welded steel construction
- Powder coated finish
- Drop down front which makes it easy for loading and unloading
- Mesh cage sides 50x50mm size mesh
- 25mm square tube fully welded frame
- Height to Top Rail: 860mm
- Height to Middle Rail: 535mm
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Castors: 125mm
- Load Capacity: 300kg
- Handle Height: 980mm
- Base Height: 175mm
- Internal Size: 850x550x670mm (LxWxH)
- Overall Size: 1090x630x980mm (LxWxH)
- Unit Weight: 33kg



2 Tier Picking Platform Trolley

- Rubber lined shelves to help stop items from sliding off when moving around
- Wire tool basket supplied as standard which is great for tool and scanner storage
- Fully welded steel construction
- Powder coated blue
- Basket Dimensions (LxWxH): 265x145x170mm
- Distance between Shelves: 655mm
- Rubber castors 2 x swivel,
- 2 x swivel with brakes
- Castors: 125mm
- Load Capacity: 500kg
- Handle Height: 1055mm Shelf Size: 910x610mm
- Shelf Height: 190 + 880mm
- Overall Size: 1080x610x1055mm (LxWxH)
- Unit Weight: 39kg





3 Tier Multi Shelf Trolleys

- 3 Tiered Multi Shelf Trolley is ideal for order picking and transporting goods in the workplace
- Suitable for use in retail and industrial applications
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Powder coated finish
- Available in Blue or White
- Overall Size (LxWxH): 1080x480x940mm
- Rubber castors 2 x swivel, 2 x swivel with brakes

M1661

- Load Capacity: 250kg
- Castors: 125mm



\$405

Tall Multi Shelf Trolley

- The multi tier shelf trolley is ideal for order picking and transporting goods in the workplace
- Suitable for use in retail and industrial applications
- Supplied standard with 3 shelves (extra shelves available)
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Powder coated white finish
- Overall Size (LxWxH): 980x585x1445mm
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Castors: 125mm
- Load Capacity: 250kg



Self Levelling Shelf Trolley

_\$508

_\$85

\$467

Now Only

\$698 +GST ea

Was \$785

Code: M1690

- This trolley has an innovative design in which the top platform automatically adjusts to maintain a safe working height as weight is added or taken off.
- Makes work operations faster, safer and more efficient by reducing manual exertion and bending.
- Ideal for use in supermarkets, liquor and hardware stores
- At 90kg, the platform is at the lowest position. Trolleys are nestable for compact storage
- Electro galvanised finish

White Trolley

Extra Shelf to Suit M1664

- Rubber castors 2 x swivel, 2 x swivel with brake
- Castors: 125mm

M1664

M1665

- Load Capacity: 300kg
- Handle Height: 995mm Height to Top Shelf: 810mm
- Distance Between Shelves: 610mm
- Overall Size: 960x525x1030mm (LxWxH)



Parcel Trolley with Removable Sides

- This Parcel Trolley is ideal for stock picking and transfering boxed products.
- Removable sides for ease of access to platform.
- Height of handle can be adjusted
- Electro galvanised finish with white laminate base
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Castors: 160mm
- Load Capacity: 300kg
- Overall Size: 1190x650x1025mm (LxWxH)
- Unit Weight: 36kg



Now Only

\$475 +GST ea

Was \$509



Nestable Basket Trolley

- The Nestable Basket Trolley is ideal for use in supermarkets,
 - liquor and hardware stores
- Top basket can be folded upwards so that multiple trolleys can be nested together when not in use
- Electro galvanised finish
- Rubber castors 2 x swivel, 2 x swivel with brake
- Castors: 125mm
- Load Capacity: 300kg
- Top Shelf Capacity: 100kg
- Handle Height: 1010mm
- Distance Between Shelves: 430mm
- Overall Size: 870x530x1010mm (LxWxH)



3 Tier Convertible Trolley

- The 3 Tier Convertible Trolley is one of a kind.
- It can be configured with over 6 combinations to suit multiple applications.
- The middle and top shelves are reversable, meaning you can have the smooth side up. If you require a tray, simply flip the shelf.
- These shelves can also be mounted flat,
- sloping forwards or backwards.
- The 3 tier trolley has quality castors for smooth as well as effortless moving, fitted with a foot release braking system.
- Mesh Size: 50x50mm
- Powder coated finish
- Rubber castors 2 x swivel, 2 x fixed castors
- Castors: 150mm
- Load Capacity: 500kg
- Handle Height: 960mm
- Shelf Size: 1140x490mm
- Base Shelf Height: 220mm
- Overall Size: 1240x490x1460mm (LxWxH)
- Unit Weight: 88kg





3 Tier Stainless Steel Utility Cart

These stainless steel trolleys are great for use in medical areas, food preparation, schools, laundrys etc where hygiene is important

- Rubber corner protectors as standard
- Middle shelf can be removed to make a 2 tier trolley
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Load Capacity: 150kg
- Handle Height: 960mm
- Shelf Size: 900x500mm
- Shelf Heights: 200 + 510 + 820mm
- Overall Size: 1010x560x960mm (LxWxH)
- Unit Weight: 15kg





X-Cart Trolley

- The X-Cart is a collapsible trolley that can be used for hundreds of applications.
- It can be completely collapsed by the push of a button on the handle The wheels are able to be removed by the push of a button and stored underneath for compact transport and storage.
- The X-Cart is supplied with one collapsible basket which will lock into place on either the top or bottom platform The top platform can be folded back to allow larger
 - items to be transported if required.

 Extra baskets are available for use on both platforms or up to 4 baskets can be stacked on the bottom platform.
- A robust foot pedal brake allows the X-Cart to be locked in position whilst loading or unloading.
- The injection moulded plastic and aluminium design means that whilst the X-Cart is lightweight it is still very robust and has a great carrying capacity.
- The basket fits foolscap suspension files, which is great for transporting documents throughout the office.
- The X-Cart can also be used with our standard No.7, No.10.No.15 tubs
- Includes extra basket to suit

Specifications

- Total Trolley Capacity: 75kg
- Top Shelf Capacity: 25kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 8.4kg
- Basket Weight: 1.8kg External Basket Size: 560x400x260mm (LxWxH)
- Internal Basket Size: 525x365x255mm (LxWxH) Now Only
- Handle Height: 1050mm

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm

View more details here, www.mha









Here

\$35 +GST ea

Was \$45

Code: T9050











View video of this in operation here www.mhaproducts.com.au/xcart







Service Cart

- Great for storing small parts and items neatly in the office
- Supplied with plastic tubs as pictured
- Plastic tubs are made from recycled plastic and are not suitable for food applications
- Integrated frame handles
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Castors: 75mm
- Load Capacity: 15kg
- Handle Height: 990mm
- Plastic Tub Size:
- 530x390x150mm (LxWxH)
- Overall Size:



3 Tier Utility Cart

- Heavy duty plastic construction which resists dents, chips and rust.
- Supplied standard with 2 removable buckets
- Small bucket size (LxWxH): 360x290x360mm
- Large bucket size (LxWxH): 360x290x560mm
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Castors: 100mm
- Load Capacity: 250kg
- Top Shelf Size Internal: 450x740mm
- Overall Size: 1395x520x975mm (LxWxH)

Unit Weight: 19kg



X Shape Laundry Cart

- Lightweight trolley which is great for carting linen or waste
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors 4 x swivel
- Castors: 100mm
- Load Capacity: 100kg
- Voulme Capacity 150L
- Overall Size: 620x620x995mm (LxWxH)



Compact Ride- On Electric Materials Handling Tug

The Liftex ride-on compact electric tug is the ultimate manual handling solution designed for good's transport for trolleys and anything that is difficult to push or pull around in the hospital, aged care and industrial warehouse environments.

The Liftex Materials Handling Electric Towing Tug is a ride-on unit that doesn't compromise its small size for a ride. Its compact size allows it to be effective in confined spaces, whilst being able to turn on its self. With a very low centre of gravity, the risk of tipping is greatly reduced. Its two front steer wheels create exceptional stability across many rough surfaces.

- Machine Length: 790mm
- Machine Width: 660mm
- Wheel Base: 620mm
- Platform Height: 170mm
- Overall Height: 1340mm
- Push Capacity: 1200kg Pull Capacity: 1500kg
- Range (km): Approx. 30-60km
- Unit Weight: 115kg









Walk Behind Electric Pallet Truck

- The economical option for an electric pallet truck avoid the strain of manually pushing a standard pallet truck.
- Wheel Type: Polyurethane
- Travel Speed (unloaded): 5.8 Km/h
- Electric Brake
- Battery: 24v, 80Ah
- Brushless AC motor
- Emergency stop button
- Load Capacity: 1500kg
- Min Fork Height: 85mm Fork Dimensions: 53x160x1150mm
- Overall Fork Width: 685mm
- Overall Size: 1578x685mm (LxW)
- Unit Weight: 230kg



Spring Scissor Lift Trolley (with centre wheel kit)

- Self-leveling, fully adjustable, weight sensitive
- Designed to maintain an ideal working height for assembly lines and loading / unloading operations
- Balance achieved by double springs fitted to the shock absorbers
- Simple to operate spring tension adjustment
- Centre wheel kit is ideal for movement in small spaces
- Polyurethane castors 2 x fixed centre, 4 x swivel with brakes
- Castors: 200mm
- Load Capacity: 500kg
- Swivel Castors: 100mm
- Table Size: 830x500mm
- Lifting Range: 360-770mm
- Unit Weight: 65kg

Now Only \$1,292 +GST ea

Code: M2075



Semi Auto Electric Fork Stacker

- These semi auto fork stackers are the ideal machine for any warehouse
- They are manual push and electric up/down with handle-chain assisted steering which greatly reduces operator labour intensity.
- They have adjustable fork tines & straddle legs which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.

Overall Height (with mast lowered): 2145mm


Overall Height (with mast extended): 3600mm Overall Length: 1835mm

- Overall Width: 1532mm (maximum)
- Tine Dimensions: 60x142x1070mm
- Ground Clearance: 40mm
- Wheel Type: Nylon
- Turning Radius: 1505mm
- Brake: Mechanical foot pedal









- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Durable powder coated finish
- Castors: LT8702, LT8703- 125mm, LT8708- 150mm



| Code | Description | Load Capacity (kg) | Table Size (mm) | Lifting range (mm) L | Jnit Weight (kg) | Was | NOW |
|--------|----------------|--------------------|-----------------|----------------------|------------------|--------|-------|
| LT8702 | Single Scissor | 300 | 850x500 | 340-900 | 77kg | _\$590 | \$525 |
| LT8703 | Single Scissor | 500 | 850x500 | 340-850 | 81kg | \$624 | \$558 |
| LT8708 | Single Scissor | 750 | 1000x510 | 435-1000 | 175kg | _\$847 | \$762 |

These units help take the strain out of loading and unloading items from raised levels.

The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.

Foot operated hydraulic operation

Lever release control

Safety overload bypass valve

Stepless rate of lowering regardless of load weight

Durable powder coated finish

Polyurethane castors - 2 x fixed, 2 x swivel with brakes

Castors: LT8704- 125mm. LT8707- 150mm





| Code | Description | Load Capacity (kg) | Table Size (mm) | Lifting range (mm) | Unit Weight (kg) | Was | NOW |
|--------|----------------|--------------------|-----------------|--------------------|------------------|---------|-------|
| LT8704 | Double Scissor | 350 | 910x500 | 380-1330 | 105 | _\$710 | \$639 |
| LT8707 | Double Scissor | 500 | 1010x520 | 440-1615 | 118 | \$1,089 | \$982 |

Now Only

\$697 +GST ea

Was \$798

Code: LT8712

Rough Terrain Scissor Lift Trolley

- Rough terrain scissor lift trolley is ideal for outdoor applications
- Foot Pedal Cycles to Max Height: 25
- Durable powder coated finish
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Castors: 200mm
- Load Capacity: 200kg
- Table Size: 1000x500mm



Spring Loaded Rotating Pallet Table

- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting.
- It proves highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different load capacities up to 2000 kg.
- Turntable allows the operator to rotate the load with minimal stretching and reaching.
- Supplied standard with PVC protection screen
- No ground fixing required
- Load Capacity: 2000kg
- Table Diameter: 1110mm
- Lifting Range: 230-705mm
- Base Frame Size: 935x915mm (LxW)
- Unit Weight: 160kg
- Powder coated finish

Now Only \$1,683 +GST ea Was 1,980 Code: 31031A



Super Low Profile Lift Tables



Electric Fork/ Platform Stacker

- Electric hydraulic lift
- Battery: 12v 80Ah
- Comes with a removable platform and has 2 adjustable fork tines under platform for lifting skids and pallets
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Load Capacity: 400kg Rear Castors: 125mm
- Front Castors: 75mm
- Platform Size: 660x580mm
- Fork Length: 650mm
- Lifting Range: 80-1500mm
- Overall Size: 1040x590x1710mm (LxWxH)
- Unit Weight: 120kg









Electric controls to raise and lower unit

Aluminium Lift Assist Devices

- These aluminium lifters are great for assisting in the lifting, positioning and installation of goods at height
- Ideal for lifting items into ceiling spaces or handling machine parts at height
- All units fold for easy storage and transport
- Manual hand winch control with automatic braking action
- Fits through standard doorways
- Quick set up requires no tools
- Legs fold up for easy storage
- Stowed Height: 2000mm
- Width: 750mm (AT503 & AT504 have a straddle attachment which makes it 1880mm wide in operation)
- Ground Clearance: 50mm
- Minimum Height: 150mm
- Arm Length: 800mm

| Code | Description | Load Capacity (kg) | Operating Length (mm) | Max Height (mm) | Unit Weight (kg) | Was | NOW |
|-------|----------------|--------------------|-----------------------|-----------------|------------------|----------------------|---------|
| AT501 | Single Scissor | 250 | 1500 | 3500 | 120kg | -\$2,448 | \$2,151 |
| AT503 | Single Scissor | 200 | 2080 | 6500 | 185kg | -\$3,520 | \$2,998 |
| AT504 | Single Scissor | 200 | 2080 | 7900 | 205kg | _\$ 3,995 | \$3,414 |

Galvanised Pallet Truck

Ideal for the food, chemical and



1000KG Hi-Lift Pallet Trucks (manual)

Price Each

- Great for lifting skids and pallets with no bottom rail
- Extremely easy to pump and light weight
- Quick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Automatic descending speed control, regardless of load
- Front support legs and adjustable stabilisers ensure maximum stability
 - Heavy duty design
- Conforms to EN 1757-4
- Not suitable for closed pallets with a bottom rail
- Stainless steel version available
- Load Capacity: 1000kg
- Length: 1150mm
- Width: 680mm
- Min. Fork Height: 85mm
- Max. Fork Height: 800mm
- Tine Size: 50x160mm
- Lifting Range: 85-1000mm Unit Weight: 125kg



1000KG Hi-Lift Pallet Trucks (Electric)

Great for lifting skids and pallets Now Only with no bottom rail Quick-lift as standard with automatic \$2,454 +GST ea transfer to normal Was \$2,789 lifting loads over 150kg Automatic descending speed control, Code: PT9333 regardless of load Front support legs and adjustable stabilisers ensure maximum stability Heavy duty design Conforms to EN 1757-4 Not suitable for closed pallets with a bottom rail Battery: 12v, 54Ah Stainless steel version available Load Capacity: 1000kg Dimensions: 1150x680mm (LxW) Min. Fork Height: 85mm Max. Fork Height: 800mm

Slip-on Roll Forklift Prong

Slip-on Roll Prong suitable for fabric, cable and coil products. Can also be used for carpet handling, but usage is generally restricted to larger forklifts due to the extended load centre created by the length of the tines. These attachments quickly adapt to almost any forklift and require only the connection of a safety chain to prevent unintentional disengagement.

- Prongs are manufactured from solid steel
- Finish: Zinc Plated
- The safe working load (SWL) is measured at 1400mm load centre
- SWL: 510kg
- Prong Diameter: 70mm
- Length: 2800mm
- Fork Pocket Size: 190x65mm
- Fork Centres: 345mm
- HCG: 845mm
- Unit Weight: 163kg

Now Only \$1,744 +GST ed WGS \$1,990 Code: F2992

The Edge - Electric Pallet Truck

- The function of driving with the handle in the vertical position helps when working in confined areas and with a short body length of only 380mm makes the truck extremely compact and ideal for use in retail stores, elevators and delivery vehicles.
- The handle of the truck is supported by an air spring and the handle returns to its vertical position smoothly.
- Strong and compact structure ensures extreme durability but with an overall unit weight of only 123kg
- The Edge pallet truck comes standard with a built in security function where
 a pin can be set and the pallet truck can only be used once the pin is entered
 making it ideal for use in retail stores only giving authorised staff members
 use of the machine.
- Emergency stop button with a horn and reverse signals
- Electric drive and electric lifting and lowering of the pallet.
- The Edge is equipped with a maintenance-free 24V/24Ah Lithium battery
 with optional different capacities for various applications; with its fast
 charging feature the Edge works as easy as a hand pallet truck and virtually
 maintenance free. The battery weighs only 4.6kgs making it ideal for quick
 battery change over so there is no downtime with charging.
- Load Capacity: 1500kg
- Tine Size: 60x142x1070mm

Tine Size: 50x160mm Lifting Range: 85-800mm

Unit Weight: 160kg


- Length of Tines: 1185mm
- Overall Size: 1530x685mm (LxW)
- Lowered Height: 80mm
- Unit Weight:123kg
- Additional batteries available to purchase (SA721B)











4.5 Tonne Fixed Short Jib SWL: 4500kg Now Only Finish: Zinc plated \$1,075 +GST ea 4 jib positions Overall Dimensions (closed): Was \$1,195 1270x490x250mm (LxWxH) Jib Length When Closed: 1250mm Code: JS4500 Jib Length When Extended:1900mm Fork Pocket Size: 185x65mm Fork Pocket Centres: 290mm Unit Weight: 95kg SAFE WORKING LOADS (SWL) PER POSITION POSITION EXTENSION (mm) 670 1165 1545 1925 SWL (kg)

4.5 Tonne Fixed Long Jib

- Safe Working Load: 4500kg
 Finish: Zinc plated
- Fillisti. Ziric piatec
- 6 jib positions
- Overall Dimensions (closed): 2040x490x250mm (LxWxH)
- SWL: 4500kg
- Jib Length When Closed: 2000mm
- Jib Length When Extended: 3500mm
- Fork Pocket Size: 185x65mm
 Fork Pocket Centres: 290mm
- Unit Weight: 140kg





Now Only

\$1,505 +GST ea

| SAFE WORKING LOADS (SWL) PER POSITION | | | | | | | | |
|---------------------------------------|------|------|------|------|------|------|--|--|
| POSITION | 1 | 2 | 3 | 4 | 5 | 6 | | |
| EXTENSION (mm) | 870 | 1945 | 2325 | 2705 | 3085 | 3465 | | |
| SWL (kg) | 4500 | 1300 | 750 | 560 | 380 | 200 | | |

Fork Extension Slippers/ Tines (Powdercoated)

- Fork slippers extend the versatility of your lift truck
- The safe working load (SWL) is measured per pair at 600mm load centre
- Slippers conform to relevant Australian Standards
- SWL: 1814kg





| Code | Length (mm) | Internal Tine Size (mm) | External Tine Size (mm) | HGC (mm) | Weight Per Pair (kg) | Was | NOW |
|-------|-------------|-------------------------|-------------------------|----------|----------------------|--------|-------|
| F2933 | 1524 | 140x50 | 155x60 | 685 | 49 | _\$342 | \$304 |
| F2932 | 1830 | 140x50 | 155x60 | 825 | 55 | \$455 | \$409 |
| F2931 | 2435 | 140x50 | 155x60 | 1095 | 79 | _\$480 | \$432 |

Fork Extension Slippers/ Tines (Galvanised)



Price Each

| Code | SWL(kg) | Length (mm) | Internal Tine Size (mm) | External Tine Size (mm) | HGC (mm) | Weight Per Pair (kg) | Was | NOW |
|-------|---------|-------------|-------------------------|-------------------------|----------|----------------------|-------------------|--------|
| F2936 | 4500 | 1800 | 140x55 | 160x65 | 845 | 66kg | \$553 | \$497 |
| F2938 | 8000 | 1800 | 160x80 | 195x94 | 830 | 133kg | -\$995 | \$895 |
| F2939 | 8000 | 2400 | 160x80 | 195x94 | 1135 | 177kg | \$1235 | \$1108 |
| F2940 | 8000 | 3000 | 160x80 | 195x94 | 1435 | 221kg | \$1410 | \$1264 |

4.5 Tonne Long Tilting Jib

This 4500kg long tilting jib is the most versatile jib in our range and allows for additional height of

- SWL chart is show in table
- Finish: Zinc plated
- 6 jib positions
- Overall Dimensions (closed): 2100x520x650mm (LxWxH)
- SWL: 4500kg
- Jib Length When Closed: 2100mm
- Jib Length When Extended: 3530mm
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 322mm
- Unit Weight: 190kg

| SAFE WORKING LOADS (SWL) PER POSITION | | | | | | | | | |
|---------------------------------------|------------------------------------|------|------|------|------|------|--|--|--|
| POSITION | 1 | 2 | 3 | 4 | 5 | 6 | | | |
| EXTENSION (mm) | 770 | 2010 | 2390 | 2770 | 3150 | 3530 | | | |
| SWL (kg) | SWL (kg) 4500 1100 630 470 300 150 | | | | | | | | |






2.0 Tonne Hook & Tow Jib Attachment

Code: HJ2005

This 2000kg hook & tow jib is suitable for most forklifts and is a simple slip-on attachment with safety chain and swivel hook as pictured.

- Safe Working Load: 2000kg at 1160mm load centre
- Finish: Zinc plated
- Maximum weight on towball must not exceed 500kg
- Hook jib has 2 lifting positions
- Overall Dimensions: 1410x420x140mm (LxWxH)
- SWL: 2000kg
- Jib Length When Closed: 2000mm
- Jib Length When Extended: 3500mm
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 250mm
- Fork Pocket Length: 1220mm
- Unit Weight: 45kg





2000KG Automatic Pallet Hook

The automatic pallet hook, type PH2908, is self-levelling for ease of operation. An internal spring mechanism ensures the lifting eye is in the correct position to keep the tines horizontal, eliminating the need to reposition the lifting ring.

Enclosed frame members protect the operator from moving parts.

The Pallet Hook has been designed & certified in accordance with relevant Australian Standards

- Clearance is the minimum distance between tines and head
- Finish: Zinc plated
- SWL: 2000kg
- Load Centre: 600mm
- Adjustable Tine Size: 100x45x1055mm
- Clearance: 1355mm
- Unit Weight: 196kg





Steel and Plastic Drum Lifter and Rotator

- This drum lifter can pickup and rotate drums with ease
- Manual foot or handle hydraulic pump for lifting
- Worm drive handle for drum tilting
- Load Capacity: 450kg
- Lifting Height: 1500mm
- Leg Length: 770mm
- Distance Between legs: 630mm
- Overall Size: 1400x1000x2100mm (LxWxH)
- Unit Weight: 190kg







Drum Tipper / Dumper

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Rotational ability 180 degrees
- Working Load Limit: 500kg
- Load Centre: 1000mm
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 840mm
- Overall Size: 1400x1040x600mm (LxWxH)
- Unit Weight: 85kg









Fully Electric Drum Stacker & Rotator



7 Tonne Capacity Folding Container Ramp





- Manufactured to meet relevant Australian Standards
- Zinc plated finish
- Designed to carry 2 persons (250kg max)
- Mesh safety screen
- Toe boards all sides with skid resistant floor plate
- Inward opening, self closing door
- Internal handrail with safety loops to hook safety harness
- Full length fork sleeves
- Castors can be fitted to the bottom of cage for easy manoeuvrability in warehouse or yard
- Fork Pocket Size: 160x60mm Fork Pocket Centres: 640mm
- Supplied as flatpack for easy storage and transporthowever can be ordered with assembly
- Internal Floor Dimensions: 1000x1100mm
- Overall Height: 2000mm
- Height to Railing: 1000mm
- Unit Weight: 134kg



Now Only








Code: FCASS

8 Tonne Heavy Duty Container Ramp (Extra Long)



2 & 4 Drum Bunded Pallets

- Heavy duty bunded pallets made from polyethylene
- Available in 2 sizes (2 drum and 4 drum)
- Removable grate
- Easy forklift and pallet truck entry
- 100% Australian made
- Corrosion Resistant
- Ample containment capacity to meet all relevant regulations
- Nestable for easy transport





Price Each


| Code | Drum Capacity (L) | Overall Size WxDxH (mm) | Bund Capacity (L) | Unit Weight (kg) | Was | NOW |
|--------|-------------------|-------------------------|-------------------|------------------|--------|-------|
| SB3101 | 2 | 1275x815x400 | 230 | 23 | _\$464 | \$415 |
| SB3102 | 4 | 1275x1275x310 | 230 | 33 | -\$578 | \$512 |

Lockable Gas Storage Cage

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with cranelifting lugs and fork pockets underneath
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Full metal roof which provides weather protection
- Finish: Zinc plated
- Lockable door
- Safe Working Load: 2000KG
- Fork Pocket Size: 165x65mm
- Overall Size: 1060x10601800mm (WxDxH)
- Unit Weight: 180kg









Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Power coated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety
- Designed to comply with relevant Australian Standards
- AS8043 Distance between shelves: 880mm











| Price | Each |
|-------|------|
| | |

| Code | LPG Cylinder Capacity | Internal Size (mm) | External Size (mm) | Unit Weight (kg) | Was | NOW |
|--------|-----------------------|--------------------|--------------------|------------------|--------|--------|
| AS8040 | 2 | 780x710x395 | 960x730x430 | 35 | \$765 | \$680 |
| AS8041 | 4 | 790x720x695 | 990x730x740 | 65 | -\$995 | \$875 |
| AS8042 | 6 | 840x1030x675 | 1005x1090x740 | 95 | \$1824 | \$1576 |
| AS8043 | 12 | 1790x1030x675 | 1950x1090x740 | 182 | \$1915 | \$1685 |

Aerosol Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Power coated green
- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards









| Price Each |
|------------|
|------------|

| Code | Can Storage Capacity | Internal Size HxWxD (mm) | External Size WxDxH (mm) | Distance Between shelves | Unit Weight (kg) | Was | NOW |
|--------|----------------------|--------------------------|--------------------------|--------------------------|------------------|---------------------|--------|
| AS8053 | 216 | 800x1645x365 | 900x1655x400 | 250mm | 67 | -\$138 2 | \$1189 |
| AS8054 | 216 | 1715x840x360 | 1800x850x400 | 325mm | 67 | \$1382 | \$1189 |
| AS8055 | 432 | 1715x1650x360 | 1800x1655x400 | 325mm | 131 | _\$2103 | \$1850 |

Flammable Liquid Safety Cabinets

- High quality construction using zinc coated steel sheeting
- Powder coat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Adjustable and removable shelves





4L Drums Capacity: 24 20L Drums Capacity: 3 Number of Shelves: 2



Price Each

DG8160 4L Drums Capacity: 40 20L Drums Capacity: 6 Number of Shelves: 2



| Code | Storage Capacity (L) | Internal Size HxWxD (mm) | External Size WxDxH (mm) | Unit Weight (kg) | Was | NOW |
|--------|----------------------|--------------------------|--------------------------|------------------|---------|--------|
| DG8100 | 100 | 715x825x525 | 800x920x620 | 65 | _\$1385 | \$1218 |
| DG8160 | 160 | 1030x1010x370 | 1300x1100x470 | 78 | \$1470 | \$1293 |

240 Litre Plastic Wheelie Bins

Now Only

Was \$119

\$105 +GST ed

- Wheelie bins available in 2 standard sizes and 4 colours
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays
- Bin Capacity: 240L
- Overall Size: 580x730x1080mm (WxDxH)
- Unit Weight: 13kg
- Colours available: Red and Blue

* Please specify your preferred bin and lid colour when placing your order



400L Steel Waste Trolley

- The waste trolley is an ideal device for collecting and moving waste and scrap parts
- Perfect for collecting waste from production lines and engineering workshops
- Powder coated finish
- Pneumatic Wheels: 400mm diameter



1500kg Capacity Tipping Bins (with release mechanism)

- These heavy duty tipping bins are ideal for heavy waste including metal, timber and building site rubble
- The tipping release mechanism is activated by the forklift operator pulling the pull cord from the drivers seat - the custom built shock absorber prevents impact forces being transmitted to the forklift when emptying
- Available in 5 standard sizes
- Fitted with removable drain plug
- Optional wheels available
- Finish: Zinc plated





Price Each

| Code | SWL (kg) | Bin Capacity | Fork Pocket Size (mm) | Fork Pocket Centres (mm) | Overall Size WxLxH (mm) | Unit Weight (kg) | Was | NOW |
|--------|----------|--------------|-----------------------|--------------------------|-------------------------|------------------|----------------------|--------|
| WB2952 | 1500 | 590 | 185x70 | 695 | 1150x1807x555 | 165 | _\$1 8 60 | \$1488 |
| WB2953 | 1500 | 1100 | 185x70 | 695 | 1150x1807x905 | 215 | \$2290 | \$1832 |
| WB2954 | 1500 | 2100 | 185x70 | 695 | 1986x1807x905 | 275 | _\$2860 | \$2288 |

Self Dumping 1500kg Capacity Tipping Bins

- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Optional wheel kit available
- Zinc plated finish





| Price E | ach |
|---------|-----|
|---------|-----|

| Code | SWL (kg) | Bin Capacity | Fork Pocket Size (mm) | Fork Pocket Centres (mm) | Overall Size WxLxH (mm) | Unit Weight (kg) | Was | NOW |
|--------|--------------|-------------------|-----------------------|--------------------------|-------------------------|------------------|---------------------|--------|
| WB2920 | 1500 | 950 | 185x75 | 380 | 1150x1570x1010 | 180 | _\$ 1387 | \$1235 |
| WB2921 | 1500 | 1250 | 185x75 | 680 | 1310x1570x1010 | 205 | _\$1535 | \$1366 |
| WB2922 | 1500 | 1850 | 185x75 | 680 | 1910x1570x1010 | 245 | \$1940 | \$1726 |
| WB29K | Wheel Kit to | suit Tipping Bins | | | | | _\$305 | \$235 |





168 Litre Round Plastic Waste Bin (flat lid)

- Plastic construction will not rust, chip or peel, resists dents.
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids allow for secure, stable stacking
- Built-in handles allow easy, non-slip lifting
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- Quick and easy twist on, twist off dolly available to suit
- The dolly raises the bin overall height by 130mm
- Lid supplied with bin
- Colour: Grey
- Bin Capacity: 168L
- Overall Diameter: 710mm
- Dimensions: 710mm dia, 800mm high
- Unit Weight: 7kg





70L Garbage Bins

- Small waste bins with four swivel castors
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV Rays
- Available in four colours: Yellow, Blue, Grey and Green



| | | | | | | Price Ea | ach |
|--------|-------------------------|--------------|------------------|--------------------------|------------------|----------|------|
| Code | Details | Castors (mm) | Bin Capacity (L) | Overall Size: WxDxH (mm) | Unit Weight (kg) | Was | NOW |
| WB70Y | 70L Garbage Bin- Yellow | 50 | 70 | 450x440x680 | 5 | -\$98 | \$86 |
| WB70B | 70L Garbage Bin- Blue | 50 | 70 | 450x440x680 | 5 | \$98 | \$86 |
| WB70GY | 70L Garbage Bin- Grey | 50 | 70 | 450x440x680 | 5 | _\$98 | \$86 |
| WB70G | 70L Garbage Bin- Green | 50 | 70 | 450x440x680 | 5 | -\$98 | \$86 |

Louvre Panel Trolleys

- Strong metal panel trolleys which are ideal for storing either Stor-Pak Bins or tools on hooks
- Fitted with 4 swivel castors (2 with brakes)
- Powder coated grey colour
- Wheels can be removed to make fixed shelving if required
- Stor-Pak Bins and panel hooks are sold separately
- Overall Size: 980x600x1540mm (LxWxH)
- Unit Weight: 60kg

10730K- Louvre Panel Trolley Kit (with Stor-Pak Bins as listed below)

- 16 x No. 5 Stor-Pak Bins (Blue)
- 16 x No. 5 Stor-Pak Bins (Yellow)
- 16 x No. 10 Stor-Pak Bins (Red)
- 16 x No. 10 Stor-Pak Bins (Green)
- 12 x No. 25 Stor-Pak Bins (Yellow)
- 8 x No. 60 Stor-Pak Bins (Blue)
- 8 x No. 60 Stor-Pak Bins (Red)
- 4 x No. 120 Stor-Pak Bins (Green)






Industrial Cabinet with 2 Drawers

- Storage cabinet is ideal for workshop and industrial applications
- Pegboard, drawer and cupboard storage spaces guarantee various sized tools and equipment can be stored efficiently
- Metal pegboard to neatly arrange tools and equipment for easy access
- Sliding drawers with smooth operation bearings allow smaller parts to be organised. Drawers also have adjustable dividers.
- 2 door lockable cabinet with 1 adjustable shelf
- Shelf Capacity: 100kg
- Drawer Capacity: 75kg
- Bench Height: 1010mm
- Bench Size: 875x555mmPegboard Size: 870x500mm
- Overall Size: 900x585x1515mm (WxDxH)
- Unit Weight: 90kg



Lockable cabinet.

2 x 75mm high lockable drawers







10 Drawer Industrial Tool Cabinet

- Heavy duty tooling cabinets for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be
 opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers
- Drawer 1 to 9 100mm high
- Drawer 10 200mm high
- Individual Drawer Capacity: 100kg
- Overall Size: 881x653x1200mm (WxDxH)
- Unit Weight: 160kg





7 Drawer Industrial Tooling Cabinet

- Heavy duty tooling cabinets for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers
- Drawer 1 to 6 150mm high
- Drawer 7 200mm high
- Individual Drawer Capacity: 100kg Overall Size: 881x6531200mm (WxDxH)
- Unit Weight: 135kg










Storage Cabinet/ Workstation

- Heavy duty storage cabinet with bench and pegboard back panel
- Striped vinyl mat workbench
- Hooks can be applied to perforated boards
- 6 lockable drawers and cupboard with adjustable shelves
- Roller bearing drawer runners
- Accessories not included
- Fully lockable
- 2 adjustable shelves inside cabinet (shelf capacity: 100kg)
- Pegboard Hole Centres: 38mm
- Internal Drawer Size: 370x355x100mm (LxWxH)
- Bench Height: 890mm
- Bench Size: 895x420mm
- Back Panel Height: 900mm
- Overall Size: 905x455x1790mm (WxDxH)
- Unit Weight: 76kg





Was \$1,465

Code: C7235





Heavy Duty Industrial Workbench - 1800mm long

- Heavy duty steel industrial workbenches which are ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- 40mm thick laminated wooden top
- Comes standard with adjustable feet for levelling on uneven floors and an optional lockable castor kit is available if required
- Finish: Powder coated light grey

*Image shown with optional back panel kit, code B8102 and optional drawer unit B8103











Heavy Duty Parts Cabinet (30 part trays)

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside
- Parts trays have a raised back lip
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- Parts Bin Capacity: 10kg
- Plastic Parts Bin Size: 415x170x105mm (LxWxH)
- Overall Size: 900x420x880mm (WxDxH)
- Unit Weight: 51kg









Heavy Duty Parts Cabinet (60 part trays)

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside.
- Parts trays have a raised back lip
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- Parts Bin Capacity: 10kg
- Plastic Parts Bins Size: 415x170x105mm (LxWxH)
- Overall Size: 900x420x1760mm (WxDxH)
- Unit Weight: 110kg



Pallet Racking Column Guards

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts.
- No matter how good your forklift drivers are, there will always be some time when an accident or mistake
 - happens when they crash into the pallet racking.
- You can avoid major injuries and pallet rack damage by installing these protection guards.
- Damage and failure not only causes serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.
- Conforms to relevant Australian Standards



Manual Push Floor Sweeping Machine

- Ideal for sweeping factory floors, carparks, footpaths, entry ways etc
- Independent rolling brushes prevent waste fallback
- Sweeper works by simply being pushed along which activates the roller and brushes
- Waste is picked up by the the roller and brushes and pushed into the waste container located under the main cover
- Waste container is removable allowing for easy tipping into another bin
- Waste Container Capacity: 40L
- Cleaning Width: 920mm



5 Metre Double Expanding Barrier

- Made from powder coated steel, aluminium and high-tech plastics
- Colour: Black/Yellow
- Rubber castors 6 x swivel with brakes
- Castors: 50mm
- Base Width: 305mm
- Collapsed Size: 540x1030mm (LxH)
- Expanded Size: 5000x1030mm (LxH) Height with Castors: 1030mm
- Height without castors: 970mm
- Unit 11kg






3 Metre Expanding Barrier

- Made from powder coated steel, aluminium and high-tech plastics
- Colour: Black/Yellow
- Compact design
- Rubber castors 4 x swivel with brakes
- Castors: 50mm
- Base Width: 305mm
- Collapsed Size: 350x1030mm (LxH)
- Expanded Size: 3000x1030mm (LxH)
- Height wth castors: 1030mm
- Height without castors: 970mm
- Unit Weight: 6kg





7.1 Metre Expanding Barrier

- Made from powder coated steel and aluminium
- Colour: Black
- Rubber castors 8 x swivel with brakes
- Castors: 75mm
- Base Width: 460mm
- Collapsed Size: 560x2050mm (LxH)
- Expanded Size: 7100x1930mm (LxH)
- Barrier Tube Size: 20x20mm
- Post Size: 40x40mm
- Unit Weight: 36kg







Safety Bollards

- Ideal for protecting expensive equipment and racking from possible
- Great for protecting edges of roller doors from truck damage
- Size: 915x115mm (HxD)
- Bolt Size: 22mm

Base Plate Size: 255x255x10mm



Safety Bollards (concrete fillable)

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- The 1200mm high bollards (AB8704 & AB8705) can be concrete filled
- Size: 1200x165mm (HxD)
- Bolt Hole Size: 17mm

Base Plate Size: 280x280x10mm Wall Thickness: 3mm





AB8704

Mesh Stillage Transport Storage Cage

- Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Drop down removable front gate
- Rear gate hinges open for easy access to cage
- Cages can be stacked 3 high when loaded and 5 high unloaded
- Finish: Zinc plated
- Base to the top of the front gate when folded Is 390mm (internally)
- Base to the top of the front and back gates is 780mm (internally)
- Load Capacity: 1000kg
- Base Height: 130mm
- Internal Size: 1100x1065x870mm (LxWxH)
- Overall Size: 1210x1150x1040mm (LxWxH)
- Unit Weiaht: 80ka











These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse.



Can be safely stacked 3 high when in use

Finish: Zinc plated

Base Material Size: RHS 30x60x1.8mm

Post Size: 60x2.5mm

Cupped feet add an additional 100mm to the external size (50mm per side)

Clearance between ground and bottom frame is 110mm

Clearance between stillages when stacked is 1545mm

Load Capacity: 1000kg

Post Height from Top of Base: 1490mm

Internal Size: 1250x1250x1490mm (LxWxH) External Size: 1390x1390x1655mm (LxWxH)

Base Height: 170mm

Unit Weight: 54kg



Poles slide into base for quick setup





Double Width Transport Storage Cage

- Front and rear gates half fold down and are fully removable, allowing safe, easy and fast access to goods
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Collapse/Assemble in seconds
- Lockable lids & weather covers are available
- 4 Way forklift access & pallet truck entry
- Anti-tip base design
- Half fold down & Fully removable front and rear gates
- Zinc plated finish
- Stackable 4 high
- Collapsed height: 320mm
- Load Capacity: 1050kg
- Internal Size: 2100x1085x810mm (LxWxH)
- Overall Size: 2200x1160x1055mm (LxWxH)
- Unit Weight: 125kg







- These mesh cages are an excellent form of warehouse storage.
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage mesh cages may be stacked higher than a normal mesh cage due to the stillage posts.
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage
- Powder coated frames with gal mesh sides
- Forklift access from front and sides
- Solid steel floor
- Can be collapsed for storage
- Can be safely stacked 5 high when in use
- Load Capacity: 1000kg







Wet & Dry Vacuum Cleaners



- Portable on wheel base with push handle
- Complete with all accessories



Motor (W) L/Second Hose Length (mm) Cable Length mm) Height (mm) Unit Weight (kg) Was Code \$259 M3000 1200 53 2500 7200 720 11 \$295 M7000 2000 106 2500 7200 980 24 _\$385 \$329

Heavy Duty Longspan Parts Shelving

MDF Timber Shelves

- This heavy duty longspan shelving system is a strong and versatile shelving system, which is similar to pallet racking just in a smaller profile, which is great for storing small parts and archives.
- This system is supplied standard with 9 adjustable shelves with 16mm MDF shelves
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
- Shelf Capacity: 400kg per shelf (evenly distributed)
- Longspan Bay Height: 1800mm
- Longspan Bay Width: 1200mm
- Longspan Bay Depth: 450mm
- Supplied complete with;
 20 parts trays IH-025 (400x200x100mm LxWxH)

20 parts trays IH-025 (400x200x100mm LxWxH) 44 parts trays IH-017 (400x100x100mm LxWxH)









Price Each

| Code | Description | Was | NOW |
|--------------|---|--------|-------|
| LS1200P/450 | Longspan Parts Shelving Kit | \$1278 | \$995 |
| LS1200P/450A | Longspan Parts Shelving Kit- Add on Bay | \$1221 | \$952 |

Heavy Duty Longspan Shelving Sets

- This heavy duty longspan shelving system is a strong and versatile shelving system, which is similar to pallet racking just in a smaller profile, which is great for storing small parts and archives.
- This system is supplied standard with 9 adjustable shelves with 16mm MDF shelves
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
- Shelf Capacity: 400kg per shelf (evenly distributed)
- Longspan Bay Height: 1800mm
- Longspan Bay Width: 1200mm
- Longspan Bay Depth: 450mm and 600mm available





Price Each

| Code | Details | Was | Now |
|-------------|---|---------|-------|
| LS1200/450 | Longspan Shelving Set 1800x1200x450mm | _\$345 | \$293 |
| LS1200/450A | Longspan Shelving Set 1800x1200x450mm- Add on Bay | \$283 | \$238 |
| LS1200/600 | Longspan Shelving Set 1800x1200x600mm | _\$369- | \$312 |
| LS1200/600A | Longspan Shelving Set 1800x1200x600mm- Add on Bay | \$295 | \$249 |





PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

3 Digit Security Code:

Sydney

Tel: (02) 8865 1800 Fax: (02) 8865 1830 Magnetic new@mhaproducts.com.au Melbourne

Tel: (03) 9115 9100 Fax: (03) 9115 9150 ✓ vic@mhaproducts.com.au **Brisbane**

Tel: (07) 3558 9700 Fax: (07) 3558 9750 ■ qld@mhaproducts.com.au

| Your Company Details | | Please photocopy for future use |
|---|-------------------------------------|--|
| Company Name: | | |
| Invoice Address: | | |
| Delivery Address: | | |
| ABN: | Tel: () | Fax: () |
| Contact Name: | Position: | |
| Contact Email: | Accounts Email: | |
| | | |
| | | |
| Code Desc | прион | Qty Unit price Total price |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| reight Charges | I | Sub Total |
| Please check our website | Obtain freight quote or charge to m | ny freight account Please tick if required |
| www.mhaproducts.com.au for correct freight cost | Charge to my freight account. | Freight = |
| to your postcode, otherwise please tick 'obtain freight quote' and place your order using | (please list details below) | GST |
| this form and we will contact you to confirm | | |
| freight cost before processing your order. | | Total (inc GST) |
| Payment Options (Please tick) | | Order form 2020 |
| Please email invoice for payment by direct de | eposit http://www.anstant.30.Day | We accept VISA, MASTERCARD & AMEX (no surcharge) |
| Please invoice on my 30 day account | account for government | MasterCard VISA AMERICAN BORRESS |
| Please invoice on my 14 day account | Australian Government orders | |
| ☐ Please charge to credit card☐ VISA☐ MASTERCARD☐ AMEX | Card Holder's Signature | |
| Card Holder's Full Name: | | Card Expiry Date: |













































