# MHA's

# POPULAR PRODUCTS

MATERIALS HANDLING EQUIPMENT
OVER 3000 PRODUCTS ONLINE

www.mhaproducts.com.au



PRODUCTS

Order Online www.mhaproducts.com.au

**1800 750 900** 

# Haven't bought from MHA before?



Contact us for a copy of our full catalogue or download a copy here, www.mhaproducts.com.au/catalogue



#### **Sydney Office**

1 Fairview Place, Marsden Park NSW 2765 Tel: 02 8865 1800 ✓ nsw@mhaproducts.com.au

#### **Melbourne Office**

41 Derrimut Drive, Derrimut VIC 3030 Tel: 03 9115 9100 ✓ vic@mhaproducts.com.au

#### **Brisbane Office**

161 Railway Parade Thorneside QLD 4158 Tel: 07 3558 9700

✓ qld@mhaproducts.com.au

# ....we've made it easy for you.

Simply fill out the priority order form inside the back cover and fax or email it to us. Alternatively you can place your order online at

www.mhaproducts.com.au



# **Heavy Duty Goods Trolley with Shelf**

An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use. Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.

Unit is powder coat finished, and fitted with 4 x 150mm diameter swivel wheels for easy manoeuverability. Front wheels fitted with brakes for security.

- Load Capacity: 500kgs
- Overall Height: 1700mm (including wheels)
- Overall Depth: 800mm
- Overall Width: 1100mm
- Clear Internal Dimensions: 1030mm wide x 750mm deep
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 650mm









# Order Picking Trolleys

- Welded steel construction
- Powder coat finish
- Non-marking swivel castors
- Capacity: 250kgs

#### T3090K - Single Tub

- Overall Dimensions: 710x420x960mm (LxWxH)
- Supplied with 1x Red No. 10 Tub and Clipboard

#### T3094K - Twin Offset

- Overall Dimensions: 900x420x910 (LxWxH)
- Supplied with 2x Red No. 10 Tubs and Clipboard

Code	Description	PRICE EACH
T3090K	Single Tub Order Picking Trolley	\$370.50
T3094K	Twin Offset Tub Order Picking Trolley	\$544.00



#### **Heavy Duty Steel Platform Trolley**

- Extra large heavy duty steel platform trolleys are ideal for demanding warehouse uses
- Heavy duty polyurethane castors (comes standard with front fixed and back swivel)
- Fully welded steel construction
- Supplied with one handle
- Powdercoated Blue
- Handle Height: 980mm
- Platform Size: 600x1100mm (WxL)
- Platform Height: 210mm
- Capacity: 500kgs



# 2 Tier Picking Trolley

\$675

- 2 Tier Trolley with Rubber Mat and Basket are ideal for warehouse use
- Rubber lined shelves to help stop items from sliding off when moving around
- Wire tool basket supplied as standard which is great for tool and scanner storage
- Fully welded steel construction with powder coated blue finish
- Supplied standard with 4 swivel castors 2 with brakes
- Overall Dimensions (LxWxH): 1080x610x1055mm Basket Dimensions (LxWxH): 265x145x170
- Distance between Shelves: 655mm
- Platform Size (LxW): 910x610mm



#### 3 Tier Stainless Steel Utility Cart

These stainless steel trolleys are great for use in medical areas, food preparation, schools, laundrys etc where hygiene is important.

\$387

+ GST ea

- 304 grade stainless steel
- Load Capacity: 150kg
- Rubber corner protectors as standard
- Supplied with 4 swivel castors and 2 are lockable
- Castor Size: 100mm
- Tray Size: 900x500mm (LxW)
- Overall Size: 10010x550x960mm (LxWxH)
- Handle Height: 960mm
- Shelf Heights: 200 + 510 + 820mm



#### 350L Waste Collection Trolley

- Great for use in warehouses and on sites, for general waste and rubbish
- 2 front wheels and 1 rear wheel for easy wheeling throughout the workplace
- Pull handle which releases the bin forward
- Safe Working Load: 350kg
- Unit Weight: 72kg
- Bin Dimensions (LxWxH): 1350x850x1040mm
- Bin Capacity: 350L
- Rear Wheel Size: 125mm Front Wheel Size: 340mm



**ERDEX** 



- Heavy duty plastic construction which resists dents, chips and rust.
- Supplied standard with 2 removable buckets
- Supplied Flatpacked Assembly available on request
- Small Bucket Size (WxDxH): 360x290x360mm
- Large Bucket Size (WxDxH): 360x290x560mm
- Overall Dimensions (LxWxH): 1395x524x940mm
- Top Tray Size (WxL): 515x900mm
- Load Capacity: 80kg



# **Heavy Duty Hand Truck** Industrial quality hand truck to suit a variety of applications Tyre Type: Flat Free Capacity: 220kgs Dimensions (WxH): 455x1540mm Foot Size (WxL): 455x185mm Unit Weight: 18.5kg \$365 Durolla

#### **Service Cart**

- Great for storing small parts and items neatly in the office
- Supplied with Plastic Tubs as pictured
- Plastic Tubs are made from recycled plastic and are not suitable for food applications
- Integrated frame handles
- 4 Swivel castors 2 with brakes
- Castor size: 75mm
- Load Capacity: 15kg
- Overall Dimensions (WxDxH): 600x390x990mm
- Plastic Tub Size (WxDxH) 530x370x140mm
- · Unit Weight: 11kg





**VERDEX** 

#### X Shape Collapsible Cart

- Lightweight trolley which is great for carting linen or waste
- Can be folded when not in use
- Strong vinyl bag
- Dimensions (WxDxH): 620x620x995mm
- Load Capacity: 100kg
- Volume Capacity: 150 Litre
- 100mm rubber castors
- Unit Weight: 10kg









# X-Cart Folding Plastic and Aluminium Trolley

- The X-Cart is a collapsible trolley that can be used for hundreds of applications.
- It is ideal for use in the workplace, schools, home, office, hospitals, courier services, shopping malls, nursing homes an much more!
- Extra baskets are available for use on both platforms or up to 4 baskets can be stacked on the bottom platform (the trolley is supplied with 1 basket)
- Robust foot pedal brake
- The X-Cart can also be used with our standard No.7, No.10.No.15 tubs

#### Specifications

- Total Trolley Capacity: 75kg
- Top Shelf Capacity: 25kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 8.4kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

#### Dimensions

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm

View more details here, www.mhaproducts.com.au/xcart

»X-CART












Free Shipping Australia Wide

Code	Description	PRICE EACH
T9000	X-Cart Folding Plastic & Aluminum Trolley (includes 1 Folding Basket)	\$279
T9050	X-Cart Extra Basket	\$35



#

#### Plastic Bin Trolleys - 400L

- Heavy duty rotomoulded tub with 25mm steel tubular frame
- Plastic Bin Colours: Blue or White
- Capacity: 400 Litre
- Overall Dimensions (LxWxH): 1200x740x780mm
- Internal Base Dimension (WxL): 500x780mm
  Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Load Capacity: 400kg
- Handle Height: 780mm

Description

400L Plastic Bin Trolley - Blue

400L Plastic Bin Trolley - White

100mm castors

Code

T1120

T1125

• Unit Weight: 25kg





#### Mesh Cage Trolley (with steel shelves)

- Comes with 3 steel shelves plus the base shelf
- Heavy duty castors (2 fixed and 2 swivel with brakes)
- Key lockable
- Finish: Powdercoated blue
- Max Load Capacity: 500kg
- Overall Size: 1270 x 750 x 1970mm (LxWxH)
- Shelf Size: 1125 x 705mm (LxW)
- Shelf Heights: 650mm, 1050mm and 1440mm
- Base Height: 270mm
- Handle Height: 950mm



#### General Purpose Trolley (with writing shelf)

- Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.
- The T0253 comes with a writing shelf which is very handy for stock picking.
- Bolted steel construction supplied flatpack.
- Finish: Powdercoated Blue
- 2 Swivel castors with Brakes and 2 Fixed castors
- Overall Height: 1070mm
- Platform Size: 500x900mm (WxL)
- Shelf Heights: 200 + 790mm
- Load Capacity: 250kg




#### 3 Tier Convertible Trolley

- The V1700 3 Tier Convertible Trolley is one of a kind.
- It can be configured with over 6 trolley combinations to suit multiple applications
- The middle and top shelves are reversable, meaning you can have the smooth side up. If you require a tray, simply flip the shelf.
- These shelves can also be mounted flat, sloping forwards or backwards.
- The 3 tier trolley has quality castors for smooth as well as effortless moving, fitted with a foot release braking system.
- Rubber Castors 2 x swivel, 2 x fixed castors
- Powdercoated Blue Finish
- Mesh Size: 50x50mm
- Load Capacity: 500kg
- Castors: 200mm
- Handle Height: 960mm
- Platform Size: 1140x490mm
- Bottom Platform Height: 220mm
- Overall Size (LxWxH): 1240x490x1460mm
- Unit Weight: 88kg



#### Louvre & Square Hole Panel Trolleys



each side on request

• Fitted with 2 lockable castors Powdercoated grey colour

• Dimensions: (WxDxH) 980x600x1540mm

Storpak bins and hooks sold seperate to the trolleys

- 16 x No.5 Storpak Bins (Blue)
- 16 x No.5 Storpak Bins (Yellow)
- 16 x No.10 Storpak Bins (Red)
- 16 x No.10 Storpak Bins (Green) 12 x No.25 Storpak Bins (Yellow)
- 8 x No.60 Storpak Bins (Blue)
- 8 x No.60 Storpak Bins (Red)

Code

10730

10735

10730K

• 4 x No.120 Storpak Bins (Green)

Description

Louvre Panel Trolley

Square Pegboard Panel Trolley








#### **Spare Parts Trays**

Louvre Panel Trolley Kit (with Stor-pak bins exactly as shown in image)

- Strong polypropylene oil resistant trays which are supplied with dividers are ideal for small parts storage
- Our standard spare parts tray colour is grey as pictured however other colours are available on request (blue, green, red, yellow)
- Extra dividers are available to create more compartments in the trays



Code	Tray	Size (LxWxH)	Dividers Supplied	Ctn Qty	Ctn Buy	4+ Ctns
IH-012	Size #12	300x100x100mm	2	24	\$5.65	\$4.80
IH-017	Size #17	400x100x100mm	2	24	\$6.85	\$5.90
IH-027	Size #27	600x100x100mm	5	12	\$10.75	\$9.10
IH-024	Size #24	300x200x100mm	2	12	\$8.70	\$7.50
IH-025	Size #25	400x200x100mm	2	12	\$10.45	\$8.80
IH-028	Size #28	600x200x100mm	5	6	\$14.60	\$12.60
IH-014	Spare Parts	Tray Dividers -100mm	12	\$0.50	\$0.40	
IH-026	Spare Parts	Tray Dividers -200mm	12	\$0.75	\$0.65	



\$1.95

\$3.90

\$2.50

\$4.50

45

IH-058

IH-057

Dividers to suit bins #60 and #120

Dividers to suit bins #240

\*Please specify bin colour when placing your order

#### **Heavy Duty Straddle Stacker**



#### Electric Fork / Platform Stacker

- Capacity: 400kg
- Electric hydraulic lift
- 125mm lockable castors
- Maximum Lift Height: 1500mm
- Minimum Height: 80mm
- Platform Size: 580x660mm (WxD)
- Fork Length: 650mm
- Overall Length: 1040mm
- Overall Width: 590mm



#### **Electric Counter Balance Stacker**

- Ideal for situations where normal stacker legs would get in the way
- Electric lift up and down
- Lift Capacity: 250kg
- Adjustable Forks: 215-550mm
- Fork Size: 600x100mm (LxW)
- Max Lift Height: 1200mm



Code: LT8540


*| IFTEX* 

#### Semi Auto Electric Fork Stacker

- Manual push and electric up/down with handle-chain assisted steering which greatly reduces operator labour intensity.
- Adjustable fork tines & straddle legs which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.
- Load Capacity: 1000kg
- Lift Height: 3000mm Overall Height (with mast lowered): 2145mm
- Overall Height (with mast extended): 3600mm
- Overall Length: 1835mm
- Overall Width: 1532mm (maximum)
- Tine Dimensions: 60x142x1070mm
- Ground Clearance: 40mm
- Wheel Type: Nylon
- Turning Radius: 1505mm Brake: Mechanical foot pedal
- Battery: 12v, 120Ah
- Unit Weight: 550kg

**IIFTEX** 





#### 2500KG Industrial Pallet Truck

- These pallet trucks come with a maintenance free pump which are made using high quality parts and German seal kits
- · Fitted with long life rollers and steering wheels
- 12 months warranty
- Capacity: 2500kg
- Width: 685mm
- Fork Length: 1150mm
- Min Fork Height: 85mm
- Tine Size: 50x160mm
- Steering Wheel Size: 50x180mm
- Standard wheels are polyurethane



#### Walk-Behind Electric Pallet Truck

- The economical option for an electric pallet truck
- Avoid the strain of manually pushing a standard pallet truck.
- Load Capacity: 1500kgs
- Min Fork Height: 85mm
- Overall Truck Length: 1578mm
- Overall Truck Width: 685mm
- Overall Fork Width: 685mm
- Fork Dimensions: 53x160x1150mm
- Wheel Type: Polyurethane
  - Travel Speed (unloaded): 5.8 Km/h
  - Electric Brake
  - Battery: 24v, 80Ah
  - Brushless AC motor



#### Free Standing Pallet Inverter

- The free standing pallet inverter is the simpler and less costly option where forklifts are available and ground level loading is not essential.
- It is ideal for boxed, bagged or canned goods and is versatile enough to handle everything from yogurt and biscuits to bottles of wine or cement.


- Load transfer from wood to plastic or other hygienic pallets
- Recovery of damaged goods or broken boards from the bottom of the stack
- Switching to and from high quality in-house pallets
- Increased flexibility in pallet use enabling transfer to rental, expendable or customer pallets for distribution

- Single clamping table
- · Loaded and relocatable by forklift truck
- Simple push button controls and attached guards
- · Fitted with extended individual push button controls, semi auto-sequenced systems
- Capacity: 1500kg
- Load Table Size: 1350 x 1200mm (WxD)
- Min. Load Size: 1200 x 1200 x 1250mm (WxDxH)
- Max. Load Size: 1200 x 1200 x 1950mm (WxDxH)
- Jaw Opening: 1200 2200mm
- Power Supply: 3ph / 400V / 10A
- Motor Size: 3kW
- Operating Space: 3000 x 3040 x 3500mmmm (WxDxH)
- Pallet Rotation: 180°

















# Crane / Forklift Spreader Beam

The type FL2439 Spreader Beam is a unique multitasking Beam which can be used by Crane or Forklift to lift long loads. Using a Crane, loads can be lifted via the centre single hook point (as a 'Lifting Beam'), or end lifted using a 2 leg Chain Sling (as a 'Spreader Beam'). If lifting by forklift, the 600mm long slipper pockets allow for fast and safe connection to the truck.

The Spreader Beam load connection points are adjustable to 3 positions by moving the extendable arms each end. Both extendable arms are locked into position via safety pins. The unit is supplied standard with a safety swivel hook each end.

The extendable arms are zinc plated with the main body painted in 'safety orange'.







\$2320

+ GST ea Code: FL2439

| IFTEX

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Lockable door
- Full metal roof which provides weather protection
- Cage comes with securing load straps to prevent cylinders from moving during transport

**Gas Storage Cage** 

- Safe Working Load: 750kg
- Overall Size: 1060x1060x1800mm (WxDxH)
- Unit Weight: 180kgFinish: Zinc plated





Code	Description	PRICE EACH
DG2960	Gas Storage Cage	\$1435
DG2960A	Assembly of DG2960	\$130

# 5.5 Tonne Capacity Container Ramp

- This is a one piece unit with forklift slots at the front for easy transport
- Supplied with chain & D-shackle as pictured
- Capacity: 5500kgs
- Unit Weight: 160kgs
- Finish: Painted yellowHeight: 160mm
- Height: 160mm
   Width: 2200mm
- Length: 1200mm







#### Lockable Mesh Storage Cage

- Lockable mesh storage cage is designed for strength, visibility and ventilation
- Ideal for use in workshops, warehouses, construction sites and industrial applications
- Can be bolted to the ground for additional security
- Key Lockable for safe and secure storage
- Supplied with 3 adjustable shelves
- Powdercoated finish
- Overall Size: 1150x450x1800mm (WxDxH)
- Mesh Size: 50 x 50mm
- Unit Weight: 70kg
  Supplied Flatnacked



#### **Electric Expanding Roller Conveyors**

- Simply plug in and go, this powered electric roller conveyor is great for carrying boxes and items uphill where gravity may not be achievable
- This conveyor is flexible and expands from 1500mm to 4000mm
- Multiple units can be joined to make one continuous powered conveyor system
- Great for loading and unloading containers
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Quiet operation 240V AC motor with forward and reverse action and adjustable roller speed
- Capacity: 120kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm







Code	Conveyor Width	PRICE EACH
40143	460mm wide	\$5990
40144	610mm wide	\$6700
40145	760mm wide	\$6990

#### **Expanding Skate Conveyors**

- Self tracking flexible conveyor which expands from 1100mm to 4000mm
- Multiple units can be joined to make one continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels
- Capacity: 100kg per metre
- Length Retracted: 1100mm
- Length Expanded: 4000mm

Height Range: 690 - 1000mm

trodeo



Code	Conveyor Width	PRICE EACH
40125	460mm wide	\$1660
40129	610mm wide	\$1873
40130	760mm wide	\$2175

#### **Expanding Roller Conveyors**

- The flexible roller conveyor expands from 1500mm to 4000mm
- Multiple units can be joined to make one continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods for which the skate wheel conveyor wont work
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers
- Capacity: 130kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm





Conveyor Width	PRICE EACH
460mm wide	\$1675
610mm wide	\$1895
760mm wide	\$2195
	460mm wide 610mm wide

#### **Aluminium Platform Ladders**

- Available in platform heights of 0.9 meters and 1.2 meters
- Large anti-skid flat work platform
- One piece, smooth operation simply folds out and locks
- Platform size: 600 x 600mm
- Optional castor kits available
- Rated to 150kgs



Code	Description	No. Of Steps	Platform Height	Unit Weight	PRICE EACH
50121	Aluminium Platform Ladder	3	900mm	10kg	\$283.65
50122	Aluminium Platform Ladder	4	1200mm	12kg	\$321.90









#### Specifications:

- Load Capacity: 420kg
- Drum Rotating Range: 135 degrees
- Max Lift Height: 2400mm
- Overall Height: 1860mm
- Overall Length: 2270mm
- Overall Width: 1170mm
- Turning Radius: 2150mm
- Max Slope Ability: 3% loaded
- 5% unloaded Wheel Size: 125x50mm
- Power: 24V, 210Ah
- Electromagnetic brake
- Unit Weight: 1100kg

# Dangerous Goods Cabinets (Indoor)

- High quality construction using zinc coated steel sheeting
- · Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing



30L Dangerous Goods Cabinet Code: DG8030 Internal Size: 553x418x370mm External Size: 800x500x450mm (Height x Width x Depth)



**60L Dangerous Goods Cabinet** Code: DG8006 Internal Size: 818x418x370mm External Size: 1065x500x450mm (Height x Width x Depth)



**100L Dangerous Goods Cabinet** Code: DG8100 Internal Size: 553x838x535mm External Size: 800x920x615mm (Height x Width x Depth)



**160L Dangerous Goods Cabinet** Code: DG8160 Internal Size: 973x1018x370mm External Size: 1220x1100x450mm (Height x Width x Depth)

	Code	Storage Description	4L Drums Capacity	20L Drums Capacity	No. Of Capacity	Unit Shelves	PRICE EACH
DG8030	Flammable Liquid Cabinet	30L	8	1	2	33kg	\$995
DG8006	Flammable Liquid Cabinet	60L	12	2	2	41kg	\$1059
DG8100	Flammable Liquid Cabinet	100L	24	3	2	65kg	\$1385
DG8160	Flammable Liquid Cabinet	160L	40	6	2	78kg	\$1470

# 250L Dangerous Goods Cabinet (Indoor)

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- Designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- Supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Internal Size: 1503x1018x420mm (HxWxD)
- External Size: 1970x1100x500mm (HxWxD)
- Storage Capacity: 250L
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- No. of Shelves: 3
- Unit Weight: 123kg



Lockable doors



Adjustable Shelves



		_
Code	Description	PRICE EACH
DG2500S	Flammable Goods Cabinet	\$1595 /ea
DG2500S-2	Flammable Goods Cabinet (PALLET OF 2 CABINETS)	\$2900/ Pallet of 2













# **Forklift Gas Storage Cages**

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- All cages have padlockable doors for increased safety
- Can also be used for site lockers for tools and equipment
- Designed to comply with relevant Australian Standards
- Powercoated green

• Cylinder chain restraint









Code	Description	LPG Cylinder Capacity	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight	PRICE EACH
AS8040	Fork Gas Cage	2 Cylinders	915x690x428mm	1023x750x450mm	35kg	\$765
AS8041	Fork Gas Cage	4 Cylinders	975x690x690mm	1050x750x750mm	65kg	\$995
AS8042	Fork Gas Cage	6 Cylinders	975x1020x670mm	1050x1100x750mm	95kg	\$1824
AS8043	Fork Gas Cage	12 Cylinders	1925x1020x670mm	2000x1100x750mm	182kg	\$1914

#### **Aerosol Storage Cages**

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Powercoated green
- All cages have lockable doors and bolt down plates for added security

Designed to comply with relevant Australian Standards



12 Can Aerosol Storage Cabinet Code: AS8050



60 Can Aerosol Storage Cabinet Code: AS8051



108 Can Aerosol Storage Cabinet

Code: AS8052



432 Can Aerosol Storage Cabinet

Code: AS8055



216 Can Aerosol Storage Cabinet Code: AS8054

Code	Description	Can Storage Capacity	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight	PRICE EACH
AS8050	Aerosol Cage	12 cans	320x420x120mm	400x500x200mm	9kg	\$510
AS8051	Aerosol Cage	60 cans	420x620x220mm	500x700x300mm	12kg	\$639
AS8052	Aerosol Cage	108 cans	820x770x320mm	900x850x400mm	34kg	\$992
AS8053	Aerosol Cage	216 cans	820x1575x320mm	900x1655x400mm	67kg	\$1382
AS8054	Aerosol Cage	216 cans	1720x770x320mm	1800x850x400mm	67kg	\$1382
AS8055	Aerosol Cage	432 cans	1720x1575x320mm	1800x1655x400mm	131kg	\$2103

216 Can Aerosol Storage Cabinet

Code: AS8053









Tipping Bin (with release mechanism)

Wheel Kit to suit Tipping Bins

\$2860

\$300

WB2954

WB295K

#### Foot Pedal Lid Lifting Wheelie Bins

- These wheelie bins come supplied with a foot pedal operated lid which avoids touching the lid when disposing of waste
- Manufactured from high density polyethylene
- · Resistant to decay, heat, frost, chemicals and UV rays
- Bin Colour: Green (blue and grey also available)
- Ideal for food preparation areas
- Wheel Diameter: 200mm
- 120L Bin Dimensions (WxDxH): 500x550x930mm
- 240L Bin Dimensions (WxDxH): 590x740x1070mm

Please Note: These foot pedal bins are supplied unassembled for ease of shipping however we can ship assembled if required but extra shipping charges will apply.





Code	Description	Bin Capacity	Bin Colour	PRICE EACH
WB120B	Wheelie Bin (with foot pedal)	120L	Blue	\$169
WB120GY	Wheelie Bin (with foot pedal)	120L	Grey	\$169
WB240B	Wheelie Bin (with foot pedal)	240L	Blue	\$219
WB240G	Wheelie Bin (with foot pedal)	240L	Green	\$219
WB240GY	Wheelie Bin (with foot pedal)	240L	Grey	\$219

#### Manual Push Floor Sweeping Machine





#### 70L Garbage Bins

- Small waste bins with four swivel castors
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV Rays
- Available in four colours: Grey, Blue, Yellow and Green
- Overall Size (WxDxH): 450x440x680mm
- Castor Diameter: 50mm
- Capacity: 70L
- Unit Weight: 5kg

#### VERDEX



Code	Description	PRICE EACH
WB70Y	70L Garbage Bin - Yellow	\$98
WB70B	70L Garbage Bin - Blue	\$98
WB70GY	70L Garbage Bin - Grey	\$98
WB70G	70L Garbage Bin - Green	\$98





#### **Heavy Duty Industrial Work Bench**








# Parts Trays have a transparent front window to easily view product inside Parts Trays have a transparent front window to easily view product inside Specially designed to prevent accidental slip off Each bin comes with one divider and one bin label card Different color tags can be applied for easier identification Parts Bin Loading Capacity: 10kg each Plastic Parts Bin size (LXWXH): 415x170x105mm Overall Dimensions (HXWXD): 880x900x420mm Plastic Capacity: 4557 each Code: C7350





# Double Width Transport / Storage Cage

- Front and rear gates half fold down and are fully removable, allowing safe, easy and fast access to goods
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Collapse/Assemble in seconds
- · Lockable lids & weather covers are available on request
- 4 Way forklift access & pallet truck entry
- Anti-tip base design
- Half fold down & Fully removable front and rear gates
- · Zinc plated finish
- · Stackable 4 high
- Dimensions: 2200x1158x1035mm (LxWxH)
- Safe Working Load: 1050kg





# Mesh Stillage Transport / Storage Cage

- Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Drop down removable front gate
- · Rear gate hinges open for easy access to cage
- Cages can be stacked 3 high when loaded and 5 high unloaded
- Internal Dimensions (WxDxH): 1080x1080x825mm
- External Dimensions (WxDxH): 1160x1160x1040mm
- Supplied flatpacked for easy transport (can be assembled on request)
- Finish: Zinc plated
- Base Height: 130mm
- Load Capacity: 1000kg
- Unit Weight: 75kg





#### Stackable Stillage Cage

These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse.

- Fits standard Australian size pallets including Chep and Loscam
- External Dimensions (outside of post): 1390x1390x1650mm (WxDxH)
- Internal Dimensions: 1250x1250x1490mm (WxDxH)
- Post Height from top of base: 1490mm
- Load Capacity: 1500kg
- Can be safely stacked 3 high when in use







#### Stillage Mesh Cage

- These mesh cages are an excellent form of warehouse storage.
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage
  mesh cages may be stacked higher than a normal mesh cage due to the stillage posts.
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking

Powdercoated frames with gal mesh sides

- Forklift access from front and sides Solid steel floor
- Can be collapsed for storage
- Collapsed Height: 300mm
- Size: 1200x1000x970mm (WxDxH)
- Load Capacity: 1000kg
- Can be safely stacked 5 high when in use






# Stillage Pallet Cage (with hardwood pallet) Multi-purpose transport or storage cage Great for storing products both indoor and outdoor These cages can also be stored on pallet racking Drop down removable front gate Supplied with a hardwood timber pallet Can be stacked 4 high when empty and 2 high when fully loaded Finish: Zinc plated Overall Dimensions (WxDxH): 1205x1165x1028mm Internal Dimensions (WxDxH): 1080x1080x825mm Load Capacity: 2000kg (evenly distributed) Supplied unassembled as shown in image













☐ VISA

Card No.

Card Holder's Full Name:

MASTERCARD

AMEX

#### **PRIORITY ORDER FORM**

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

Sydney

Tel: (02) 8865 1800 Fax: (02) 8865 1830 Magnetic new@mhaproducts.com.au Melbourne

Tel: (03) 9115 9100 Fax: (03) 9115 9150 ✓ vic@mhaproducts.com.au **Brisbane** 

Tel: (07) 3558 9700 Fax: (07) 3558 9750 ■ qld@mhaproducts.com.au

Your Compa	ny Details				Please p	ohotoc	opy for future use
Company Nan	ne:						
Invoice Addre	SS:						
Delivery Addr	ess:						
ABN:		Tel:( )		Fax: ( )			
Contact Name:		Position:					
Contact Email:		Accounts Email	<b>!</b> :				
Your Order Nu	ımber:	Date:					
Code	Desc	cription	Q	ty	Unit pri	ce	Total price
Jour				-,	Ome pri		Total price
					I		
Freight Char	ges				Sub Total		
Please check our v		Obtain freight quote or charge	to my	freight	account	Pi	lease tick if required
www.mhaproducts.com.au for correct freight cost to your postcode, otherwise please tick 'obtain freight quote' and place your order using		Charge to my freight accoun (please list details below)	t.		Freight		
					GST		
this form and we will contact you to confirm freight cost before processing your order.				Total	(inc GST)		
					ı		
Payment O	otions (Please tick)					Order	form February 2020
<u> </u>	I invoice for payment by direct de	eposit Instant 30 Day account for	We	accept	VISA, MASTER	CARD &	AMEX (no surcharge)
Please invoice on my 30 day account  Please invoice on my 14 day account  Australian Government department orders  Orders							ERICAN KPRESS
	ge to credit card	Australian Government Of GELS	J				

Card Holder's Signature

Card Expiry Date:

3 Digit Security Code:















