

2 & 4 Drum Bunded Pallets

· Heavy duty bunded pallets made from polyethylene

• Available in 2 sizes (2 drum and 4 drum)

· Removable grate

· Easy forklift and pallet truck entry

• 100% Australian made

• Corrosion Resistant

 Ample containment capacity to meet all relevant regulations

• Nestable for easy transport





Code	Details	SWL (kg)	Drum Capacity (mm)	Bund Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
SB3101	2 Drum Bunded Pallet	500	2	230	1275x815x400	23
SB3102	4 Drum Bunded Pallet	1000	4	230	1275x1275x310	33

Single IBC Bunded Pallet

- Offers a cost effective IBC bunding area
- Tough and durable polyethylene construction
- Fully compliant to Australian Standards
- Easy forklift and pallet truck entry



Code	Bund Capacity (L)	SWL (kg)	Overall Size LxWxH (mm)	Pallet Weight (kg)
SB3105	1300	1650	1760x1350x875	138

IBC Tilting Trolley

- The IBC Tilting Cart is designed from a sturdy steel construction to provide a secure tilting of containers for complete draining.
- To operate place the container on the cart. When the container is in a secure position, start the draining process. As the fluid flows from the container, the rear of the cart will rise to 5 degrees creating an angle for a better release.
- The cart features casters for smooth transition from workstation to workstation.
- Nylon Castors (2 x swivel with brakes, 2 x fixed)





Code	Load	Castors	Tipping Height	Overall Size
	Capacity (kg)	(mm)	(mm)	LxWxH (mm)
M7685	2000	125	320-410	1350x1050x910

Spring Loaded Tilting Stand

- These clever yet simple spring loaded tilting stands are designed to make it easy to decant from IBC bulk storage containers.
- The hinged platform slowly raises to a 10 degree angle as the weight decreases.
- Sits on a base with bolt on fork pockets which can be removed if required
- Easy to move with a forklift
- Simple and easy-to-use







Co	ode	Details	Load Capacity (kg)	Fork Pocket Centres (mm)	Fork Pocket Size (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
TS	902	Tilting Stand	2000	730	190x90	1200x1130	1130x1200x360	105
TS	903	Extra Spring for TS	902					

Flammable Liquid Safety Cabinets



- High quality construction using zinc coated steel sheeting
- Powder coat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Adjustable and removable shelves











Code	Storage Capacity (L)	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)
DG8030	30	550x410x370	800x510x470	33
DG8006	60	820x410x370	1070x510x470	41
DG8100	100	715x825x525	800x920x620	65
DG8160	160	1030x1010x370	1300x1100x470	78

250L Flammable Liquid Safety Cabinet







Recessed door handle with lock



Sequential Self Closing Doors



Adjustable and removable shelves

Code	Storage Capacity (L)	4L Drum Capacity	20L Drum Capacity	Number of Shelves	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)
DG2500S	250	70	9	3	1590x1000x430	1975x1100x500	123

Lockable Storage Cage



- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Full metal roof which provides weather protection
- Finish: Zinc plated
- Lockable door









		dent
troden		
Fork slots for easy moving	Rachet stra	o supplied

Code	Details	Safe Working Load(kg)	Fork Pocket Size (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
DG2960	Storage Cage	750	165x65	1060x1060x1800	180
DG2960A	Assembly of Lockable Stora	ge Cage			

Gas Cylinder Cage



Heavy duty lockable cage suited for storage of up to 24 x 9kg BBQ gas bottles but can be used for many other storage applications including firewood at service stations where easy access and excellent security is a requirement.

- Tamper-proof lock guard prevents cutting of the padlock by bolt cutters, along with anti-tamper gate hinges
- Sturdy construction with bump rails to protect the high visibility mesh sides
- Stack 3 high when empty and 2 high when fully loaded
- Bolted mid shelf can be excluded during construction for storage of 18kg forklift gas bottles
- Sheet metal shelves allow easy sliding of cylinders to the back of the cage.
- Sheet metal roof provides weather protection
- Forklift provision is provided under the cage for transport around worksite
- Zinc finish for long life corrosion protection











Code	Details	Load Limit (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
DG7175	Gas Cylinder Cage	500	2040x760x1285	200
DG7176	Assembly of Gas Cylinder Co	age		

Lockable Mesh Storage Cage

- Lockable mesh storage cage is designed for strength, visibility and ventilation
- Ideal for use in workshops, warehouses, construction sites and industrial applications
- · Can be bolted to the ground for additional security
- · Key Lockable for safe and secure storage
- Supplied with 3 adjustable shelves
- · Shelf capacity: 200kg
- · Powder coated finish









Code	Details	Load Capacity (kg)	Mesh Size (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)	
M7550	Storage Cage	600	50x50	1150x450x1800	70	
M7550A	Assembly of Lockable Mesh Storage Cage					

Single and Double Cylinder Trolleys

- These gas cylinder trolleys are available fortransporting either 1 or 2 cylinders
- Heavy duty solid rubber wheels to suit the T2001 & T2002
- Supplied with securing chains as pictured
- The DG8039 gas cylinder rack can be bolted to the wall for secure storage of gas cylinders





T2001

Code	Details	Castors (mm)	Cylinder Size Dia. (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
DG8039	Gas Cylinder Rack	-	140-250 x 2	540x350x1000	18
T2001	Single Cylinder Trolley	200	140-250	600x600x1360	17
T2002	Double Cylinder Trolley	390	140-250 x 2	690x690x1310	44

STORMAX

Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Power coated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety
- Designed to comply with relevant Australian Standards
- AS8043 Distance between shelves: 880mm









Code	LPG Cylinder Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)
AS8040	2	780x710x395	960x730x430	35
AS8041	4	790x720x695	990x730x740	65
AS8042	6	840x1030x675	1005x1090x740	95
AS8043	12	1790x1030x675	1950x1090x740	182

Lockable Storage Cages

Heavy duty steel construction storage cages designed specifically for aerosol cans, how ever are a great storage cage for tools and equipment



All cages have lockable doors and bolt down plates for added security

Designed to comply with relevant Australian Standards





(STORMAX





Code	Can Storage Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Distance between shelves (mm)	Unit Weight (kg)
AS8050	12	305x490x220	400x500x250	-	9
AS8051	60	570x690x270	650x700x300	270	12
AS8052	108	805x850x370	900x850x400	250	34
AS8053	216	800x1645x365	900x1655x400	250	67

Lockable Storage Cages

Heavy duty steel construction storage cages designed specifically for aerosol cans, however are a great storage cage for tools and equipment



- Power coated green
- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards







Code	Can Storage Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Distance between shelves (mm)	Unit Weight (kg)
AS8054	216	1715x840x360	1800x850x400	325	67
AS8055	432	1715x1650x360	1800x1655x400	325	131

Bulk Dangerous Goods Stores (Outdoor)

- Relocatable bulk dangerous goods stores are an innovative alternative for immediate, safe, approved and efficient storage of large quantities of dangerous goods without the problems and expense of building fixed permanent stores
- Superior design features maintain handling efficency whilst providing the ultimate weather protection for stocks of dangerous goods in confined or difficult environments
- Manufactured from heavy zinc coated sheet and steel sections finished with 2 pack polyurethane gloss finish for years of trouble free endurance for Australian conditions
- Each unit is constructed to the highest quality standards and exacting specifications, meeting or exceeding the requirements of AS 1940 – 2004

Class of Dangerous Goods











IBC or Pallet Storage



























Visit website for more details and prices

Universal, Chemical, Oil & Fuel Spill Kits

Emergency response Spill Kits contain a premium range of bioactive absorbents providing rapid and effective clean up of hazardous chemical, oil, hydrocarbon or water based liquid spills

Selection Guide

UNIVERSAL Clean-up of most liquids used in factories and workshops.

CHEMICAL Clean-up of aggressive liquids. Suitable for most chemical spills

OIL & FUEL Clean-up of oils, fuels and other non-water soluble liquids. Not suitable for water based liquids



Please Note: Image shown is the universal kit

Universal 40L Components

Content: 1 x 1.2m absorbent minibooms, 20 x 410mm x 460mm absorbent pads. 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form

Chemical 40L Components

Content: 1 x 1.2m absorbent minibooms. 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form

Oil & Fuel 40L Components

Content: 1 x 1.2m absorbent miniboom, 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form



Universal 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10ka MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 2 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form

Chemical 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form

Oil & Fuel 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form



Universal 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Chemical 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 2 x elbow length PVC gloves, 8 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Oil & Fuel 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 2 x elbow length PVC gloves, 8 x printed disposal bags. 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Code	Details	Absorbent Capacity (L)	Packaging	Unit Weight (kg)
SK2832	Universal Spill Kit	40	PVC Carry Bag	6
SK2822	Universal Spill Kit	120	120L Wheelie Bin	32
SK2812	Universal Spill Kit	240	240L Wheelie Bin	52
SK2834	Chemical Spill Kit	40	PVC Carry Bag	8
SK2824	Chemical Spill Kit	120	120L Wheelie Bin	32
SK2814	Chemical Spill Kit	240	240L Wheelie Bin	52
SK2830	Oil & Fuel Spill Kit	40	PVC Carry Bag	6
SK2820	Oil & Fuel Spill Kit	120	120L Wheelie Bin	32
SK2810	Oil & Fuel Spill Kit	240	240L Wheelie Bin	52

To order refill kits, please add 'K' to the end of the code number, eg SK2822K

Low Profile Bunding Modular System

- This bunding system is a modular system which can be connected together to make the ideal solution for storage of drums, canisters and containers of chemicals and liquids
- Units are stackable for easy storage
- Tough and durable polyethylene construction
- Solid polyethylene grate prevents human contact with spilt liquid in bund
- Easy forklift entry









Code	Details	Overall Size LxWxH (mm)	Capacity (L)	Unit Weight (kg)
SK2840	2 Drum Bunding Unit	1275x740x160	110	21
SK2841	4 Drum Bunding Unit	1275x1275x160	225	39
SK2842	4 Drum Bunding Unit (drums inline)	2550x740x160	220	78
SK2843	Ramp for Low Profile Bunds	810x1290x180	-	15
SK2844	Connector Kit for Low Profile Bunds	-	-	-



























Card No.

PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

3 Digit Security Code:

Sydney

Tel: (02) 8865 1800 Fax: (02) 8865 1830 ■ nsw@mhaproducts.com.au Melbourne

Tel: (03) 9115 9100 Fax: (03) 9115 9150 ✓ vic@mhaproducts.com.au **Brisbane**

Tel: (07) 3558 9700 Fax: (07) 3558 9750 ■ qld@mhaproducts.com.au

Your Company Details		Please p	photocopy for future use
Company Name:			
Invoice Address:			
Delivery Address:			
ABN:	Tel: ()	Fax: ()	
Contact Name:	Position:		
Contact Email:	Accounts Email:		
Your Order Number:	Date:		
Code Des	cription	Qty Unit pri	ce Total price
Freight Charges		Sub Total	
Please check our website	Obtain freight quote or charge to	my freight account	Please tick if required
www.mhaproducts.com.au for correct freight cost		Freight	
to your postcode, otherwise please tick 'obtain freight quote' and place your order using	Charge to my freight account. (please list details below)	GST	
this form and we will contact you to confirm			
freight cost before processing your order.		Total (inc GST)	
Payment Options (Please tick)			
Please email invoice for payment by direct	deposit * 1 Instant 30 Day	We accept VISA, MASTER	CARD & AMEX (no surcharge)
Please invoice on my 30 day account	account for government department	MasterCard VIS	A AMERICAN EXPRESS
Please invoice on my 14 day account Please charge to credit card	Australian Government orders		· · · · · · · · · · · · · · · · · · ·
☐ VISA ☐ MASTERCARD ☐ AMEX	Card Holder's Signature		
Card Holder's Full Name:		Card Expi	y Date://