

Waste Handling Equipment

MHA
PRODUCTS
MANUAL HANDLING AUSTRALIA

FREECALL 1800 750 900
www.mhaproducts.com.au



70L Garbage Bins

- Small waste bins with four swivel castors
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV Rays
- Available in four colours: Yellow, Blue, Grey and Green



VERDEX

Code	Details	Castors (mm)	Bin Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
WB70Y	70L Garbage Bin - Yellow	50	70	450x440x680	5
WB70B	70L Garbage Bin - Blue	50	70	450x440x680	5
WB70GY	70L Garbage Bin - Grey	50	70	450x440x680	5
WB70G	70L Garbage Bin - Green	50	70	450x440x680	5

Foot Pedal Lifting Wheelie Bins

- These wheelie bins come supplied with a foot pedal operated lid which avoids touching the lid when disposing of waste
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays
- Ideal for food preparation areas
- Available in Blue, Green and Grey
- Wheel Diameter: 200mm



VERDEX

Code	Details	Bin Capacity (L)	Bin Colour	Overall Size WxDxH (mm)	Unit Weight (kg)
WB120B	Wheelie Bin (with foot pedal)	120	Blue	500x550x930	5
WB120G	Wheelie Bin (with foot pedal)	120	Green	500x550x930	5
WB120GY	Wheelie Bin (with foot pedal)	120	Grey	500x550x930	5
WB240B	Wheelie Bin (with foot pedal)	240	Blue	590x740x1070	5
WB240G	Wheelie Bin (with foot pedal)	240	Green	590x740x1070	5
WB240GY	Wheelie Bin (with foot pedal)	240	Grey	590x740x1070	5

Plastic Wheelie Bins

VERDEX

- Wheelie bins available in 2 standard sizes and 5 colours
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays



Code	Details	Bin Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
80121	Plastic Wheelie Bin	120	480x550x940	10
80122	Plastic Wheelie Bin	240	580x730x1080	13

**Please specify colour when placing your order*

Pull Cord Forklift Wheelie Bin Tippers

- These tippers are available for tipping 240 litre wheelie bins
- Simple and safe tipping operation - operated via a pull cord from the drivers seat
- The wheelie bin is firmly secured into position by the frame assembly preventing any bin movement, with the additional securing chain around the front of the bin. Returning the bin to the upright position can be done manually or with the forklift, the bin automatically locking into position once upright.
- 180 degree tipping operation
- Enamel painted finish



Code	Bin Capacity (L)	Safe Working Load (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
F2962	240	500	1000	192x67	840	80

Round Plastic Waste Bins (Flat Lid)

VERDEX

- Plastic construction will not rust, chip or peel, resists dents.
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids allow for secure, stable stacking
- Built-in handles allow easy, non-slip lifting
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- Quick and easy twist on, twist off dolly available to suit
- The dolly raises the bin overall height by 130mm
- Lid supplied with bin
- Colour: Grey
- B5003 Overall Height with Dolly: 745mm
- B5002 Overall Height with Dolly: 830mm
- B5001 Overall Height with Dolly: 930mm



B5004



B5005



B5003



B5002



B5001

Code	Details	Bin Capacity (L)	Overall Dia. Inc Handle (mm)	Dimensions DxH (mm)	Unit Weight (kg)
B5003	Round Plastic Waste Bin (Flat Lid)	80	555	505x615	4
B5002	Round Plastic Waste Bin (Flat Lid)	120	630	575x700	5
B5001	Round Plastic Waste Bin (Flat Lid)	168	700	620x800	7
B5004	Round Dolly to suit B5003	-	-	400 (D)	2
B5005	Round Dolly to suit B5002 & B5001	-	-	450 (D)	3

Round Plastic Waste Bins (Swing Lid)

VERDEX


- Plastic construction will not rust, chip or peel, resists dents.
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids allow for secure, stable stacking
- Built-in handles allow easy, non-slip lifting
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- Quick and easy twist on, twist off dolly available to suit
- The dolly raises the bin overall height by 130mm
- Lid supplied with bin
- Colour: Grey
- B5010 Overall Height with Dolly: 910mm
- B5015 Overall Height with Dolly: 1020mm



Code	Details	Bin Capacity (L)	Overall Dia. Inc Handle (mm)	Dimensions DxH (mm)	Unit Weight (kg)
B5010	Round Plastic Waste Bin (Swing Lid)	80	555	505x780	4
B5015	Round Plastic Waste Bin (Swing Lid)	120	630	570x890	5
B5004	Round Dolly to suit B5010	-	-	400 (D)	2
B5005	Round Dolly to suit B5015	-	-	450 (D)	3

Battery Electric Wheelie Bin Tipper

LIFTEX



Code	Castors (mm)	Width/Depth (mm)	Safe Lifting Capacity (kg)	Lift Height (mm)	Mast Height (mm)	Overall Height (mm)
MT1600	125	1235x900	150	1600	2380	2660

The Multi-Tip bin-tipper is everything a bin tipper should be – safe, economic, easy to use, versatile, and efficient.


Perfect for light industrial use to empty bins at schools, factories, recycling centres and more. These tippers are battery powered which have a sealed battery and an industrial-quality 'float' charger built in.

Specifications

- Fast 20 seconds to empty a bin
- 1.6m tipping height
- Battery-powered with a sealed battery and an industrial-quality 'float' charger built in
- Suits popular bin sizes 80L, 120L, 140L and 240L, with no adjustment
- Castors, 2 with brakes
- Rugged powder coated frame
- Indoor or outdoor use
- Lockout key and two-hand controls for safety
- Simple plug in to charge overnight



View video of this in operation here
www.mhaproducts.com.au/MT1600



Dumpmaster Bin Tippers

Dumpmaster wheelie-bin tippers are the ultimate solution to empty bins and drums weighing up to 300kg at virtually any height. The tipping action of a Dumpmaster is one of the safest, most efficient, and easiest to use systems in the world.

- Dumpmasters are highly versatile and can be used in numerous applications, ranging from emptying rubbish bins into skips to pouring food ingredients into hoppers or mixers.
- No matter what the application, Dumpmasters have proven to be safe, reliable and economical to operate, year after year.
- Dumpmaster bin lifters have a unique tipping action whereby bins are lifted straight up, and then gently rolled forward around the lip of the skip or hopper being emptied into.
- The basic design can be modified to suit a wide range of bin sizes, shapes, and weights.
- Standard drums and bins do not require clamping – simply place on the cradle and press the ‘Raise’ button
- Dumpmasters can be fitted with multi-purpose cradles which can empty all standard sizes from 80 to 240 litre bins or even 80 to 360 litre bins with no adjustment
- These bin tippers listed below are our standard tipping heights however these can be made with tipping heights up to 6 metres
- Dumpmasters are Electric-Hydraulic bin tippers and are offered with a choice of 1-phase, 3-phase, battery or air-operated hydraulic power packs.
(Note: Air-operated systems are generally for use in hazardous environments only)



Operation couldn't be easier

Simply wheel the bin onto the cradle and press and hold the up button. When the bin has emptied, press the down button.

- No need to strap or clamp the bin
- Stop the machine at any time by taking your finger off the button
- A choice of emergency stop or key switch on control panel

Code	Tipping Height (mm)	SWL (kg)	Overall Width (mm)	Overall Length (mm)	Overall Height (mm)	Power Source
DM700	700	250	950	1150	1765	*4 Options (below)
DM1200	1200	250	950	1150	2265	*4 Options (below)
DM1500	1500	250	950	1150	2565	*4 Options (below)
DM1800	1800	250	950	1150	2865	*4 Options (below)

* choice of battery operated, single phase, three phase or air operated

**Options Shown In Photo**

Height: 700mm Tipping Height

Guarding: Full Cage PET


Bin Cradle: 80/120/240 Lt Bin Cradle

**Options Shown In Photo**

Height: 2700mm Tipping Height

Guarding: Full Cage PET

Bin Cradle: 120/240 Lt Bin Cradle

**Options Shown In Photo**

Height: 1800mm Tipping Height

Guarding: Full Cage Mesh

Bin Cradle: 205 Lt Drum Cradle

Dumpmaster MegaDumpers

- MegaDumpers® provide a solution for emptying larger bins weighing up to 750kg
- MegaDumpers® are based on the proven tipping action of the Dumpmaster® and represent one of the safest, most efficient, and easiest to use bin emptying solutions in the world
- Originally designed for tipping 660 and 1100 litre bins weighing up to 750kg, the MegaDumper can tip to any height from 700mm to 5 metres or more, and comes standard with full-cage guarding
- Standard tip heights from 1.2m to 1.8m but can be built economically to any height
- Standard machine are built to suit all wheelie bins, from 60L, 80L, 120L, 140L, 240L up to either 660L or 1100L wheelie bins.
- All cradles require absolutely no clamping, and come with a simple retainment system which needs almost no input from the operator
- Custom cradles available to suit other bins and drums
- MegaDumpers® are available with 1-phase, 3-phase, air or battery power packs. Battery-powered tippers have a sealed battery and an industrial-quality 'float' charger built in
- Available with either bolt down lugs or four castors, 2 with brakes
- Industrial grade galvanised frame
- Suitable for indoor or outdoor use
- Guarding includes a swing-up door with solenoid operated door lock, preventing all access to moving parts while machine is in operation. Machine is also immobilised while door is open
- Machine can be specified to meet AS/NZ 4024:2014 safety requirements. This includes a double door lock system, an in-built electronic evaluation unit, and comprehensive array of additional guarding panels.



Code	Tipping Heights (mm)	Foot Print Size WxL (mm)	Overall Height (mm)	Power Source
MD660	1500, 1800, 2100	1150	T + 1692	*4 Options (below)
MD1100	1500, 1800	1150	T + 1802	*4 Options (below)

T = Tipping Height

* choice of battery operated, single phase, three phase or air operated

X Shape Laundry Cart 150L

- Lightweight trolley which is great for carting linen or waste
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

VERDEX

Code	Load Capacity (kg)	Castors (mm)	Volume Capacity (L)	Overall Size LxWxH (mm)	Unit Weight (kg)
M9060	100	100	150	620x620x995	10



Plastic X Shape Laundry Cart

- Lightweight trolley which is great for carting linen or waste
- Easily remove the waste bag by unhooking from the frame
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

VERDEX

Code	Load Capacity (kg)	Castors (mm)	Volume Capacity (L)	Overall Size LxWxH (mm)	Unit Weight (kg)
M9070	60	75	178	690x660x950	10



400L Steel Waste Trolley

- The waste trolley is an ideal device for collecting and moving waste and scrap parts
- Perfect for collecting waste from production lines and engineering workshops
- Powder coated finish
- Pneumatic Wheels: 400mm diameter
- Single Rubber Rear Wheel: 200mm diameter

VERDEX

Code	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M6060	400	1390x740x920	55



350L Waste Collection Bin

- Great for use in warehouses and on sites, for general waste and rubbish
- 2 front wheels and 1 rear wheel for easy wheeling throughout the workplace
- Pull handle which releases the bin forward



View video of this in operation here
www.mhaproducts.com.au/WB2980



VERDEX



Code	Front Wheel Size (mm)	Rear Wheel Size (mm)	Bin Capacity (L)	Safe Working Load (kg)	Bin Dimensions LxWxH (mm)	Unit Weight (kg)
WB2980	340	125	350	350	1350x850x1040	72

Plastic Bin Trolleys

- Heavy duty rotomoulded tub with 25mm steel tubular frame
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Nylon castors – 2 x fixed, 2 x swivel
- Load Capacity: 400kg
- Bin Capacity: 400L
- Castors: 100mm
- Handle Height: 780mm
- Both Tubs are ribbed for extra strength
- Tubs available to buy separate from the Tub Trolley



VERDEX

Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
T1120	Blue Bin Trolley (Includes Tub)	1200x740x780	25
T1125	White Bin Trolley (Includes Tub)	1200x740x780	25
T1130B	Blue 400L Tub	see description in text above	8.5
T1130W	White 400L Tub	see description in text above	8.5

Drop Bottom Bin (Solid Sides)



- These drop bottom bins are a heavy duty bin made for all types of waste
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying
- Sheet metal sides with sheet metal base
- Durable Zinc finish



Code	Volume (L)	Safe Working Load (kg)	Bin Dimensions LxWxH (mm)	Fork Pocket Size (mm)	Fork Pocket (mm)	Unit Weight (kg)
WB2722	1500	1000	1540x950x1350	160x65	784	200

Drop Bottom Bin (Mesh Sides)

troden

- These drop bottom bins are a heavy duty bin made for all types of waste
- Ideally suited to the recycling industry, the cage can be lifted by either a forklift or crane
- This bin is able to be transported either by fork lifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying
- Mesh sides with sheet metal base



Code	Volume (L)	Safe Working Load (kg)	Bin Dimensions LxWxH (mm)	Fork Pocket Size (mm)	Fork Pocket (mm)	Unit Weight (kg)
WB2723	1500	1000	1540x950x1350	160x65	784	145

Forklift Waste Tipping Bin

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout workplace
- Simply pull the cord or handle which releases mechanism for tipping into larger bins or skips
- Painted finish
- Polyurethane castors - 2 x fixed, 1 swivel with brake



troden

Code	Castors (mm)	Safe Working Load (kg)	Bin Capacity (L)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Height to Top of Lip (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
WB2938	125	350	150	150x55	600	710	1160x750x905	95

Forklift Waste Self Tipping Bins

VERDEX

- Great for use in warehouses and building sites for general waste and rubbish
- Available in painted yellow or galvanised
- 150 litre and 300 litre versions available
- Pull cord to release the mechanism for tipping into larger waste bins which saves the operator having to leave the forklift
- Safe Working Load: 1000kg
- Fork Pocket Size: 140x65mm



Watch a video of this in operation on our website here, www.mhaproducts.com.au/WB6070




Code	Details	Bin Capacity (L)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
WB6070	150L Yellow Painted Tipping Bin	150	600	1012x750x830	90
WB6071	300L Yellow Painted Tipping Bin	300	800	1190x950x960	116
WB6075	150L Galvanised Tipping Bin	150	600	1012x750x830	90
WB6076	300L Galvanised Tipping Bin	300	800	1190x950x960	116

Drum Tipper / Dumper

troden

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Rotational ability 180 degrees



Code	Working Load Limit (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7215	500	1000	185x65	840	1400x1040x600	85

Hot Dipped Galvanised Forklift Waste Tipping Bins

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout workplace
- Manual push over for tipping into larger bins or skips
- Available in 2 standard sizes
- Drain plug fitted as standard
- Hot Dipped Galvanised


VERDEX


Watch a video of this in operation on our website here,
www.mhaproducts.com.au/WB2940



Code	Details	Bin Capacity (L)	Safe Working Load (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
WB2940	Fork Waste Bin	350	350	140x65	367	720x1115x890	65
WB2941	Fork Waste Bin	650	650	140x65	367	1000x1115x890	90

Self Dumping 1500kg Capacity Tipping Bins

- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Optional wheel kit available
- Hot Dipped Galvanised

**troden**



Nestable



Watch a video of this in operation
on our website here,
www.mhaproducts.com.au/WB2920



Code	Details	SWL (kg)	Bin Capacity (L)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size WxLxH (mm)	Unit Weight (kg)
WB2920	Tipping Bin	1500	950	185x75	380	1570x1006x1083	180
WB2921	Tipping Bin	1500	1250	185x75	680	1310x1570x1010	205
WB2922	Tipping Bin	1500	1850	185x75	680	1910x1570x1010	245
WB29K	Wheel Kit to suit Tipping Bins (includes 4 wheels)						

