



Specials Valid To December 31st 2017




Haven't bought from MHA before?



....we've made it easy for you.

Simply fill out the priority order form on the back cover and fax or email it to us. Alternatively you can place your order online at

www.mhaproducts.com.au







Heavy Duty Goods TrolleyWith Shelf

An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use. Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.

Unit is powder coat finished, and fitted with $4\,x$ 150mm diameter swivel wheels for easy manoeuverability. Front wheels fitted with brakes for security.

- Load Capacity: 500kgs
- Overall Height: 1700mm (including wheels)
- Overall Depth: 800mm
- Overall Width: 1100mm
- Clear Internal Dimensions:
 - 1030mm wide x 750mm deep
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 650mm
- Durolla





Powered Platform Trolley

- Available also with a removable guard rail (as pictured) to avoid items falling off while moving
- Platform has an anti-slip grip so that items don't slide off easily in transit
- Rubber bumper edge
- Emergency stop button
- Comes with forward and reverse drive options
- Variable speed controller
- Powered by 2 x 12V / 33Ah batteries
- Net Weight: 110kg
- Platform Size: 630x1280mm (WxL)
- Load Capacity: 500kgs
- Handle Height: 1080mm
- Cage Height: 600mm



Extra Heavy Duty Steel Platform Trolley

- Extra large heavy duty steel platform trolleys are ideal for demanding warehouse uses
- Heavy duty polyurethane castors (front fixed and back swivel)
- Fully welded steel construction Powdercoated - Blue



3 Step Foldable Picking Ladder Trolley

- Strong 2 tier steel construction for easy goods picking from height
- Foldable function to reduce the transportation cost and storage space
- The steps act as a brake when the trolley is in operation
- Anti-slip steps which ensure safe operation
- Quality castors for smooth and effortless moving
- Dimensions
- 1000x500x1090mm (LxWxH)
- Folded Dimensions: 1000x580x470mm (LxWxH)
- Capacity: 200kg
- Wheel Diameter: 100mm
- Lockable castors
- Unit Weight: 45kg

Durolla





Self Propelled Electric Scissor Lift Trolley

These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift.

With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow eisles or tight spaces

Now Only

Was \$4935

Code: LT7240

- Comes complete with side cage as pictured which can be easily removed if not required
- Overall Size: 1240x600x1100mm
- Min Table Height: 460mm
- Max Table Height: 900mm
- Unit Weight: 180kg
- Max Capacity: 400kg
- Batteries: 2x12V 33Ah
- Controller: 70A
- Min Plate Height: 460mm
- Motor (Driving): 400W



Heavy Duty Goods Trolley **Durollo**

This goods trolley is able to be folded when not in use

Suitable for many uses in transporting goods safely and securely.

- Castors: 150mm swivel and 2 with brakes
- Optional pneumatic wheel kit available
- Overall Dimensions: 1100x825x990mm (LxWxH)
- Internal Dimensions: 1030x750x750mm (LxWxH)
- Load Capacity: 500kgs
- Unit Weight: 75kg
- Finish: Powdercoat blue
- Gates: Lockable





Heavy Duty Cage Trolleys (Open Front)

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality lockable castors for smooth and effortless moving
- These trolleys come with a
 - removable bar at the front which when removed the sides can be folded in
- Comes with signboard area on both sides
- Quality powdercoated finish
- Capacity: 500kg







Code	Description	External Dim. (LxWxH)	Internal Dim. (LxWxH)	Unit Weight	Was	Now
T5310	Cage Trolley (with open front)	950x800x1700mm	890x740x1460mm	50kg	\$675.00	\$544.00
T5311	Cage Trolley (with open front)	1100x800x1700mm	1040x740x1460mm	55kg	\$798.00	\$678.00

Plastic Utility Carts 2 & 3 Tier

- Heavy duty plastic construction which resists dents, chips and rust maintenance free!
- Built in storage bin in the handle which is great for storing small parts or tools
- Sturdy and stable but lightweight making it easy for manoeuverability
- Round corners which avoid marking of walls and furniture from sharp edges
- Large silent, non-marking 125mm castors
- Load Capacity: 250kgs
- Platform Size: 950x650mm 110mm deep
- Platform Height: 150 + 850mm (middle shelf adjusts on 3 tier version)



Price	Each

Code	Description	Unit Weight	Was	Now
T2052	2 Tier Utility Cart	17.3kg	\$298.00	\$265.00
T2053	3 Tier Utility Cart	28kg	\$364.00	\$323.00

Rough Terrain Scissor Lift Trolley



- Capacity: 200kg
- Max. Lift Height: 1000mm
- Min. Height of Table: 330mm
- Table Size: 1000x500mm
- Total Height: 1056mm
- Overall Length: 1120mm
- Foot Pedal Cycles to Max Height: 25
- Wheel Diameter: 200mm
- Unit Weight: 71kg



Was \$798 Code: LT8712

Steel Triangular Frame Panel Cart

- Great for use on construction sites
- Triangular framed panel cart
- Convenient tool tray located in between triangle frame upright
- Deck Size: 520x1200mm
- Overall Size: 580x1200x1180mm (WxLxH)
- Load Capacity: 500kgs
- Unit Weight: 40kgs





Galvanised Forklift Drum Grab



Code: DL2950

Scissor Lift Trolleys

These units help take the strain out of loading and unloading items from raised levels. The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger. The double scissor model, gives the added advantage of elevating loads of up to a height of 1575mm.

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder-coated finish
- Stepless rate of lowering regardless of load weight
- The 150kg version has a foldable handle as per image





Code	Description	Capacity	Table Size	Unit Weight	Min Height	Max Height	Was	Now	
LT8701	Scissor Lift Trolley - Single Scissor	150kg	450x700mm	46kg	265mm	780mm	\$375.00	\$337	
LT8702	Scissor Lift Trolley - Single Scissor	300kg	500x850mm	77kg	340mm	880mm	\$565.00	\$498	
LT8704	Scissor Lift Trolley - Double Scissor	350kg	500x910mm	105kg	335mm	1300mm	\$710.00	\$639	
LT8707	Scissor Lift Trolley - Double Scissor	500kg	520x1010mm	118kg	440mm	1575mm	\$1089.00	\$979	
LT8703	Scissor Lift Trolley - Single Scissor	500kg	500x850mm	81kg	340mm	880mm	\$624.00	\$558	
LT8705	Scissor Lift Trolley - Double Scissor	700kg	610x1220mm	195kg	445mm	1500mm	\$1469.00	\$1310	
LT8708	Scissor Lift Trolley - Single Scissor	750kg	510x1000mm	175kg	420mm	990mm	\$835.00	\$745	

Electric Fork/Platform Stacker

- Capacity: 400kg
- Electric hydraulic lift
- 125mm lockable castors
- Maximum Lift Height: 1500mm
- Minimum Height: 80mm
- Platform Size: 580x660mm (WxD)
- Fork Length: 650mm
- Overall Length: 1040mm
- Overall Width: 590mm
- Overall Height: 1710mm
- Battery: 12v 80Ah Net Weight: 120kgs
- Comes with a removable
- platform and have 2 adjustable fork tines under platform for lifting skids and pallets



Fully Auto Electric Fork Stacker

These fully auto fork stackers have the latest technology and safety functions. They are fully automatic and have both electric drive and electric up/down.

The motor structure is both dust and water proof which makes it functional to load or unload trucks in wet conditions.

They have an adjustable fork tines straddle leg which allows the operator to pickup Australian sized pallets as well as other smaller or odd shaped pallets or skids.



- Load Capacity: 1500kg
- Lift Height: 3300mm
- Overall Height (with mast lowered): 2295mm
- Overall Height (with mast extended): 3995mm
- Overall Length: 2095mm
- Overall Width: 1595mm (maximum)
- Tine Dimensions: 40x100x1070mm
- Ground Clearance: 35mm
- Wheel Type: Polyurethane
- Ground Clearance: 40mm
- Turning Radius: 1655mm
- Brake: electromagnetic
- Travel Speed: 6km/h







- Large pneumatic wheels
- Capacity: 1200kg
- Min Fork Height: 63mm
- Max Fork Height: 233mm
- Fork Length: 860mm
- Load Centre: 450mm
- Adjustable Fork Width: 228-735mm
- Tine Width: 100mm

- Tine Width: 100mm
- Width Inside Front Wheels: 1230mm
- Front Wheel Size: 550x132mm (Dia x Width)
- Rear Wheel Size: 265x80mm (Dia x Width)
- Turning Radius: 1500mm
- Overall Size: 1375x1605x1200 (LxWxH)
- Axle Distance Between Front and Rear Wheels: 973mm Unit Weight: 245kg






2.0 Tonne Hook & Tow Jib Attachment

This 2000kg hook & tow jib is suitable for most forklifts and is a simple slip-on attachment with safety chain and swivel hook as pictured.

- Safe Working Load: 2000kg at 1160mm load centre
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 250mm
- Fork Pocket Length: 1220mm
- Unit Weight: 45kg
- Finish: Zinc plated
- Maximum weight on towball must not exceed 500kg
- Hook jib has 2 lifting positions





4.5 Tonne Fixed Long Jib



This 4500kg long jib is a general purpose jib which is great for reaching across pits and areas where the forklift cant drive up to as it has a 3.5 metre reach when fully extended.

- Jib Length (when closed): 2.0m
- Jib Length (when extended): 3.5m
- Safe Working Load: 4500kg (SWL load chart is shown on jib)
- Fork Pocket Size: 185x65mm
- Fork Pocket Centres: 290mm
- Unit Weight: 140kg
- Finish: Zinc plate





Girder Push Trolley (suits the JC2500 jib crane)

- Manufactured to comply with AS1418.2.
- Fully adjustable to suit various beam widths
- Fitted with anti-drop plates for improved safety and compliance.
- High-grade, fully sealed bearings for maintenance free extended life
- Single pin configuration
- Load Capacity: 500kg
- Unit Weight: 6.5kg





Now Only

Was \$720

Code:HJ2005

Freestanding Jib Crane (Straight Arm)

These free standing jib cranes are ideal for use in workshops using vacuum lifters, chain hoists, lever blocks and air hoists.

Designed for machinery and maintenance industries for safe and easy moving of heavy or

Can be bolted down for indoor or outdoor use.

- Requires girder trolley for use
- Capacity: 250kg
- Overall Height: 4900mm
- Height from ground to under arm: 4490mm
- Overall Length of Arm from post: 3870mm
- Rotating Angle: 360 degrees
- 2 hook anchor points
- Base Plate Size: 500x500mm







Please Note: The girder trolley and lifting hoists are sold seperately to the crane unit





Fork Extension Slippers / Tines

- Fork slippers extend the versatility of your lift truck
- 5 tine sizes available up to a maximum tine size of 160mm wide x 65mm thick
- The safe working load (SWL) is measured per pair at 600mm load centre
- Slippers conform to AS2359.15



Code	Description	Length	Max	Weight	SWL	Was	Now
			Tine Size	Per Pair			
F2936	Extension Slippers	1800mm	130x50mm	66kg	4000kg	\$495.00	\$425.00
F2937	Extension Slippers	2400mm	130x50mm	88kg	4000kg	\$675.00	\$575.00
F2938	Extension Slippers	1800mm	160x65mm	133kg	8000kg	\$995.00	\$845.00
F2939	Extension Slippers	2400mm	160x65mm	177kg	8000kg	\$1235.00	\$995.00
F2940	Extension Slippers	3000mm	160x65mm	221kg	8000kg	\$1485.00	\$1185.00

Slip-On Roll/Carpet Forklift Prong

Slip-on Roll Prong suitable for fabric, cable and coil products. Can also be used for carpet handling, but usage is generally restricted to larger forklifts due to the extended load centre created by the length of the tines.

These attachments quickly adapt to almost any forklift and require only the connection of a safety chain to prevent unintentional disengagement.

- Fork Pocket Size: 190x65mm
- Fork Centres: 345mm
- Enamel paint finish
- Safe Working Load: 850kg
- The safe working load (SWL) is measured per pair at 600mm load centre
- Prong Length: 2800mm (from end of jib)
- Prong Diameter: 80mm
- Unit Weight: 194kg







Plastic Cube Bins

• These cube bins are a lightweight easy to operate bin available in 2 sizes

• Perfect for general waste collection in factories, warehouses, hotels etc and fitted with a cradle wheel assembly providing a sturdy frame with 2x 100mm diameter fixed wheels and 2x 100mm swivel wheels

· Manufactured from polyethylene, the smooth and seamless body is simple to clean and resistant to grease and oils, cleaning materials and environment degradation

- Working Load Limit (WLL) of 250kg
- Perfect for the efficient collection and dumping of all waste and rubbish materials with an excellent weight balance designed for ease of manoeuvrability

Code	Dimensions	Unit Weight	Capacity
WB7420	1000x680x750mm	20kg	225L
WB7422	1140x800x960mm	24kg	450L

Price/Each

Code	Description	Was	Now
WB7420	Plastic Cube Bin 225L	\$398	\$349
WB7422	Plastic Cube Bin 450L	\$475	\$419

Expanding Skate Conveyors

Expandable and flexible

- Self tracking flexible conveyor which expands from 1100mm to 4000mm and can be joined to make 1 continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels
- Capacity: 100kg per metre
- Length Retracted: 1100mm
- Length Expanded: 4000mm
- Height Range: 690 1000mm



Conveyor Width

460mm wide

610mm wide



Expanding Roller Conveyors COOC



Expandable and flexible

- The flexible roller conveyor expands from 1500mm to 4000mm and can be joined to make 1 continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods for which the skate wheel conveyor wont work

Specials Valid until 31st December '17 - All prices exclude GST

- Easy and quick setup with adjustable height legs and 125mm brake castors on every leg
- Reduces manual handling
- · Bolted steel construction with steel rollers
- Capacity: 130kg per metre
- Length Retracted: 1500mm
- Length Expanded: 4000mm Height Range: 690 - 1000mm

Code	Conveyor Width	Was	Now
40123	460mm wide	\$1590	\$142
40124	610mm wide	\$1792	\$159
40128	760mm wide	\$1925	\$1729





Price Each

Code

40125

40129



Platform and Fork Lift Trolley

- The ideal trolley for lifting loads up to 150kg with ease
- Complies to AS1418.2
- · Swappable accessories for handling of different loads
- Forks for lifting small pallets and skids
- Platform for general lifting
- Patented silent winch which locks the load at any height
- Steel cable which runs inside the mast to prevent pinching
- Large 250mm puncture proof wheels
- Made from aluminium
- Lift Height: 1050mm
- Load Capacity: 120kg with platform and 150kg with forks
- Operating Dimensions:710x500x1320mm (WxDxH)
- Folded Dimensions: 300x500x1320mm (DxWxL)

Platform and Fork Lift Trolley

Fork Kit to suit L6990 Trolley

- Platform Dimensions: 360x420mm (DxW)
- Fork Dimensions: 50x460mm (WxL)

Description

Unit Weight: 20kg

Code

16990

L6990F



Mesh Stillage / Transport Cages

Type

Platform

Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor.

- These cages can also be stored on pallet racking
- Drop down removable front gate
- Cages can be stacked 2 high when loaded and 4 high unloaded
- Internal Dimensions: 1080x1080x825mm
- External Dimensions: 1160x1200x1000mm
- Supplied flatpacked (can be assembled on request)
- Optional floor available
- Finish: Zinc plated
- Load Capacity: 1000kg



Dangerous Goods Cabinets

- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- All our flammable liquids cabinets are made to AS 1940-2004
- Internal Size: 1503x1018x420mm (HxWxD)External Size: 1750x1100x500mm (HxWxD)
- Storage Capacity: 250L
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- No. of Shelves: 3

Folded view

• Unit Weight: 123kg







FLAMMABLE

LIQUID

Aluminium Platform Ladders

- Available in platform heights from 0.9 metres to 2.1 metres
- Large anti-skid work platform with raised edges keeps feet in side the platform for greater safety and comfort
- One piece, smooth operation simply folds out and locks
- Platform size: 600 x 600mm
- Optional castor kits available
- Rated to 150kgs
- Complies to AS/NZS 1892:1998





Code	Description	No. Of Steps	Platform Height	Unit Weight	Price Each
50121	Aluminium Platform Ladder	3	900mm	10kg	\$283.65
50122	Aluminium Platform Ladder	4	1200mm	12kg	\$321.90
50123	Aluminium Platform Ladder	5	1500mm	13kg	\$339.90
50124	Aluminium Platform Ladder	6	1800mm	14kg	\$377.85
50125	Aluminium Platform Ladder	7	2100mm	17kg	\$435.60
50139	Platform Ladder Castor/Wheel Kit				\$89.00
50140	Platform Ladder Safety Gate Kit				\$115.00



7.5 Tonne Capacity Container Ramp


This container ramp is a heavy duty ramp for unloading containers of heavy products and machinery using a forklift.

This is a one piece unit with forklift slots at both the side and front for easy transport.

Specifications

- Capacity: 7500kgs
- Unit Weight: 240kgs
- Finish: Painted yellow
- Width: 2200mm
- Height: 160mm
- Length: 1720mm
- Fork Pocket Size (side): 80x165mm
- Supplied with chain & D-shackle as pictured








8 Tonne Heavy Duty Container Ramp (extra long)

The R2908 extra long container ramp has an overall length of 3 metres (1.5 metres of which is horizontal allowing easy placement and removal of the first and second line of pallets in a container.

This ramp has been designed for fast positioning and removal with tine pockets on the side plus pop up tine slots in the top for front removal.

Comes standard with 100mm raised side plates which ensure the forklift remains on





troden

• Working Load Limit: 250kg

Specifications

• Capacity: 8000kgs

- Unit Weight: 600kgs
- Finish: Enamel Painted
- Width: 2260mm
- Lenath: 3000mm
- Top Fork Slot Centres: 718mm

Forklift Safety Cage/Work Platform

- Manufactured to meet Australian Standards AS 2359-1
- Zinc plated finish
- Designed to carry 2 persons (250kg max)
- · Mesh safety screen
- Toe boards all sides with skid resistant floor plate
- Inward opening, self closing door
- Internal handrail with safety loops to hook safety harness
- · Full length fork sleeves
- Castors can be fitted to the bottom of cage for easy maneuverability in warehouse or yard
- Floor Dimensions Inside: 1000x1100mm
- Overall Height: 2000mm
- Height to Railing: 1000mm
- Fork Pocket Size: 160x60mm
- Fork Pocket Centres: 640mm
- Unit Weight: 110kg
- Supplied as flatpack for easy storage and transport however can be ordered with assembly









Plastic Tipping Bins

- These plastic tipping bins are a lightweight easy to operate tipping bin available in two sizes
- Perfect for general waste collection in factories, warehouses, hotels etc. They are fitted with a cradle wheel assembly providing a sturdy frame with 2x 300mm diameter fixed wheels and 2x 100mm swivel wheels
- Manufactured from polyethylene, the smooth and seamless body is simple to clean and resistant to grease and oils, cleaning materials and environment
- Perfect for the efficient collection and dumping of all waste and rubbish materials with an excellent weight balance designed for effortless tipping and ease of manoeuvrability



Code	Description	Was	Now
WB7400	Plastic Tipping Bin 500L	\$882	\$793
WB7401	Lid to suit WB7400	\$252	\$226
WB7402	Fork Pocket Option to suit WB7400	\$504	\$453
WB7403	Plastic Tipping Bin 1000L	\$1106	\$995
WB7404	Lid to suit WB7403	\$295	\$264
WB7405	Fork Pocket Option to suit WB7403	\$504	\$453

Specials Valid until 31st December '17 - All prices exclude GST

Was \$920 Code: FC2901

Safety Bollards

- Ideal for protecting expensive equipment and racking from possible
- Great for protecting edges of roller doors from truck damage
- 5 options available however other sizes can be made to order to your particular specifications




	90mm high bolla	remova	8704 & AB870 ble cap so that e concrete filler	15 have a t the bollards		Price	e Each	AB8702
Code	Descripti	on			Details	Was	Nov	N
AB8701	'U' Bar Hi	gh Bollard			-	\$225	\$19	2
AB8702	'U' Bar Lo	w Bollard			-	\$149	\$12	6
AB8703	Standard	Straight Bollard - 915r	mm (Powerco	ated)	Fixed Cap	\$98	\$83	3
AB8704	Large Stra	aight Bollard - 1200mn	n (Powercoate	ed) Rer	movable Cap	\$285	\$19	9
AB8705	,	night Bollard - 1200mn	n (Galvanised	·	movable Cap	\$195	\$13	
AB8706	Tru-Bolt 1	6x120mm (M16)		(Galvanised	\$3.50	\$2.9	95
Code	Bollard Type	Size	Diameter	Bolt Hole Size	Base Plate Size	W	-	Finish
AB8701	U Bar High	1068x1220mm (HxL)	115mm	22mm	205x205x10mm	3m	nm	Powdercoated
AB8702	U Bar Low	2301220mm (HxL)	115mm	22mm	205x205x10mm	3m	nm	Powdercoated
AB8703	Straight	915mm (H)	115mm	22mm	255x255x10mm	3m	nm	Powdercoated
AB8704	Straight	1200mm H)	165mm	17mm	280x280x10mm	3m	nm	Galvanised + Powdercoated
AB8705	Straight	1200mm (H)	165mm	17mm	280x280x10mm	3m	nm	Galvanised

AB8701

Pallet Racking End Protectors STORMAX





No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking. You can avoid major injuries and pallet rack damage by installing these protection guards.

Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.

- Single Bay End Protector to suit 838mm frame
- Double Bay End Protector to suit 838mm frame + 430mm space + 838mm frame
- Conforms to AS4084:2012





Price Fach

Code	Description	Height	Length	Was	Now
11240	End Protectors (single bay)	400mm	1080mm	\$188	\$159
11241	End Protectors (double bay)	400mm	2350mm	\$260	\$215

Pallet Racking Column Guard



AB8703

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts
- No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking - You can avoid major injuries and pallet rack damage by installing these protection guards
- Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs
- Conforms to AS4084:2012
- Size: 400mm high x 220mm deep





Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post and panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled and disassembled rail system
- Supplied with all necessary bolts and fixings
- Installation available Contact us for a quotation
- Galvanised finish available on request



Corner Post

Comes with bolt holes on two adjoining sides

Centre Post

Comes with bold holes on two opposite sides

> **Post Base Size** 254x254x16mm
















				Title	Lacii
Code	Description	Height	Length	Was	Now
SG401	Single Height Corner Post (100x100mm)	470mm	-	\$90.00	\$81.00
SG402	Single Height Centre Post (100x100mm)	470mm	-	\$90.00	\$81.00
SG403	Double Height Corner Post (100x100mm)	1085mm	-	\$130.00	\$117.00
SG404	Double Height Centre Post (100x100mm)	1085mm	-	\$130.00	\$117.00
SG405	Safety Rail Section	370mm	1120mm	\$130.00	\$117.00
SG406	Safety Rail Section	370mm	1730mm	\$160.00	\$144.00
SG407	Safety Rail Section	370mm	2340mm	\$190.00	\$171.00
SG408	Safety Rail Section	370mm	2945mm	\$258.00	\$232.00

Guard Rail Fence Gates

- Self closing gates which can be mounted to the Stormax guard rail system
- Gates swing inwards or outwards
- Adjustable spring tension
- Finish: Powdercoated yellow
- Supplied with all necessary bolts and fixings
- Gate overall length is 1500mm however they can be cut down on site to any length to fit opening
- The steel loop gate is available in powdercoated and galvanised finish
- Steel Loop Gate pipe diameter is 42mm
- SG409 Unit Weight: 6.3kg
- SG410 & SG411 Unit Weight: 18kg

The state of the last of the l		
	1-111	
	The second second	
	- CO	
	THE REAL PROPERTY.	
	\$100 PERSONAL PROPERTY.	
	THE RESIDENCE OF THE PERSON NAMED IN	1
	DMID2532	
The second second	B00000000	
	F1000000000000000000000000000000000000	
CONTRACTOR AND ADDRESS OF	F1000000000000000000000000000000000000	
	A STATE OF THE PARTY OF THE PAR	
SG409		
3403		



Specials Valid until 31st December '17 - All prices exclude GST

Price Each

Code	Description	Was	Now
SG409	Aluminium Gate Assembly (powdercoated)	\$475	\$419
SG410	Steel Loop Gate Assembly (powdercoated)	\$785	\$695
SG411	Steel Loop Gate Assembly (galvanised)	\$785	\$695

Drop Bottom Bin (with mesh sides)

- These drop bottom bins are a heavy duty bin made for all types of waste
- Ideally suited to the recycling industry, the cage can be lifted by either a forklift or crane
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying with a shock absorbing system to avoid impact to the forklift or crane during emptying
- Pull-rope release mechanism for bottom discharge
- Safe Working Load: 1000kg
- Mesh sides with sheet metal base
- Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm
- Volume approx 1500L
- Bin size to outside of frame approx 1540mm x 950mm x 1350mm high
- Durable Zinc finish
- Unit weight: 145kg





Drop Bottom Bin (solid sides)

- These drop bottom bins are a heavy duty bin made for all types of waste This bin is able to be transported
- either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying with a shock absorbing system to avoid impact to the forklift or crane during emptying

Pull-rope release mechanism for bottom discharge


- Safe Working Load: 1000kg
- Sheet metal sides with sheet metal base
- Fork Pocket Size: 160x65mm
- Fork Pocket Centres: 784mm
- Volume approx 1500L
- Bin size to outside of frame approx 1540mm x 950mm x 1350mm high
- Durable Zinc finish
- Unit weight: 200kg



Code: WB2722

Louvre & Square Hole Panel Trolleys

- Strong metal panel trolleys which are ideal for storing either Stor-Pak bins or tools on hooks
- Can be fitted one side with louvre panel and one side with square hole metal pegboard or a mix of both on each side on request





Price Each

Code	Bin	Size (LxWxD)	Volume	1-20	21-49
10404RC	Bin #4	430x323x127mm	13.5L	\$7.10	\$6.40
10405RC	Bin #4D	430x323x210mm	22L	\$9.00	\$8.10
10407RC	Bin #7	645x413x210mm	32L	\$14.65	\$13.20
10410RC	Bin #10	645x413x276mm	52L	\$15.65	\$14.10
10415RC	Bin #15	645x413x397mm	68L	\$38.75	\$34.85
10412RC	Lid to suit	No.4 crates (black)		\$5.80	\$5.20
10417RC	Lid to suit	No.7-15 crates (black)		\$9.55	\$8.60



Forklift Waste Tipping Bin TOOEN

This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish Fitted standard with 2 front wheels and 1 rear wheel for


easy wheeling throughout workplace Simply pull the cord or handle which realeases mechanism for tipping into larger bins or skips

- Drain plug fitted as standard
- Safe Working Load: 350kg
- Finish: Painted
- Fork Pocket Size: 150x55mm
- Fork Pocket Centres: 600mm
- Unit Weight: 103kg
- Bin Overall Height: 800mm
- Bin Overall Width: 690mm
- Bin Overall Length: 1100mm
- Height to top of lip 710mm Bin Capacity: 150L





Enviro Plastic Stack & Nest Crates



- Crates can stack or nest depending on which way around they are stored
- · Size 4 and 4D are nest only

Please Note: The recycled black crates arent suitable for food applications

12

Sydney (02) 8865 1800

Melbourne (03) 9982 4570





Code Size (WxDxH) Volume Ctn Qty Ctn Buy 10+ Ctns Bin 100x115x60mm 0.5L IH-060 *Bin #5 12 \$2.60 \$2.10 1.0L *Bin #10 100x170x85mm \$3.55 \$2.95 IH-061 6 IH-062 *Bin #25 133x220x125mm 2.5L \$5.60 \$4.95 IH-063 *Bin #60 200x275x165mm 6 \$10.75 \$8.90 IH-064 *Bin #120 410x275x165mm \$16.20 \$13.70 \$28.50 IH-065 *Bin #240 410x440x210mm 241 4 \$23.80 40 IH-058 Dividers to suit bins #60 and #120 \$2.50 \$1.95 IH-057 Dividers to suit bins #240 \$4.50 \$3.90

Spare Parts Trays

- **Fischer**
- Strong polypropylene oil resistant trays which are supplied with dividers
- Extra dividers are available to create more compartments in the trays
- Ideal for small parts storage
- Hospital grade material bacterial free and chemical free
- Can be used with steel shelving as pictured to create a neat and organised parts storage area
- Our standard spare parts tray colour is grey as pictured however other colours are available on request (blue, green, red, yellow)



Code	Tray	Size (LxWxH)	Dividers Supplied	Ctn Qty	Ctn Buy	4+ Ctns
IH-012	Size #12	300x100x100mm	2	24	\$5.65	\$4.80
IH-017	Size #17	400x100x100mm	2	24	\$6.85	\$5.90
IH-027	Size #27	600x100x100mm	5	12	\$10.75	\$9.10
IH-024	Size #24	300x200x100mm	2	12	\$8.70	\$7.50
IH-025	Size #25	400x200x100mm	2	12	\$10.45	\$8.80
IH-028	Size #28	600x200x100mm	5	6	\$14.60	\$12.60
IH-014	Spare Parts Tray Dividers -100mm wide			12	\$0.50	\$0.40
IH-026	Spare Parts Tray Dividers -200mm wide			12	\$0.75	\$0.65
	,			. =	*****	

Steel Shelving Kits

*Please specify bin colour when placing your order



- These steel shelving kits are a great way to sort parts neatly and efficiently
- Available in 9 standard combinations however others can be made to suit your particular requirements
- Kits supplied flatpack
- Overall Shelf Height: 1875mm

Price Each

- Overall Shelf Width: 900mm
- The spare parts trays are available in 300mm or 400mm deep shelf sets and trays are supplied with 2 dividers per tray













Price Per Set

Code	Description	Shelf Depth	Trays / Bins Supplied (LxWxH)	Initial Set	*Add on Set
SK1001	Shelving Kit (Parts Tray)	300mm	96 parts trays (300x100x100mm)	\$852.00	\$820.50
SK1002	Shelving Kit (Parts Tray)	300mm	48 parts trays (300x200x100mm)	\$757.00	\$725.00
SK1003	Shelving Kit (Parts Tray)	300mm	48 trays (300x100x100), 24 trays (300x200x100)	\$805.30	\$773.00
SK1004	Shelving Kit (Parts Tray)	400mm	96 parts trays (400x100x100mm)	\$989.00	\$948.00
SK1005	Shelving Kit (Parts Tray)	400mm	48 trays (400x200x100)	\$852.00	\$811.00
SK1006	Shelving Kit (Parts Tray)	400mm	48 trays (400x100x100), 24 trays (400x200x100)	\$920.00	\$880.00
SK1007	Shelving Kit (Storpak Bins)	300mm	28 Storpak Bins No.60 (275x200x165mm)	\$664.65	\$633.15
SK1008	Shelving Kit (Storpak Bins)	300mm	14 Storpak Bins No.120 (275x410x165mm)	\$642.25	\$610.75
SK1009	Shelving Kit (Storpak Bins)	400mm	12 Storpak Bins No.240 (440x410x210mm)	\$793.35	\$752.55

^{*}To order an add on bay please add an 'A' to the code (eg, SK1001A)

STORMAX Heavy Duty **Longspan Shelving**

This heavy duty longspan shelving system is a strong and versatile shelving system which is great for storing small parts and archives.

The Stormax longspan system is a heavy duty system which is similar to pallet racking just in a smaller profile.

- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Available in 2 shelf options, steel or mesh
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
 - Shelf Capacity: 375kg per shelf (evenly distributed)
- On site installation available contact us for a quotation
- Steel and mesh shelves are supplied as 2 seperate pieces per level
- Standard Shelf Depths: 450mm and 600mm
- Standard Heights: 1800mm and 2400mm
- Standard Widths: 1800mm and 2400mm



Steel Shelves



Mesh Shelves



Castor Kit





Please Note:

To order the 'Add on Bays' add an 'A' to the end of the code number To order an 'Extra Shelf Level' add an 'E' to the end of the code number

1800mm Wide Longspan Sets (3 Steel shelf levels provided w	ith longspan s	ets) P	rice Per Set

Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets
LS1800S	Longspan Shelving Set	1800mm	1800mm	450mm	\$254.80	\$218.25	\$60.50	10% less
LS1801S	Longspan Shelving Set	1800mm	1800mm	600mm	\$286.00	\$247.80	\$69.85	10% less
LS1802S	Longspan Shelving Set	2400mm	1800mm	450mm	\$273.35	\$227.50	\$60.50	10% less
LS1803S	Longspan Shelving Set	2400mm	1800mm	600mm	\$305.10	\$257.30	\$69.85	10% less



Steel

1800mm Wide Longspan Sets (3 Mesh shelf levels provided with longspan sets)

Price	Per	Set
-------	-----	-----

Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets
LS1800M	Longspan Shelving Set	1800mm	1800mm	450mm	\$268.60	\$224.65	\$60.20	10% less
LS1801M	Longspan Shelving Set	1800mm	1800mm	600mm	\$293.30	\$247.35	\$67.10	10% less
LS1802M	Longspan Shelving Set	2400mm	1800mm	450mm	\$290.75	\$235.75	\$60.20	10% less
LS1803M	Longspan Shelving Set	2400mm	1800mm	600mm	\$316.10	\$258.80	\$67.10	10% less

Steel

2400mm Wide Longspan Sets (3 Steel shelf levels provided with longspan sets)

Price	Per	Set

Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets
LS2400S	Longspan Shelving Set	1800mm	2400mm	450mm	\$330.50	\$293.90	\$85.80	10% less
LS2401S	Longspan Shelving Set	1800mm	2400mm	600mm	\$371.20	\$333.00	\$98.25	10% less
LS2402S	Longspan Shelving Set	2400mm	2400mm	450mm	\$349.00	\$303.00	\$85.80	10% less
LS2403S	Longspan Shelving Set	2400mm	2400mm	600mm	\$390.30	\$342.50	\$98.25	10% less



2400mm Wide Longspan Sets (3 Mesh shelf levels provided with longspan sets)

Price Per Set

Code	Description	Height	Width	Depth	Initial Bay	Add on Bay	Extra Shelf Level	6+ Sets
LS2400M	Longspan Shelving Set	1800mm	2400mm	450mm	\$349.00	\$305.00	\$78.80	10% less
LS2401M	Longspan Shelving Set	1800mm	2400mm	600mm	\$381.20	\$335.00	\$85.60	10% less
LS2402M	Longspan Shelving Set	2400mm	2400mm	450mm	\$371.00	\$316.00	\$78.80	10% less
LS2403M	Longspan Shelving Set	2400mm	2400mm	600mm	\$404.00	\$346.70	\$85.60	10% less



Code	Description	Price Per Kit
LS1800C	Castor Kit to suit longspan shelving (includes 4 castors with brakes)	\$139.00

Heavy Duty Industrial Work Benches **STORMAX**

- Heavy duty steel industrial work bench with optional back board panel and lockable drawer set
- This work bench has a 1000kg bench capacity
- Comes standard with adjustable feet for levelling on uneven floors
- Finish: Powdercoated light grey
- Drawer Capacity: 100kg per drawer
- Metal peg and louvre panel is great for storing parts bins and tools and bottom tray for additional off-bench storage space









Industrial Storage & Tool Cabinets

Description

Work Bench -2100mm

Back Panel (for B8107)

Drawer Unit (2 drawer)

Drawer Unit (6 drawer)

Castor Kit to fit benches

Code

B8107

B8108

B8100

B8103

B8101C



2035x205x825mm (LxWxH)

565x580x280mm (WxDxH)

565x580x750mm (WxDxH)

includes 4 swivel castors with brakes

- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Full height cabinets come standard with 4 adjustable shelves
- Extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Drawers come standard with adjustable dividers
- Finish: Powdercoated light grey with light blue coloured doors
- Shelf Capacity: 150kgs
- 4 adjustable shelves as standard
- 3 point key lock system
- Optional drawer units available which fit inside unit so doors can
- Dimensions 1800x900x450mm (HxWxD)



C8123 & C8124 Drawer Units



Price	Fach

Code	Description	Was	Now
C8120	Full Height Industrial Cabinet	\$514	\$499
C8123	Small Drawer Unit 100mm deep (fits inside cabinets)	\$120	\$108
C8124	Large Drawer Unit 200mm deep (fits inside cabinets)	\$159	\$143
C8144	Extra Shelves (to suit cabinets)	\$39.50	\$35

Peg Board Tool Trolley

- Great tool trolley for general workshop use
- Comes with metal pegboard on back as well as the sides which can be used to hold tools and equipment
- Overall Width: 415mm

\$249

\$175

\$560

\$165

- Overall Length: 670mm
- · Overall Height: 1730mm
- · Back Panel Width: 605mm
- Back Panel Height: 440mm Top Shelf Height: 900mm
- Middle Shelf Height: 510mm
- Bottom Shelf Height: 160mm
- 4 heavy duty castors (2 swivel and lockable and 2 fixed)
- Load Capacity: 250kg
- Finish: Powdercoated light grey
- Handle Height: 825mm





Industrial Tooling Cabinet on Wheels

- Heavy duty tooling cabinets, ideal for industrial applications and serious workshops
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% drawer access
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- 2 fixed & 2 swivel 125mm castor wheels
- · All drawers come with adjustable steel dividers
- Drawer Capacity: 100kg each
- Size: 565x580x900mm (WxDxH)
- 6 Drawers
- 2 Drawers x 75mm
- 2 Drawers x 100mm
- 2 Drawers x 150mm • Unit Weight: 100kg







Card No.

PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

Sydney Tel: (02) 8865 1800 Fax: (02) 8865 1830

Melbourne

Tel: (03) 9982 4570 Fax: (03) 9982 4575 **Brisbane**

3 Digit Security Code:

Tel: (07) 3181 5630 Fax: (07) 3181 5635

Your Company Details		Please photoc	opy for future use
Company Name:			
Invoice Address:			
Delivery Address:			
ABN:Te	l : ()	Fax: ()	
Contact Name:	Position:		
Contact Email:	Accounts Email:		
Your Order Number:	Date:		
Code Descripti	on Qty	Unit price	Total price
			·
Freight Charges		Sub Total	
Standard metropolitan delivery charge of \$65.00 exclude Extra freight charges will apply for bulky, large or long in			
prior to processing your order.	tems nowever we will confirm this with y	GST	
Freight charges to regional and all other areas will be q	uoted prior or upon receipt of your order	Total (inc GST)	
Payment Options (Please tick)			Order form Oct2017
☐ Please email invoice for payment by direct deposit☐ Please invoice on my 30 day account	account for	ccept VISA, MASTERCARD 8	
Please invoice on my 14 day account	government department Australian Government orders	MasterCard VISA	MERICAN EXCRESS
Please charge to credit card	3,000		
☐ VISA ☐ MASTERCARD ☐ AMEX	Card Holder's Signature		
Card Holder's Full Name:		Card Expiry Date:	<i>I</i>