



# **Safety Bollards**



- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- 5 options available however other sizes can be made to order to your particular specifications
- The 1200mm high bollards (AB8704 & AB8705) can be concrete filled





Code	Bollard Type	Size	Diameter	Bolt Hole Size	Base Plate Size	Wall Thickness	Finish
AB8701	U Bar High	1068x1220mm (HxL)	115mm	22mm	205x205x10mm	3mm	Powdercoated
AB8702	U Bar Low	2301220mm (HxL)	115mm	22mm	205x205x10mm	3mm	Powdercoated
AB8703	Straight	915mm (H)	115mm	22mm	255x255x10mm	3mm	Powdercoated
AB8704	Straight	1200mm H)	165mm	17mm	280x280x10mm	3mm	Galvanised + Powdercoated
AB8705	Straight	1200mm (H)	165mm	17mm	280x280x10mm	3mm	Galvanised

Code	Description	Details
AB8701	'U' Bar High Bollard	-
AB8702	'U' Bar Low Bollard	-
AB8703	Standard Straight Bollard - 915mm (Powercoated)	Fixed Cap
AB8704	Large Straight Bollard - 1200mm (Powercoated)	Removable Cap
AB8705	Large Straight Bollard - 1200mm (Galvanised)	Removable Cap
AB8706	Tru-Bolt 16x120mm (M16)	Galvanised





#### **Ball Fence Gate**

- Self-closing operation
- Supplied with 42.4mm diameter galvanised hoop
- Can swing inward or outward
- Can be used in pairs for wider openings
- Gate Swing: 90 degrees
- Gate stop: Built-in
- Opening: Single gate 1.5 metres
- Max. open: Double gates 3 metres
- Min. open: No minimum
- Adjustment: Cut down on site to required size
- Mounting: Existing posts, walls, optional posts available
- Weight: 18kgs gate assembly with 1.5 metre hoop



Code	Description
BF009	Ball-Fence gate with hoop – Galvanised
BF010	Ball-Fence gate with hoop – Galvanised & powder coated
BF026	Gate to post fixing kit – Up to 90mm diameter posts

### **U Bars - Double Rail**

- Three sizes available in below ground or surface mount models
- Heavy 3mm wall, 48.3mm diameter pipe
- Fully welded one-piece construction
- All models are galvanised and powder coated or galvanised only
- Supplied ready for installation with no assembly
- Height Above Ground: 1040mm
- Height Below Ground: 300mm
- 3 widths available, 1000mm, 1500mm and 2000mm



Code	Description
	· · · · · · · · · · · · · · · · · · ·
UB001	U-Bar double rail 1 metre surface mount – Gal. & powder coat
UB002	U-Bar double rail 1 metre surface mount – Galvanised
UB003	U-Bar double rail 1 metre below ground – Gal. & powder coat
UB004	U-Bar double rail 1 metre below ground – Galvanised
UB005	U-Bar double rail 1.5 metre surface mount – Gal. & powder coat
UB006	U-Bar double rail 1.5 metre surface mount – Galvanised
UB007	U-Bar double rail 1.5 metre below ground – Gal. & powder coat
UB008	U-Bar double rail 1.5 metre below ground – Galvanised
UB009	U-Bar double rail 2 metre surface mount – Gal. & powder coat
UB010	U-Bar double rail 2 metre surface mount – Galvanised
UB011	U-Bar double rail 2 metre below ground – Gal. & powder coat
UB012	U-Bar double rail 2 metre below ground – Galvanised








## **Safety Guard Rail Fencing**


- Protect expensive equipment from forklift damage using bolt together post and panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled and disassembled rail system
- Supplied with all necessary bolts and fixings
- We can supply and install this fencing system at your workplace - Contact us for a quotation
- Galvanised finish available on request











Single Rail



Code	Description	Height	Length
SG401	Single Height Corner Post (100x100mm)	470mm	-
SG402	Single Height Centre Post (100x100mm)	470mm	-
SG403	Double Height Corner Post (100x100mm)	1085mm	-
SG404	Double Height Centre Post (100x100mm)	1085mm	-
SG405	Safety Rail Section	370mm	1120mm
SG406	Safety Rail Section	370mm	1730mm
SG407	Safety Rail Section	370mm	2340mm
SG408	Safety Rail Section	370mm	2945mm

**Double Height Post** 











#### **Guard Rail Fence Gates**

- Self closing gates which can be mounted to the Stormax guard rail system
- Gates swing inwards or outwards
- Adjustable spring tension
- Finish: Powdercoated yellow
- Supplied with all necessary bolts and fixings
- Gate overall length is 1500mm however they can be cut down on site to any length to fit opening
- The steel loop gate is available in powdercoated and galvanised finish
- Steel Loop Gate pipe diameter is 42mm
- SG409 Unit Weight: 6.3kg
- SG410 & SG411 Unit Weight: 18kg

Code	Description
SG409	Aluminium Gate Assembly (powdercoated)
SG410	Steel Loop Gate Assembly (powdercoated)
SG411	Steel Loop Gate Assembly (galvanised)







## **Pedestrian Safety Barriers**

The ECO Safety Rail is a 1m high handrail system designed to keep personnel from straying into harms way.

It is a flat pack modular barrier system that comes in 3m kits that simply lock together with couplings to form a continuous barrier at your desired length.

This system uses round corner elbows which allows you to have a continuous handrail along winding passageways and around corners.

It's easy to order and install - Start with a STARTER BAY, add as many ADD-ON BAYS as you require, and finish it with an END-BAY.



#### **Optional Kickplates**


The 100mm x 6mm kickplate accessory is easily adapted providing protection against obtrusions into passageways. Kickplates are essential on the edge of elevated walkways and platforms that are more than 2m above floor level.

#### **Features**

- Material mild steel
- Finish powdercoated yellow
- Height 1m
- Fully modular
- Unique 'anti-wobble' stanchion
- Comes in kit form all fixings included
- Fast assembly time Easy to install
- Complies with AS1657-2013









**Stand Alone Bay** 



#### **Pedestrial Safety Rail Kits**

Code	Description	Kit Type	Size (Height x Length)
PK1001	Pedestrian Safety Rail Kit	Stand Alone Kit	1000x3000mm
PK1002	Pedestrian Safety Rail Kit	Starter Bay Kit	1000x3000mm
PK1003	Pedestrian Safety Rail Kit	Add-On Bay Kit	1000x3000mm
PK1004	Pedestrian Safety Rail Kit	End Bay Kit	1000x3000mm



#### **Pedestrial Safety Rail Accessories**

Code	Description	Details
PK1005	Pedestrian Safety Rail Kickplate Kit	3000mm long
PK1006	Elbow Joiner 90 degree (32mm)	For top rail
PK1007	Elbow Joiner 45 degree (32mm)	For top rail
PK1008	Elbow Joiner 90 degree (25mm)	For middle rail
PK1009	Elbow Joiner 90 degree (25mm)	For middle rail
PK1010	Plastic End Cap	











### **Manual Pedestrian / Vehicle Gate**


- Manually operated swing gates
- Can be mounted to bollards or any solid surface
- Standard 5 metre rail can be cut down to any length
- Aluminium rail includes hi-viz reflective panel
- Gate receiver for wall or post mounting included
- Material: Galvanised steel assembly with powder
- coated aluminium rail
- Finish: Powder coated Yellow with reflective
- Rail type: Aluminium extrusion 145x40x5000mm
- Operation: Push open / push close
- Gate swing: Up to 180 degrees
- Gate stop: Optional receiver post or wall receiver
- Max. open: 5 metres
- Min. open: 2 metres
- Adjustment: Rail length can be cut down on site
- Height: 1000mm
- Mounting: Can be post or wall mounted
- Weight: 35kgs gate assembly with 5 metre rail











#### **Plastic Chain**

- A high strength plastic safety and barrier chain which can be used to cordon off work place and public access areas
- Safety yellow colour
- 6mm thick plastic loops
- Sold per 25 metre roll

Code	Description
PC06	Plastic Chain 6mm x 25 metres











# **Light Weight Expanding Barrier**

- Portable, lightweight and durable
- Built-in handle and locking strap for ease of handling
- Corrosion resistant
- Use indoors or outdoors
- Safety yellow and black plastic construction
- Injection moulded ABS plastic
- Height: 970mm without castors (open)
- Width: 2.4 metres expanded (250mm closed)
- Weight: 3kg (boxed)



Code	Description
B3705	Light Weight Expanding Barrier



### **Expanding Barrier**

- Wider 400mm feet for increased stability
- Wall receiver and sign brackets included
- Open Height without castors: 990mm
- 3m Barrier closed is: 325mm
- 6m Barrier closed is: 625mm
- Aluminium and high-tech plastic construction
- Available in two colour combinations
- Available with optional castor kit
- Made from powder coated aluminium and high-tech plastics

Code	Description	Size	Colour
B3610	Expanding Barrier	3 metre	Red/White
B3611	Expanding Barrier	3 metre	Black/Yellow
B3612	Expanding Barrier	6 metre	Red/White
B3613	Expanding Barrier	6 metre	Black/Yellow
B3714K	Lockable Castor (3 castors per kit) *please	note: 2 kits required for the 6 metre barriers	

## Flexi Expanding Barrier

- Ability to expand out to 5.4 metres
- Pivots at the middle through 270 degrees
- Can step up to 300mm for changing floor levels
- Available in Red/White or Black/Yellow
- Made from powder coated aluminium and high-tech plastics
- Compact design, weighs 9.2kgs
- Width when closed 300mm
- Width when fully extended 2 x 2700mm
- Range of accessories available
- Wall receiver and sign brackets included



Code	Description	Size	Colour
B3601	Expanding Barrier	2 x 2.7 metres	Red/White
B3602	Expanding Barrier	2 x 2.7 metres	Black/Yellow







# **Utility Expanding Barrier**

- Consists of three sides that can each expand out to 2.6 metres
- Available in Red/White or Black/Yellow
- Compact design, weighs 17kgs
- Width when closed 360mm
- Width when fully extended 3 x 2600mm
- Designed for cordoning off small spaces
- Made from powder coated aluminium and high-tech plastics
- Spare parts and accessories available
- Wall receiver and sign brackets included



B3625 Expanding Barrier 3 x 2.6 metres Red/White	Code Description		Size	Colour
		<u>'</u>		
	B3625	Expanding Barrier Expanding Barrier	3 x 2.6 metres	Black/Yellow

# **Expanding Barrier Accessories**

Range of accessories to suit the red/white and black/yellow expanding barriers



Signs can be inserted back to back for double sided viewing



**Lockable Castors** 







Wall Receiver

Code	Description
B3710	Mounting Post (suits all except the light weight barrier B3705)
B3711	Wall/Sign Mount Bracket
B3712	A4 Sign Pocket (requires B3711 to mount to barrier)
B3713	A5 Sign Pocket (requires B3711 to mount to barrier)
B3714	Lockable Castor (fits plastic feet) - Each
B3715	Wall Receiver

Large Maxi Expanding Barrier

- Complete with four heavy duty locking castors
- Non-corrosive construction for outdoor use
- Increased safety and security due to reduced opening sizes
- Can be linked together to form a continuous heavy duty barrier
- Easily transported by one person
- Available in 2 different heights
- Finished: Natural Aluminium
- Hot dip galvanised slide guides
- Stainless steel assembly fittings
- Width of barrier when closed: 580mm
- The heights listed below are from the ground to the top of the slats





Wall Receiver **Bracket** 

Code	Description	Height	Overall Length	Unit Weight
B6700	Large Maxi Expanding Barrier	1430mm	6700mm	32.2kg
B6702	Large Maxi Expanding Barrier	1800mm	7800mm	40kg
B6701	Wall Receiver Bracket			

### **Pedestrian Event Control Fence**




Event Fence portable barrier is a system of interlocking freestanding fence panels. Simply link Event Fence panels together to create continuous barricading for festivals, parades, sporting events or work sites. Optional forklift stillage makes storage and transporting of Event fence panels simple and efficient.

#### **Fence Specifications**

- Fully welded steel construction, galvanised finish
- Panels nest together when not in use to reduce storage space
- Vertical bars eliminate climbing points
- Panels are able to pivot at joins
- Low profile, removable feet reduces tripping hazards

Height: 1100mm Length: 2200mm Width: 490mm Weight: 16kg







Code	Description
B6710	Event Fence Barrier Panel
B6711	Event Fence Stillages (holds 30 panels)







### **Portable Ecoline Belt Post Barrier**

The Econoline is our most affordable portable post and base belt barrier, offering an economical alternative to the high end Highline models. The weighted base is covered with a polished stainless steel skirt for a quality finish. The base has built-in scuff pads to protect sensitive floors. Furthermore, the NBEL is compatible with our other belt barriers, as it uses the same belt cassettes.

#### **Specifications**

- Post: 304 stainless, 63 x 0.8 x 950mm high
- Base: Weighted with stainless skirt
- Base Size: 330mm diameter
- Portable freestanding
- Retractable 2 metre 4-way
- Weight: 8kg



Code	Description	Belt Colour
B3421	Portable Ecoline Post Barrier	Black
B3422	Portable Ecoline Post Barrier	Blue
B3423	Portable Ecoline Post Barrier	Red
B3424	Portable Ecoline Post Barrier	Yellow
B3425	Portable Ecoline Post Barrier	Burgundy
B3426	Portable Ecoline Post Barrier	Black/Yellow
B3427	Portable Ecoline Post Barrier	Red/White



## **Portable Highline Belt Post Barrier**

Highline is our most popular portable post and base belt barrier. The moulded rubber base is covered with a 304 grade spun stainless steel skirt for a high quality finish. The non-marking rubber base is gentle on floors and makes the post extremely stable.

#### **Specifications**

- Post: 304 stainless, 63 x 1.6 x 950mm high
- Base: Moulded rubber with stainless skirt
- Base Size: 380mm diameter
- Portable freestanding
- Retractable 2 metre 4-way
- Weight: 10.5kg

Code	Description	Belt Colour
B3410	Portable Highline Post Barrier	Black
B3411	Portable Highline Post Barrier	Blue
B3412	Portable Highline Post Barrier	Red
B3413	Portable Highline Post Barrier	Yellow
B3414	Portable Highline Post Barrier	Burgundy
B3415	Portable Highline Post Barrier	Black/Yellow
B3416	Portable Highline Post Barrier	Red/White







#### **Portable Extreme Belt Post Barrier**

The Extreme is the perfect retractable belt barrier for tough, industrial-type environments. The UPVC post with moulded rubber base means the Extreme can be used indoors or outdoors in any conditions and is incredibly stable. The non-marking rubber base is gentle on floors.

#### **Specifications**

- Post: Yellow UPVC, 63 x 1.6 x 950mm high
- Base: Moulded rubber
- Base Size: 380mm diameter
- Portable freestanding
- Retractable 2 metre 4-way
- Weight: 8.5kg

Code	Description	Belt Colour
B3436	Portable Extreme Post Barrier	Black/Yellow
B3437	Portable Extreme Post Barrier	Red/White





#### **Wall Mount Retractable Barrier**

Wall mount belt barriers are designed to complement other post units in our range, or to be used as standalone barriers for aisle closures or supermarket checkouts etc. They use the same 2 metre belt cassettes as the posts in a welded 316 grade stainless steel body, with mounting brackets for attaching to a wall or post.

#### **Specifications**

- Housing: 316 stainless, 63 x 1.6 x 160mm high
- Connection: Wall or post mount
- Portable freestanding
- Retractable 2 metre 1-way
- Weight: 1.3kg

Code	Description	Belt Colour
B3441	Wall Mount Retractable Barrier	Black
B3442	Wall Mount Retractable Barrier	Blue
B3443	Wall Mount Retractable Barrier	Red
B3444	Wall Mount Retractable Barrier	Yellow
B3445	Wall Mount Retractable Barrier	Burgundy
B3446	Wall Mount Retractable Barrier	Black/Yellow
B3447	Wall Mount Retractable Barrier	Red/White

#### Wall Belt Receiver

- Wall receivers allow belts to be terminated at any wall or post etc
- All our belt posts and wall mount belt barriers are compatible with these wall receivers
- They are injection moulded from black nylon and attached with two self-tapping screws provided

Code	Description
B3449	Metal Wall Belt Receiver Bracket









### **Portable Highline Rope Post Barrier**

Highline is our most popular selling portable post and base barrier. The moulded rubber base is covered with a 304 grade spun stainless steel skirt for a high quality finish. The non-marking rubber base is gentle on floors and make the post extremely stable.

#### **Specifications**

• Post: 304 stainless, 63 x 1.6 x 950mm high Base: Moulded rubber with stainless skirt

Base Size: 380mm diameter Portable freestanding 2 or 4 way snap hooks

Weight: 10.5kg

Code	Description	Туре
B3491	Portable Rope Post Barrier	2 Way
B3493	Portable Rope Post Barrier	4 Way





## **Braided Ropes for Rope Post Barrier**

A selection of high quality braided ropes in a range of colours with machined stainless steel end ferrules. Our standard ropes are made to suit 2 metre post centres, however custom made ropes can be made in any length up to 2.5 metres.

Code	Description	Belt Colour	
B3494	2m Braided Rope	Black	
B3495	2m Braided Rope	Blue	
B3496	2m Braided Rope	Red	
B3497	2m Braided Rope	Burgundy	

# **Wall Hook Receiver for Braided Ropes**

- Wall receivers allow ropes and chains to be terminated at any wall
- All our braided ropes and chains are compatible with these wall
- They are injection moulded from black nylon and are attached with two self tapping screws provided

Code	Description
B3498	Wall Receiver (for braided ropes)











## **Retractable Tape Barrier**

- Full 9 metre retractable tape
- Push button tape lock to prevent tampering
- Tough, corrosion proof moulded housing
- Four way connectivity
- Unique belt clip allows belt to hook back onto itself
- Fits standard 1 metre traffic cones or UPVC posts
- High visibility Red/White or Black/Yellow tape
- Wall mount bracket available (see accessories)
- Optional emergency light (see accessories)
- Optional sign holders and signs (see accessories)
- Housing High impact polypropylene
- Tape Reinforced nylon with water repellent coating
- Tape Length: 9 metres
- Housing Size: 250mm high, 150mm in diameter
- Unit Weight: 880g





Code	Description	Colour
B3810	Retractable Barrier - 9 metre	Red/White
B3811	Retractable Barrier - 9 metre	Black/Yellow
B3812	Retractable Barrier Post - (makes belt height 990mm)	Yellow Post

## **Retractable Tape Barrier Accessories**



Wall Mount Bracket



Sign Holder



Receiver Bracket



Rechargeable LED warning light powered by 6 AA batteries and switchable between permanent or flashing mode



1 metre high stackable cone



Cone 2 way receiver unit

Code	Description	Specifications
B3820	Wall Mount Bracket	can be mounted to walls and columns
B3821	Sign Holder Bracket	for use with A4 sign holder #B3822
B3822	A4 Sign Holder Assembly	requires B3821 to mount to barrier unit
B3823	Wall Receiver Bracket	anodised aluminium
B3824	Rechargable LED Light Unit	requires 6 x AA batteries (not supplied)
B3825	Stackable Cone 1 metre high	used to mount the barrier unit
B3826	2 Way Cone Receiver Unit	fits the B3825 cones

#### **Wall Mount Retracta-Belt**

- Material: High-impact polycarbonate housing
- Extension: 0 7.6 metres
- Supplied: Complete with fixings and wall receiver end
- Belt: Available in 5 standard colours
- Installation: Permanent, screw fixed

#### **Belt Colours Available**













Code	Description	Belt Colour
B3831	Retracta Belt 7.6 metres	Black/Yellow
B3832	Retracta Belt 7.6 metres	Red/White
B3833	Retracta Belt 7.6 metres	Black
B3834	Retracta Belt 7.6 metres	Yellow
B3835	Retracta Belt 7.6 metres	Red
B3836	Additional Wall Receiver	-



## **Magnet Mount Retracta-Belt**

- Material: High-impact polycarbonate housing
- Extension: 0 7.6 metres
- Supplied: Complete with magnetic base and belt clip
- Belt: Available in 5 standard colours
- Installation: Semi-Permanent magnetic fixed

#### **Belt Colours Available**













Magnetic end piece which forms a fixed barrier point

Code	Description	Belt Colour
B3840	Magnet Mount Retracta Belt 7.6 metres	Black/Yellow
B3841	Magnet Mount Retracta Belt 7.6 metres	Red/White
B3842	Magnet Mount Retracta Belt 7.6 metres	Black
B3843	Magnet Mount Retracta Belt 7.6 metres	Yellow
B3844	Magnet Mount Retracta Belt 7.6 metres	Red

### Two Piece Knock Down Bollard

- Soft, lightweight bollard takes the knocks without causing damage to vehicles
- Strong elastic joint ensures bollard returns to upright position
- Bollard can be removed from base





Code	Description	<b>Dimensions</b> (Diameter x Height)
B7435	Plastic 2 Piece Knock Down Flexible Bollard	100x1000mm
B7436	Replacement Base Only	-
B7437	Replacement Top Only	-

### One Piece Flexi Knock Down Bollard





- Durable one piece moulding
- Virtually indestructible (will not break or split)
- Rebounds after impact
- Built in reflective bands
- Available in two handy sizes

Code	Description	<b>Dimensions</b> (Diameter x Height)
B7438	Plastic 1 Piece Knock Down Flexible Bollard	80x450mm
B7439	Plastic 1 Piece Knock Down Flexible Bollard	80x750mm

## **T-Top Bollards**

- Fluoro red post with reflective tape
- Heavy weight Rubber base
- Size: 1150mm High
- Complies to AS1742
- Separate tops available for replacement for damages from being run over by vehicles
- Rubber Base Weight: 6kg







Code	Description	
B7310	T-Top Bollard (Base & Top)	
B7311	T-Top Bollard Top Only (used as replacements for damages)	









## **Traffic Cones**

Flexible fluoro PVC Traffic Cones

Description

- Made to Australian Standards
- Colour: Orange

Code

TC450R

Available in two sizes



TC750R	Traffic Cone Class 1 Reflective	700m
		Re
		• E

Traffic Cone Class 1 Reflective

### etractable Barrier Bar

- Extendable Bar fits over traffic cones
- Size: extends up to 2m



Code	Description
B7579	Retractable Barrier Bar

### **Rubber Wheel Chocks**

- Helps prevents vehicles and machinery from rolling while parked or in delivery stage
- Manufactured from 100% recycled rubber
- Superior construction ensures the wheel chocks will not warp, crack, chip or rot
- UV stabilised
- Withstands all temperature extremes
- Helps prevents vehicles and machinery from rolling while parked or in delivery stage
- Size: 290x160x190mm (length x width x height)



RW290 Rubber Wheel Chocks	Code	Description	
	RW290	Rubber Wheel Chocks	









### **Carpark Rubber Wheel Stops**

- Designed to catch front wheels of vehicle while still allowing pedestrian access between parking bays
- Also suitable in factories and warehouses to prevent trolley and forklifts bumping walls etc
- Complies AS/NZS 2980.1:2004
- Resistant to UV, moisture, oil and extreme Temperatures
- Length: 1650mm Height: 100mm
- Width: 160mm (at base)
- Weight: 19 kg 3 fixing points





Code	Description
B7845	Carpark Rubber Wheel Stops
B7846	Gravel Spike (used for loose ground surfaces) 12x300mm



# **CUSTOM PRINTING AVAILABLE**

Contact us for a quotation 1800 750 900



#### **Rubber Corner Protectors**

- Ideal for tight parking areas
- Made in rubber with bright visible stripes
- Comes in 790mm lengths
- Fixing is with 6 anchor bolts or adhesive fix

Code	Description
AB7848	Rubber Corner Protectors









### **Indoor Convex Mirrors**

- Unbreakable polycarbonate face
- Suitable for Indoor use
- Suitable for pedestrian traffic applications
- Comes complete with wall mount and post mount brackets



Code	Description	Size
M7601	Indoor Convex Mirror	300mm
M7602	Indoor Convex Mirror	450mm
M7603	Indoor Convex Mirror	600mm
M7604	Indoor Convex Mirror	800mm



### **Indoor Dome Convex Mirrors**

- Economical convex mirror
- Lightweight
- For general surveillance of a broad area
- Three options available 90 degree, 180 degree, 360 degree view range







Code	Description	Size
M7611	Indoor Full Dome Convex Mirror	600mm
M7613	Indoor Half Dome Convex Mirror	600mm
M7616	Indoor Corner Dome Convex Mirror	600mm

#### **Outdoor Convex Mirrors**

- Weather proof
- Unbreakable polycarbonate face
- High visibility orange visor
- Suitable for pedestrian traffic applications
- Comes complete with wall mount and post mount brackets

Code	Description	Size
M7629	Outdoor Convex Mirror	450mm
M7630	Outdoor Convex Mirror	600mm
M7631	Outdoor Convex Mirror	800mm
M7632	Outdoor Convex Mirror	1000mm











## **Modular Rubber Speed Humps**

- 2 size body length and rounded end sections
- Moulded from high quality natural rubber in either black or yellow
- When laid in an alternating pattern they meet the Australian Standard for colour, height, shape and ramp angle
- Suitable for car parks, schools, shopping centres and factory complexes
- Built in bridge design for cables or hoses
- Quiet and smooth in operation
- Fixings supplied






Code	Description	Dimensions
AB1570	Yellow Module	250x350x50mm
AB1571	Black Module	250x350x50mm
AB1572	Black/Yellow 1 Metre Long Module	1000x350x50mm
AB1573	Yellow End Cap (each)	250x350x50mm
AB1574	Black End Cap (each)	250x350x50mm



#### **Modular Steel Speed Humps** Ideal for car parks, shopping centres or factory complexes Designed to comply with AS/NZS 2890.1:2004 More than four times the load bearing contact area with the road surface than competitor's products

- Can be used with or without end caps Comes complete with all fixings
- Truly independent modules for easy removal
- Does not need a rubber underlay to prevent rattle
- Concealed fixings remain accessible
- Modules have a built in bridge design to accommodate hoses or cables

#### Ramp Angle 1:2 Cable or hose access 65 x 30mm



#### **Specifications**

Top Skin: 3mm floor plate Length: 1 metre or 1/2 metre

Width: 350mm (in the driving direction)

Height: 52mm Ramp angle: 2:1

Weight: AB1581 - 16.5kgs

AB1580 - 9.2kgs

AB1582 - 5.2kgs/pair (rubber) AB1583 - 5kgs/pair (steel)

Fixings: Supplied

Code	Description	Size
AB1580	Steel Speed Hump - 0.5 metres	350x500mm (WxL)
AB1581	Steel Speed Hump - 1 metre	350x1000mm (WxL)
AB1582	Rubber End Caps to suit (1 pair)	175x350mm
AB1583	Steel End Caps to suit (1 pair)	175x350mm
AB1584	Optional Gravel Spikes (used for fixing into loose surfaces)	300x12mm



## One Way Road Spike Access Humps

- Extremely strong construction, 6mm top plate
- Hi-Vis Lime Green with Hi-Vis Orange spikes
- Deters access from unauthorised direction
- All teeth operate independently of each other
- Low profile design ensures legal vehicle clearance
- Soft approach due to low ramp angle
- Comes complete with all fixings
- Available in 1000 and 500mm lengths

#### **Specifications**

Lime green & Hi-Vis orange powder coat Finish:

Length: 500 or 1000mm

Width: 380mm

Teeth up 95mm Teeth retracted 50mm Height:

Weight: 1 metre = 26kg (approx)



ROAD


SPIKES

#### **Please Note**

Always check with your local authority or controlling body to ensure one way access spikes are allowable in your situation (this is the end users responsibility). These one way access spikes MUST always be installed with an awareness sign kit (code AB1593). One way access spikes should always be placed clear of intersections and curved roadways. Failure to heed these warnings will void all warranties.

Code	Description	Size
AB1590	Road Spike Access Hump Module - 0.5 metres	380x500mm (WxL)
AB1591	Road Spike Access Hump Module - 1 metre	380x1000mm (WxL)
AB1592	End Caps to suit (pair)	380mm wide
AB1593	*Road Spike Warning Sign Kit	*(as below)

<sup>\*</sup>Kit includes 1 x galvanised sign post 2.8m long, 1 warning sign & 1 no-entry sign as pictured



Code	Description	
AB7850	Cable & Hose Protector	

### **Cable & Hose Protectors**

- Provide safe passage for pedestrians
- Large channels to suit a variety of cable and hose sizes
- Suitable for indoor or outdoor use
- Checker plate pattern for increased traction
- Easy to interlock
- Highly visible yellow lid
- Non-conductive construction
- Hinged lid for easy access to cables
- Fixing Holes for more permanent application
- Recessed hand grip

#### **Specifications**

Length: 900mm Height: 75mm Width: 500mm Weight: 20kg No. of Channels: Channel Height: 30mm 65mm Channel Width:









## **Ribbed Entrance Matting**


- Effective and economical mat for medium traffic areas
- Attractive bi-level construction traps dirt
- Coarse fibres scrape dirt and debris from shoes
- Solution dyed to prevent fading
- Easy to clean and dries quickly
- Available in a range of colours as listed





Code	Description	Size (Width x Length)	Colour
RM600	Ribbed Entrance Mat	600x900mm	Please specify
RM900	Ribbed Entrance Mat	900x1500mm	Please specify
RM1200	Ribbed Entrance Mat	1200x1800mm	Please specify
+Dl:£.	ways professed calaus when placing your o	-d	

Grey



# **Tube Tred Matting**

- PVC tubular matting can be cut to any length or shape
- Soft surface drains and resists oils, chemicals and alkalis
- Ideal for wet areas like bars, boats, commercial kitchens and food preparation areas etc
- Available in standard size of 900x2000m and also in 12 metre long rolls which can be cut to make smaller mats



Code	Description	Size (Width x Length)	Colour
TM20BL	Tube Tred Mat	900x2000mm	Blue
TM20BK	Tube Tred Mat	900x2000mm	Black
TM12BL	Tube Tred Matting	900mm wide (12metre roll)	Blue
TM12BK	Tube Tred Matting	900mm wide (12metre roll)	Black

<sup>\*</sup>Please specify your preferred colour when placing your order

## **Anti-fatigue Safety Cushion Matting**

- Popular general purpose safety mat
- Comfort non-slip mat
- Bevelled edges for safety
- Optional grease resistant formula
- Ideal for factories, kitchens, food preparation areas, boats and behind counters





**Grease Resistant** 



Code	Description	Туре	Size (Width x Length)
CM500	Anti-fatigue Safety Cushion Mat	General Purpose	600x900mm
CM900	Anti-fatigue Safety Cushion Mat	General Purpose	900x1500mm
CM500R	Anti-fatigue Safety Cushion Mat	Grease Resistant	600x900mm
CM900R	Anti-fatigue Safety Cushion Mat	Grease Resistant	900x1500mm



# **Anti-Fatigue Comfi Tred Matting**

- Smooth surface for easy cleaning
- Unique base designed to relieve the strain of constant standing
- Suction cups under to prevent movement
- Bevelled edges for added safety
- 100% natural rubber

Code	Description	Size (Width x Length)	Colour
CT600B	Anti-fatigue Comfi Tred Mat	600x900mm	Black
CT600Y	Anti-fatigue Comfi Tred Mat	600x900mm	Black with Yellow Border
CT900B	Anti-fatigue Comfi Tred Mat	900x1200mm	Black
CT900T	Anti-fatigue Comfi Tred Mat	900x1200mm	Terracotta (grease proof)
CT900Y	Anti-fatigue Comfi Tred Mat	900x1200mm	Black with Yellow Border

# **Safety Message Matting**



Code	Description	Message	Size (Width x Length)
SM901	Safety Message Mat	Safety Starts Here	900x1500mm
SM902	Safety Message Mat	Stop Think Safety	900x1500mm
SM903	Safety Message Mat	Watch Your Step	900x1500mm

# **Custom Logo Matting**

- A great way to get your message across to everyone that comes through your door
- Hard wearing nylon plush pile makes for a clean cut image with a long life
- Rubber backing and borders
- Machine washable

#### Standard Sizes Available (Width x Length)

600x900mm 900x1200mm 900x1500mm 900mm runner

Contact us for pricing on your requirements









Card No.

### **PRIORITY ORDER FORM**

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

**Sydney** Tel: (02) 8865 1800 Fax: (02) 8865 1830

Melbourne

Tel: (03) 9982 4570 Fax: (03) 9982 4575 **Brisbane** 

3 Digit Security Code:

Tel: (07) 3181 5630 Fax: (07) 3181 5635

Your Company Details		Please photocopy for future use
Company Name:		
Invoice Address:		
Delivery Address:		
ABN:	Tel: ( )	Fax: ( )
Contact Name:	Position:	
Contact Email:	Accounts Email:	
Your Order Number:	Date:	
Code Desc	cription Qty	Unit price Total price
Freight Charges		Sub Total
Standard metropolitan delivery charge of \$65.00 excluding GST (Brisbane, Sydney & Melbourne)  Extra freight charges will apply for bulky, large or long items however we will confirm this with you		Freight
prior to processing your order.		d GST
Freight charges to regional and all other areas will be quoted prior or upon receipt of your order.		Total (inc GST)
D 1 0 1' (D)		
Payment Options (Please tick)		Order form Oct2017
☐ Please email invoice for payment by direct do ☐ Please invoice on my 30 day account	account for	ept VISA, MASTERCARD & AMEX (no surcharge)
Please invoice on my 14 day account	government department Australian Government orders	MasterCard VISA AMERICAN DOPRESS
Please charge to credit card		
☐ VISA ☐ MASTERCARD ☐ AMEX	Card Holder's Signature	Out Full Date
Card Holder's Full Name:		Card Expiry Date:/