

Containment & Spillage Control



MHA
PRODUCTS

☎ 1800 750 900

Dangerous Goods Cabinets (Indoor)



- High quality construction using zinc coated steel sheeting
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Available in 5 classes; Flammable Liquid, Corrosive 8, Organic Peroxide 5.2, Toxic 6 and Oxidising Agent 5.1
- Adjustable and removable shelves
- All our flammable liquids cabinets are made to AS 1940-2004



30L Dangerous Goods Cabinet
Code: DG8030
Internal Size: 553x418x370mm
External Size: 800x500x450mm
(Height x Width x Depth)



60L Dangerous Goods Cabinet
Code: DG8006
Internal Size: 818x418x370mm
External Size: 1065x500x450mm
(Height x Width x Depth)



100L Dangerous Goods Cabinet
Code: DG8100
Internal Size: 553x838x535mm
External Size: 800x920x615mm
(Height x Width x Depth)



160L Dangerous Goods Cabinet
Code: DG8160
Internal Size: 973x1018x370mm
External Size: 1220x1100x450mm
(Height x Width x Depth)



205L Dangerous Goods Cabinet
Code: DG2520
Internal Size: 1123x678x1140mm
External Size: 1370x760x1220mm
(Height x Width x Depth)



250L Dangerous Goods Cabinet
Code: DG9250
Internal Size: 1608x726x718mm
External Size: 1880x806x804mm
(Height x Width x Depth)

Code	Description	Storage Capacity	4L Drums Capacity	20L Drums Capacity	No. Of Shelves	Unit Weight
DG8030	Flammable Liquid Cabinet	30L	8	1	2	33kg
DG8006	Flammable Liquid Cabinet	60L	12	2	2	41kg
DG8100	Flammable Liquid Cabinet	100L	24	3	2	65kg
DG8160	Flammable Liquid Cabinet	160L	40	6	2	78kg
DG2520	Flammable Liquid Cabinet	205L	-	-	-	115kg
DG9250	Flammable Liquid Cabinet	250L	112	15	3	143kg



Other dangerous goods class cabinets available on request
Please contact us for pricing on your particular requirement

STORMAX Flammable Goods Safety Cabinet



Durable and chemical resistant, lead-free powdercoat is painted inside and outside cabinets, minimizing the effects of corrosion and humidity

Sequential self closing doors

Removable and adjustable shelves



250L Dangerous Goods Cabinet
Code: DG2500
Internal Size: 1503x1018x420mm
External Size: 1750x1100x500mm
(Height x Width x Depth)



Continuous hinges for extra strength

Cabinet sits on feet to make it easy for cleaning underneath

Deep Liquid Tight Sump For containment of leakage or spillage.

DG2500



Recessed door handle with lock



Sequential Self Closing Doors



Adjustable and removable shelves

Code	Description	Storage Capacity	4L Drums Capacity	20L Drums Capacity	No. Of Shelves	Unit Weight
DG2500	Flammable Liquid Cabinet	250L	70	9	3	123kg



Extra Large Dangerous Goods Cabinets (Indoor)

- Extra large cabinets for where higher storage volumes are required
- Powdercoat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Available in 5 classes; Flammable Liquid, Corrosive 8, Organic Peroxide 5.2, Toxic 6 and Oxidising Agent 5.1
- All these flammable liquids cabinets are made to AS 1940-2004

**Exceeds Australian Standards Requirements.
Make your workplace efficient**



250L Dangerous Goods Cabinet
Code: DG9250
Internal Size: 1608x726x718mm
External Size: 1880x806x804mm
(Height x Width x Depth)



450L Dangerous Goods Cabinet
Code: DG9450
Internal Size: 1608x1302x718mm
External Size: 1880x1386x804mm
(Height x Width x Depth)



650L Dangerous Goods Cabinet
Code: DG9650
Internal Size: 1608x1902x718mm
External Size: 1880x1986x804mm
(Height x Width x Depth)



850L Dangerous Goods Cabinet
Code: DG9850
Internal Size: 1608x2500x718mm
External Size: 1880x2584x804mm
(Height x Width x Depth)



1000L Dangerous Goods Cabinet
Code: DG9100
Internal Size: 1330x1300x1300mm
External Size: 1610x1384x1386mm
(Height x Width x Depth)


Code	Description	Storage Capacity	4L Drums Capacity	20L Drums Capacity	No. Of Shelves	Unit Weight
DG9250	Flammable Liquid Cabinet	250L	112	15	3	143kg
DG9450	Flammable Liquid Cabinet	450L	90	24	6	220kg
DG9650	Flammable Liquid Cabinet	650L	135	30	3	295kg
DG9850	Flammable Liquid Cabinet	850L	180	42	6	375kg
DG9100	Flammable Liquid Cabinet	1000L	(fits 2 standard size pallets)		2	255kg



If you require a different dangerous goods class to our standard Flammable Goods, please contact us for pricing

Safety Cabinets For Corrosive Goods

- Non-metallic safety cabinets that are built to last
- Heavy duty 15mm welded HDPE construction
- Adjustable shelves
- Lockable self closing door
- Storage above or in sump
- Complies with AS 3780-2004
- Dual compartment cabinets allow acids and bases to be stored in one cabinet
- All safety signage included



50L Corrosive Goods Cabinet
Code: DG8020
Internal Size: 585x460x430mm
External Size: 800x500x470mm
(Height x Width x Depth)



100L Corrosive Goods Cabinet
Code: DG8021
Internal Size: 585x460x430mm
External Size: 800x985x470mm
(Height x Width x Depth)



160L Corrosive Goods Cabinet
Code: DG8026
Internal Size: 985x460x430mm
External Size: 1225x985x470mm
(Height x Width x Depth)



250L Corrosive Goods Cabinet
Code: DG8027
Internal Size: 1580x515x370mm
External Size: 1820x1100x450mm
(Height x Width x Depth)

Code	Description	Storage Capacity	Compartment	No. Of Shelves	Unit Weight
DG8020	Corrosive Goods Cabinet	50L	Single	2	39kg
DG8021	Corrosive Goods Cabinet	100L	Dual	4	67kg
DG8026	Corrosive Goods Cabinet	160L	Dual	4	93kg
DG8027	Corrosive Goods Cabinet	250L	Dual	6	135kg



Lockable Gas Storage Cage



Containment & Spillage Control

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Lockable door
- Full metal roof which provides weather protection
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Safe Working Load: 750kg
- Overall Size: 1060x1060x1800mm (WxDxH)
- Unit Weight: 180kg
- Finish: Zinc plated
- Fork Pocket Size: 165x65mm



Code	Description
DG2960	Gas Cylinder Trolley Cage
DG2960A	Assembly of DG2960

Storage Cage

This storage cage is a versatile multi-use cage with over 1 cubic metre of useable space designed to suit your warehousing and storage requirements. Its unique design incorporates a left or right opening gate which is totally removable if required. Comes complete with three removable shelves and a forklift accessible base for easy transportation. Supplied flatpacked for transportation and storage and can be assembled or disassembled as required.

- Working Load Limit (WLL): 500kg
- Unit weight: 145kg
- Overall dimensions: 1160 wide x 1985 high x 580mm deep
- Spacing between shelves: 420mm
- Reversible opening gate
- Longlife durable Zinc finish
- Optional castor kit - 100mm castors (2 fixed & 2 swivel)

Code	Description
DG2965	Storage Cage
DG2966	Castor kit to suit DG2965
DG2967	Assembly of DG2965



Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Powercoated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety
- Made in Australia to AS 4332



Code: AS8040 - 2 Cylinder storage



Code: AS8041 - 4 Cylinder storage



Code: AS8042 - 6 Cylinder storage



Code: AS8043 - 12 Cylinder storage

Containment & Spillage Control

Code	Description	LPG Cylinder Capacity	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight
AS8040	Fork Gas Cage	2 Cylinders	915x690x428mm	1023x750x450mm	35kg
AS8041	Fork Gas Cage	4 Cylinders	975x690x690mm	1050x750x750mm	65kg
AS8042	Fork Gas Cage	6 Cylinders	975x1020x670mm	1050x1100x750mm	95kg
AS8043	Fork Gas Cage	12 Cylinders	1925x1020x670mm	2000x1100x750mm	182kg



Aerosol Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Powercoated green
- All cages have lockable doors and bolt down plates for added security
- Made in Australia to AS 3833



12 Can Aerosol Storage Cabinet
Code: AS8050



60 Can Aerosol Storage Cabinet
Code: AS8051



216 Can Aerosol Storage Cabinet
Code: AS8054



108 Can Aerosol Storage Cabinet
Code: AS8052



216 Can Aerosol Storage Cabinet
Code: AS8053



432 Can Aerosol Storage Cabinet
Code: AS8055

Code	Description	Can Storage Capacity	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight
AS8050	Aerosol Cage	12 cans	320x420x120mm	400x500x200mm	9kg
AS8051	Aerosol Cage	60 cans	420x620x220mm	500x700x300mm	12kg
AS8052	Aerosol Cage	108 cans	820x770x320mm	900x850x400mm	34kg
AS8053	Aerosol Cage	216 cans	820x1575x320mm	900x1655x400mm	67kg
AS8054	Aerosol Cage	216 cans	1720x770x320mm	1800x850x400mm	67kg
AS8055	Aerosol Cage	432 cans	1720x1575x320mm	1800x1655x400mm	131kg

Bulk Dangerous Goods Stores (Outdoor)

View our full range of sizes available on the following page



Code: DG8065D - 32 pallet storage

Advantages

- Rear wall vent
- Efficient loading or unloading – full forklift access through bi-fold doors
- 150 locking bars & cam locks maintain high security
- All units meet or exceed Australian standards and EPA requirements
- Lockable slow release sump cock
- High build 2 pack polyurethane finish providing resistance against weather, spills and splashes
- Galvanised steel frame to suit all Australian conditions
- Heavy duty anchoring and earth bonding base plates
- Cyclone proof and with footing details provided
- Fully relocatable providing flexibility for changing circumstances
- Efficient, effective and more economical alternative to permanent structures

Features

- Rear wall vent
- Lifting Lugs
- Safety Signage
- Mid height racking for forklift access
- Bi-fold doors
- Suspended floor
- Heavy duty anchoring and earth bonding plates
- Door louvre vents
- Spill control sump
- Lockable slow release drain cock

Code: DG8055 - 8 pallet storage



Bulk Dangerous Goods Stores (Outdoor)

- Relocatable bulk dangerous goods stores are an innovative alternative for immediate, safe, approved and efficient storage of large quantities of dangerous goods without the problems and expense of building fixed permanent stores
- Superior design features maintain handling efficiency whilst providing the ultimate weather protection for stocks of dangerous goods in confined or difficult environments
- Manufactured from heavy zinc coated sheet and steel sections finished with 2 pack polyurethane gloss finish for years of trouble free endurance for Australian conditions
- Each unit is constructed to the highest quality standards and exacting specifications, meeting or exceeding the requirements of AS 1940 – 2004



Code	Description	IBC Capacity	Maximum Capacity	Dimensions (H x W x D)	Unit Weight	Sump Capacity
DG8050	IBC Bulk Dangerous Goods Store	1	1000L	2190x1540x1440mm	432kg	1250L
DG8052	IBC Bulk Dangerous Goods Store	2	2000L	1935x2790x1440mm	540kg	1500L
DG8053	IBC Bulk Dangerous Goods Store	4	4000L	3430x2790x1440mm	918kg	2500L
DG8054	IBC Bulk Dangerous Goods Store	6	6000L	3335x4115x1440mm	1188kg	3000L
DG8055	IBC Bulk Dangerous Goods Store	8	8000L	3295x5365x1440mm	1404kg	3000L
DG8055D*	IBC Bulk Dangerous Goods Store	8	8000L	3285x2790x2520mm	1404kg	4500L
DG8057	IBC Bulk Dangerous Goods Store	10	10000L	3375x6740x1440mm	2052kg	4250L
DG8058	IBC Bulk Dangerous Goods Store	12	12000L	3360x7990x1440mm	2376kg	5200L
DG8058D*	IBC Bulk Dangerous Goods Store	12	12000L	3355x4115x2520mm	2376kg	5200L
DG8060	IBC Bulk Dangerous Goods Store	16	16000L	3335x10615x1440mm	3294kg	6600L
DG8060D*	IBC Bulk Dangerous Goods Store	16	16000L	3335x5365x2520mm	3294kg	6,600L
DG8062	IBC Bulk Dangerous Goods Store	20	20000L	3305x13640x1440mm	4320kg	8000L
DG8063D*	IBC Bulk Dangerous Goods Store	20	20000L	3375x6740x2520mm	4320kg	9000L
DG8064D*	IBC Bulk Dangerous Goods Store	24	24000L	3315x7990x2520mm	4752kg	9400L
DG8065D*	IBC Bulk Dangerous Goods Store	32	32000L	3300x10615x2520mm	6480kg	12200L

*These codes with 'D' are double deep units which have access doors on both sides

Please Note: Sizes shown above are for IBC storage. If you require storage for pallets please specify when requesting your quotation as the pallet goods stores are slightly smaller in size.

Code: DG8050 - 1 pallet storage



Code: DG8052 - 2 pallet storage



Code: DG8053 - 4 pallet storage



Code: DG8054 - 6 pallet storage



Code: DG8055 - 8 pallet storage



Code: DG8055D - 8 pallet storage



Code: DG8057 - 10 pallet storage



Code: DG8058 - 12 pallet storage



Code: DG8058D - 12 pallet storage



Code: DG8060 - 16 pallet storage



Code: DG8060D - 16 pallet storage



Code: DG8062 - 20 pallet storage



Code: DG8063D - 20 pallet storage



Code: DG8065D - 32 pallet storage



Code: DG8064D - 24 pallet storage



Heavy Duty Gas Cylinder Cages (Single Sided Access)

- Heavy duty steel construction storage cages specifically designed for storage of gas cylinders
- Each cylinder is individually restrained by adjustable bars to suit every cylinder size
- Crane lifting lugs
- Fold down ramp and fork slot channels for easy moving
- Lockable door
- 2-pak polyurethane coated
- Chain restraints supplied
- Made in Australia to AS 4332

Cylinder Storage Capacity

Code	D Size	E Size	F Size	G Size (tall & skinny)	G, R, T & S Sizes
DG8014	9	4	4	4	1
DG8015	12	8	8	6	2
DG8016	16	9	9	9	4
DG8017	30	20	20	12	8,9,9,6 (2 x 90kg LPG)
DG8018	42	30	30	20	15,15,15,12 (4 x 90kg LPG)



Code: DG8014



Code: DG8015



Code: DG8016



Code: DG8017



Code: DG8018

Code	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight
DG8014	Single Side Gas Cylinder Cage	1907x500x500mm	2000x550x550mm	70kg
DG8015	Single Side Gas Cylinder Cage	1907x850x500mm	2000x950x550mm	152kg
DG8016	Single Side Gas Cylinder Cage	1807x800x900mm	1900x850x950mm	126kg
DG8017	Single Side Gas Cylinder Cage	1907x1240x860mm	2000x1340x960mm	200kg
DG8018	Single Side Gas Cylinder Cage	1907x1640x1070mm	2000x1740x1170mm	230kg

Heavy Duty Gas Cylinder Cages (Double Sided Access)

- Heavy duty steel construction storage cages specifically designed for storage of gas cylinders
- Dual sided feature prevents cylinders becoming inaccessible
- Each cylinder is individually restrained by adjustable bars to suit every cylinder size
- Crane lifting lugs
- Fold down ramp and fork slot channels for easy moving
- Lockable door
- 2-pak polyurethane coated
- Chain restraints supplied
- Made in Australia to AS 4332

Cylinder Storage Capacity

Code	D Size	E Size	F Size	G Size (tall & skinny)	G, R, T & S Sizes
DG8035	8	6	6	6	4
DG8036	8	6	6	6	4
DG8037	12	10	10	8	6
DG8038	12	10	10	8	6



Code: DG8035



Code: DG8036



Code: DG8037



Code: DG8038

Containment & Spillage Control

Code	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Unit Weight
DG8035	Dual Sided Cage (open sides)	1925x760x870mm	2000x860x970mm	100kg
DG8036	Dual Sided Cage (security sides)	1925x760x870mm	2000x860x970mm	150kg
DG8037	Dual Sided Cage (open sides)	1925x1130x870mm	2000x1230x970mm	130kg
DG8038	Dual Sided Cage (security sides)	1925x1130x870mm	2000x1230x970mm	190kg



Gas Cylinder Cage

- These Gas Cylinder Storage Cages have been designed as a safety cage suitable for gas cylinder storage and transport
- The Cage is fitted with a 4 point Crane lift and Forklift pockets underneath for transport
- The Cage is supplied with Load Binder and straps to securely fasten cylinders of all sizes and combinations for transport
- Folding ramp for easy access, reducing unsafe lifting of cylinders by personnel
- Zinc plated finish
- Supplied flatpack however can be assembled on request
- Stacks 2 high when fully loaded
- Safe Working Load (SWL) 1000kg
- Crane: Working Load Limit: 500kg
- Forklift: Working Load Limit: 1000kg
- Internal Dimensions: 1050x700mm
- Overall Dimensions: 1200x850x1065mm (WxDxH)
- Fork Pocket Size: 192x92mm
- Fork Pocket Centres: 600mm
- Unit Weight 120kg

Code	Description
DG7180	Gas Cylinder Stillage Cage with ramp

DG7180



Gas Cylinder Cage

This gas cage is a heavy duty lockable cage suited for storage of up to 24 x 9kg BBQ gas bottles but can be used for many other storage applications including firewood at service stations where easy access and excellent security is a requirement.

- Tamper-proof lock guard prevents cutting of the padlock by bolt cutters, along with anti-tamper gate hinges
- Sturdy construction with bump rails to protect the high visibility mesh sides
- Stack 3 high when empty and 2 high when fully loaded
- Bolted mid shelf can be excluded during construction for storage of 18kg forklift gas bottles
- Sheet metal shelves allow easy sliding of cylinders to the back of the cage.
- Sheet metal roof provides weather protection
- Forklift provision is provided under the cage for transport around worksite
- Zinc finish for long life corrosion protection
- Dimensions: 2040x760x1285mm (LxWxH)
- Unit Weight: 200kg
- Load Limit: 500kg

Code	Description
DG7175	Gas Cylinder Cage
DG7176	Assembly of DG7175



DG7175



Gas Cylinder Trolley Cage

- Suitable for oxygen and acetylene gas cylinders with provision to store hoses inside the cage
- Craneable trolley designed to carry one type "G" Oxygen and one type "G" Acetylene gas cylinder
- Supplied with an internal load binder to securely fasten both cylinders
- Fitted with a handle, crane lift point and 400mm diameter air inflated rubber wheels
- Enamel paint finish
- Safe Working Load: 250kg
- Fork Pockets: 165x45mm
- Fork Pocket Centres: 480mm
- 1 Tonne Crane Lifting Chain Sling provided
- Supplied flatpack however can be assembled on request
- Unit Weight: 55kg



DG2970

Code	Description
DG2970	Gas Cylinder Trolley Cage

Single and Double Cylinder Trolleys

- These gas cylinder trolleys are available for transporting either 1 or 2 cylinders
- Heavy duty solid rubber wheels
- Supplied with securing chains as pictured
- Solid rubber tyres

Code	Dimensions (WxDxH)	Cylinder Size	Unit Weight
T2001	600x600x1360mm	140-250mm dia.	17kg
T2002	700x700x1380mm	210-250mm dia.	46kg

Code	Description
T2001	Single Cylinder Trolley
T2002	Double Cylinder Trolley



T2001

T2002



DG8039

Gas Cylinder Rack

- These Gas Cylinder racks mount to a wall for safe storage of 2 size 'G' gas bottles
- The base has a sloped front for easy trolley access
- Supplied with safety chain to secure bottles
- Unit Weight 18kg
- Overall Size: 540x360x1000mm (WxDxH)

Code	Description
DG8039	Gas Cylinder Rack

Universal, Chemical, Oil & Fuel Spill Kits

Emergency response Spill Kits contain a premium range of bioactive absorbents providing rapid and effective clean up of hazardous chemical, oil, hydrocarbon or water based liquid spills

Selection Guide

- UNIVERSAL** Clean-up of most liquids used in factories and workshops.
CHEMICAL Clean-up of aggressive liquids. Suitable for most chemical spills
OIL & FUEL Clean-up of oils, fuels and other non-water soluble liquids. Not suitable for water based liquids



Please Note: Image shown is the universal kit

Universal 40L Components

Content: 1 x 1.2m absorbent minibooms, 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form

Chemical 40L Components

Content: 1 x 1.2m absorbent minibooms, 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form

Oil & Fuel 40L Components

Content: 1 x 1.2m absorbent miniboom, 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form



Please Note: Image shown is the universal kit

Universal 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 2 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form

Chemical 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form

Oil & Fuel 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form



Please Note: Image shown is the universal kit

Universal 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Chemical 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 2 x elbow length PVC gloves, 8 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Oil & Fuel 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 2 x elbow length PVC gloves, 8 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Code	Description	Absorbent Capacity	Packaging	Unit Weight
SK2832	Universal Spill Kit	40L	PVC Carry Bag	6kg
SK2822	Universal Spill Kit	120L	120L Wheelie Bin	32kg
SK2812	Universal Spill Kit	240L	240L Wheelie Bin	52kg
SK2834	Chemical Spill Kit	40L	PVC Carry Bag	6kg
SK2824	Chemical Spill Kit	120L	120L Wheelie Bin	32kg
SK2814	Chemical Spill Kit	240L	240L Wheelie Bin	42kg
SK2830	Oil & Fuel Spill Kit	40L	PVC Carry Bag	6kg
SK2820	Oil & Fuel Spill Kit	120L	120L Wheelie Bin	32kg
SK2810	Oil & Fuel Spill Kit	240L	240L Wheelie Bin	42kg

To order refill kits, please add 'K' to the end of the code number, eg SK2822K

Drain Seals

- Ensure no spills enter your drains, grates or manholes
- Flexible, effective and reusable
- Resistant to water, oil and most aggressive chemicals
- Seal Thickness: 5mm
- Made from chemical resistant, heavy PVC
- Available in 4 standard sizes

Code	Description	Dimensions
SK2860	Drain Seal	450x450mm
SK2861	Drain Seal	600x600mm
SK2862	Drain Seal	900x900mm
SK2863	Drain Seal	1200x1200mm



Poly Drip Trays

- These drip trays are great for workshops to avoid spilling oils, chemicals and other liquids on the floor
- Available in 3 standard sizes



Code	Description	Dimensions (WxLxH)	Capacity
DT150	Drip Tray - Small	520x360x80mm	13L
DT300	Drip Tray - Medium	610x410x100mm	20L
DT400	Drip Tray - Large	860x860x100mm	43L

Poly Spill Drum Cart

- Reduces drum handling and improves safety
- Made from tough polyethylene which cannot rust or corrode
- Transports, tilts and dispenses up to 205 litre drums with ease
- Secondary containment unit
- 270kg maximum capacity
- 230L sump capacity
- Convenient drain plug
- Dimensions: 815x1740x680mm (WxLxH)
- Unit Weight: 42kg



Code	Description
DC230	Spill Drum Cart



Drum Dispensing Unit

- This dispensing unit can decant up to 4 drums at one time (as per image shown)
- Tough and durable polyethylene construction with base unit and cradle to stack top row of drums
- Great for situations where 2 or more different drums are in constant use
- Easy forklift and pallet truck entry for both the base unit and cradle

Specifications

- Bund Capacity of Base Unit: 400L
- Base Unit Weight: 46kg
- Cradle Unit Weight: 15kg

SB3109



SB3108

Code	Description	Dimensions (WxDxH)
SB3108	Drum Dispensing Base Unit	1350x1375x635mm
SB3109	Drum Dispensing Cradle Unit	940x1375x390mm



SE3104

Hard Cover Drum Bund

- This dispensing unit is weatherproof, with a convenient lockable hinged lid for outdoor protection and security
- Great for outdoor decanting areas
- Easy forklift and pallet truck entry for both the base unit and cradle
- Holds 2 x 205L drums

Specifications

- Bund Capacity of Base Unit: 400L
- Unit Weight: 100kg
- Dimensions: 1310x950x1720mm (WxDxH)

Code	Description
SE3104	Hard Cover Drum Bund

Low Profile Bunding Modular System

- This bunding system is a modular system which can be connected together to make the ideal solution for storage of drums, canisters and containers of chemicals and liquids
- Exceeds environmental and WHS requirements
- Easy clean exterior
- Units are stackable for easy storage
- Tough and durable polyethylene construction
- Solid polyethylene grate prevents human contact with spilt liquid in bund
- Easy forklift entry
- Access ramp which is handy for access with trolleys etc



Code	Description	Dimensions (WxDxH)	Capacity	Weight
SK2840	2 Drum Bunding Unit	1275x740x160mm	110L	21kg
SK2841	4 Drum Bunding Unit	1275x1275x160mm	225L	39kg
SK2842	4 Drum Bunding Unit (drums inline)	2550x740x160mm	220L	78kg
SK2843	Ramp for Low Profile Bunds	810x1290x180mm	-	15kg
SK2844	Connector Kit for Low Profile Bunds	-	-	-

Front Entry Drum Cradle & Bib

- Rackable drum cradle which locks in to standard pallet racking with 840mm wide spacing
- Fits 210 litre steel and plastic drums
- Clip on drum bib which creates a versatile dispensing station
- Drum bib fits up to 20L square or rounded drums
- Cradle Size: 910x580x300mm (WxDxH)
- Bib Size: 580x380x560mm (WxDxH)

Code	Description
------	-------------

DC4670	Front Entry Drum Cradle
--------	-------------------------

DC4671	Drum Cradle Bib
--------	-----------------



Polyethylene Drum Splash Tray

- Low profile, economical work tray to contain drips, spills and splashes
- Tough 100% polyethylene construction which stands up to rough usage
- Popular for capturing vehicle fluids
- Easy-pour corners for disposing of or reclaiming small spills
- Size: 830x830x100mm (LxWxH)

Code	Description
------	-------------

DC4676	Polyethylene Drum Splash Tray
--------	-------------------------------



Polyethylene Bunded Pallet

- Low profile, economical work tray to contain drips, spills and splashes
- Tough 100% polyethylene construction which stands up to rough usage
- Fits 4 x 205 litre drums
- Suitable for use with and without a timber pallet
- One-piece construction for maximum durability
- Underside is designed for standard pallet-racking beams
- Any spilled contents can be drained from one point
- Anti tip bars ensure the pallet does not tip even if it is unevenly loaded or forks are not properly inserted
- Size: 1280x1280x330mm (LxWxH)
- Capacity: Exceeds 110% capacity of a 205 litre drum

Code	Description
------	-------------


DC4677	Polyethylene Bunded Pallet
--------	----------------------------

Polyethylene Bund-A-Rack

- Popular for containing spilt granules on racking, to avoid a slip hazard
- Tough 100% polyethylene construction which stands up to rough usage
- Suits standard (1165mm x 1165mm) hardwood pallet
- Sits on most standard pallet racking beams (2 units fit side-by-side on standard width racking)
- Nestable for storage when not in use
- Size: 1280x1280x280mm (LxWxH)
- Capacity: Exceeds 110% capacity of a 205 litre drum

Code	Description
------	-------------

DC4678	Polyethylene Bund-A-Rack
--------	--------------------------



2 & 4 Drum Bunded Pallets

According to EPA recommendations, bunding should be used for the storage of all liquids except rainwater. These bunded pallets provide an economical and simple solution that complies with Australian Standards 3780 which specifies a bund should contain 110% of the capacity of the largest stored container, should it spill.

- Heavy duty bunded pallets made from polyethylene
- Available in 2 sizes (2 drum and 4 drum)
- Removable grate
- Easy forklift and pallet truck entry
- 100% Australian made
- Corrosion Resistant

2 Drum Pallet Specifications

- Bund Capacity: 230L
- Pallet Weight: 23kg
- Size: 1275x815x400mm (WxDxH)

4 Drum Pallet Specifications

- Bund Capacity: 240L
- Pallet Weight: 33kg
- Size: 1275x1275x310mm (WxDxH)

Code	Description
SB3101	2 Drum Bunded Pallet
SB3102	4 Drum Bunded Pallet



SB3102



SC3101

Pallet Bund Covers

- Outdoor bunded pallet cover and frame for both the 2x drum and 4x drum versions
- These units consist of a galvanised frame (stainless option available) which supports a heavy duty PVC cover with a zipper door to the front for quick access



SC3101



SC3102

Code	Description	Dimensions (LxWxH)
SC3101	Pallet Bund Cover (suits 2 drum pallets)	1190x795x1200mm
SC3102	Pallet Bund Cover (suits 4 drum pallets)	1250x1250x1200mm

Single IBC Bunded Pallet

- Offers a cost effective IBC bunding area
- Tough and durable polyethylene construction
- Fully compliant to Australian Standards
- Easy forklift and pallet truck entry

Specifications

- Bund Capacity: 1300L
- Pallet Weight: 138kg
- Size: 1760x1350x875mm (LxWxH)

Code	Description
SB3105	Single IBC Bunded Pallet



Double IBC Bunded Pallet

- IBC bunding area which fits 2 IBC's side by side
- Tough and durable polyethylene construction
- Fully compliant to Australian Standards
- Easy forklift and pallet truck entry

Specifications

- Bund Capacity: 1300L
- Pallet Weight: 175kg
- Size: 2550x1350x610mm (LxWxH)

Code	Description
SB3106	Double IBC Bunded Pallet



IBC Bunded Pallet Covers

These bund covers are a robust and easily assembled weather cover for drum and IBC bunds. These units include a knock down galvanised steel frame (stainless option available) which supports a heavy duty PVC cover with zipper door to the front for quick access.

- Heavy-duty UV stabilised PVC (5 year guarantee on material)
- Camlock buckles to secure the cover to the bund
- Galvanised RHS frame
- Easy to assemble



Code	Description	Dimensions (LxWxH)
SC3105	IBC Bunded Pallet Cover - Single	1700x1300x1640mm
SC3106	IBC Bunded Pallet Cover - Double	2500x1300x1640mm

IBC Spill Bins

- These zinc plated spill bins have been specifically designed for IBC's and suit most IBC's available
- The close spacing support bars allow protection of the IBC frame
- Easy forklift and pallet truck entry
- These spill bins have a spill capacity exceeding Australian Government regulations of 125% containment of the IBC

Specifications

- Safe Working Load: 2500kg
- Unit Weight: 196kg
- Fork Pocket Size: 160x60mm
- Fork Pocket Centres: 670mm
- Bund Capacity: 1250L
- Removable grid plates
- Finish: Zinc plated
- Overall Dimensions: 1456x1456x830mm (LxWxH)

Code	Description
------	-------------


SB2918	IBC Spill Bin
--------	---------------



Spring Loaded Tilting Stands

- These clever yet simple spring loaded tilting stands are designed to make it easy to decant from IBC bulk storage containers
- The hinged platform slowly raises to a 10 degree angle as the weight decreases.
- Sits on a base with bolt on fork pockets which can be removed if required
- Capacity: 2000kg
- Easy to move with a forklift
- Simple and easy-to-use
- Platform Size: 1200x1130mm
- Unit Weight: 63kg
- Finish: Zinc Plated

TS902



Code	Description
------	-------------

TS902	Spring Loaded Tilting Stand (on fork pockets)
-------	---

TS903	Extra Spring for Tilting Stand
-------	--------------------------------

Heavy Duty Spill Bins

- These zinc plated spill bins offer complete protection against damaging and costly chemical spills
- Available in 1, 2 and 4 drum sizes
- The close spacing support bars allow for large or small drums up to 2000kg SWL to be placed on the spill bin
- Easy forklift and pallet truck entry
- These spill bins have a spill capacity exceeding Australian Government regulations of 110% containment of the largest drum



SB2903



SB2902



SB2901

Code	Description	Dimensions (WxDxH)	Spill Capacity	Unit Weight
SB2901	1 Drum Spill Bin	810x760x490mm	240L	55kg
SB2902	2 Drum Spill Bin	1210x610x440mm	250L	60kg
SB2903	4 Drum Spill Bin	1210x1210x265mm	245L	70kg

Heavy Duty Spill Bins (with protection shield)

- These zinc plated spill bins are fitted with a goods protection shield and safety securing chain
- Available in 1, 2 and 4 drum sizes
- The close spacing support bars allow for large or small drums up to 2000kg SWL to be placed on the spill bin
- Easy forklift and pallet truck entry
- These spill bins have a spill capacity exceeding Australian Government regulations of 110% containment of the largest drum



SB2904



SB2905



SB2906

Code	Description	Dimensions (WxDxH)	Spill Capacity	Unit Weight
SB2904	1 Drum Spill Bin	810x760x1350mm	240L	105kg
SB2905	2 Drum Spill Bin	1210x610x1300mm	250L	115kg
SB2906	4 Drum Spill Bin	1210x1210x1100mm	245L	120kg



4 Drum Spill Storage Enclosure

- Designed to store 4 x 205L drums
- This unit is ideally suited for outside storage of dangerous chemicals and remains weather proof providing protection from the elements. The full enclosure also offers protection from accidental damage to the contents.
- An enclosed spill tray contains up to 245 litres should there be an accidental spill. A drain plug is fitted for easy emptying.
- The pop-up lid provides safety in windy conditions while allowing easy access for loading and unloading of contents. The front door is lockable. Long life zinc finish provides lasting protection from corrosion.
- Dimensions: 1330x1330x1400mm (Width x Depth x Height)
- Spill Capacity: 245L
- Finish: Zinc plated
- Safe Working Load: 2000kg
- Unit Weight: 225kg



Code	Description
SB2908	4 Drum Spill Storage Enclosure

Galvanised Drum Racks

- These drum racks provide a cleaner environment and a safer working area by protecting against costly and dangerous chemical spills.
- The racking system consists of a bolt together drum rack and the spill containment tray which it stands over
- Each spill tray is fitted with a removable drain plug for emptying
- Spill Capacity: 245L
- All models come with a galvanised finish and have a spill capacity exceeding Australian Government regulations of 110% containment of the largest drum



Code	Description	Capacity	Dimensions (LxWxH)
DR2901	Galvanised Drum Rack	1 Drums	1210x605x715mm
DR2902	Galvanised Drum Rack	2 Drums	1210x1210x535mm



Head Office Postal Address: PO Box 2157,
North Parramatta NSW 1750
Email: sales@mhaproducts.com.au

Fax: (02) 8865 1830

Fax: (03) 9982 4575

Fax: (07) 3181 5635

Please photocopy for future use

Your Order Number: _____ Date: _____

Freight Charges

Freight charges to regional and all other areas will be quoted prior or upon receipt of your order.

Total (inc GST)

Order form Oct2018

-  Instant 30 Day
account for
government
department
orders

We accept VISA, MASTERCARD & AMEX (no surcharge)



Card Expiry Date:/.....

3 Digit Security Code: