

Drum Handling Equipment



MHA
PRODUCTS

☎ 1800 750 900

Deluxe Drum Cradle

- Heavy duty drum cradle with retractable handles for use on 210 litre steel drums
- Great for moving drums around the site and to lay drums into the side position.
- Durable zinc plated finish
- Capacity: 300kgs
- Single person operation
- Unit Weight: 14.5kgs
- Wheel Type: Nylon
- Overall Width: 370mm
- Overall Length: 1000mm
- Height: 450mm (horizontal)



Code	Description
DL2690	Deluxe Drum Cradle

LIFTEX
MATERIALS HANDLING EQUIPMENT

DL7270



Steel Drum Carrier / Rotator

- Remarkably versatile 210 litre Drum Carrier/Rotator Raises, transports, rotates, tilts and drains fully loaded drums
- Capacity: 370kg
- Lockable in horizontal or vertical position
- Can be turned end over end to agitate contents
- 200mm roller bearing castors and 100mm swivel castor
- Overall Length: 1250mm
- Overall Height: 1180mm
- Overall Width: 800mm
- Clearance under drum when horizontal is 370mm

Code	Description
DL7270	Steel Drum Carrier / Rotator

Plastic Drum Carrier / Rotator

- Remarkably versatile 210 litre Drum Carrier/Rotator Raises, transports, rotates, tilts and drains fully loaded plastic drums
- Capacity: 370kg
- Lockable in horizontal or vertical position
- Can be turned end over end to agitate contents
- 200mm roller bearing castors and 100mm swivel castor
- Overall Length: 1250mm
- Overall Height: 1180mm
- Overall Width: 800mm
- Clearance under drum when horizontal is 370mm

Code	Description
DL7271	Plastic Drum Carrier / Rotator



DL7271

Safepour Decanting Cradle

- The Safepour is a safe, easy and cost effective tool to decanter liquids from steel and plastic drums
- No more need to struggle with heavy drums of liquid and risk injuries with these safepour decanting cradles
- Unique pivot point design enables accurate pouring to greatly reduce the risk of spills or wastage
- Returns to safe position unaided when released by operator
- Holds all common 15, 20 and 25 litre containers
- Available in galvanised and powdercoated finish



Code	Description
DL6897	Safepour Decanter (suits most 15-25L drums) -Powdercoated
DL6898	Safepour Decanter (suits most 15-25L drums) -Galvanised



Steel & Plastic Drum Trolley

- This drum trolley suits both steel and plastic 210 litre drums
- Suits plastic drums with a top lip
- Hydraulic handle pump which provides smooth easy lifting
- Lifting Capacity: 250kg
- Overall Dimensions: 820x800x1050mm (DxWxH)



Code	Description
DL7272	Steel/Plastic Drum Trolley

Steel Drum Palletiser

- Loads and unloads drums to and from the corner of a pallet
- Suit steel drums with rim tops
- Locking handle holds weight of drum for easy transport
- Wheel Type: Polyurethane
- Capacity: 365kg
- Overall Size: 1160x1220x800mm (HxWxL)
- Unit Weight: 85kg



Code	Description
DL7274	Steel Drum Palletiser



Steel & Plastic Drum Trolley

- These drum trolleys are ideal for transporting both steel and plastic drums and are available in solid wheel and pneumatic wheels for rough and uneven ground
- This trolley is also self-standing which means the operator can leave without drums falling over
- Wheels: 400mm front, 75mm castors on the rear
- Load Capacity: 450kg
- Overall Size: 1050x700x750mm (HxLxW)




Code	Description	Unit Weight
DL7275	Steel/Plastic Drum Trolley - Solid Wheel	24kg
DL7278	Steel/Plastic Drum Trolley - Pneumatic Wheel	28kg

Steel & Plastic Drum Lifter/Depalletiser

LIFTEX
MATERIALS HANDLING EQUIPMENT

- This drum trolley suits both steel and plastic 210 litre drums.
- Loads and unloads drums from the corner of a pallet and can also be used to lift and carry drums around the warehouse or yard.
- Spring loaded clamp grabs the drum rib with no manual input
- The lifter has a brake to avoid rolling on sloped areas
- Lifting Capacity: 400kg
- Lifting Height: 1070mm
- Overall Height: 1810mm
- Unit Weight: 100kg

Spring loaded auto drum clamp



Code	Description
DL7276	Steel/Plastic Drum Lifter

Steel Drum Trolley

- This drum trolley allows easy removal of a drum from pallets
- The trolley can be placed under drum, then as you pull back the bottom wheels spring down to make it easy to pull the trolley backwards
- Wheel locking system which can be released from the hand lever via cable
- Load Capacity: 300kgs
- Trolley Height: 1540mm
- Trolley Width: 620mm
- Length: 800mm
- Unit Weight: 45kg



DL5474



Code	Description
DL5474	Steel Drum Trolley

Drum Palletiser Stackers



DL6966



DL6967

- These drum palletisers stackers are great for loading and unloading both plastic and steel drums onto pallets
- Can also be used to stack drums on top of another drum or to place on a truck or ute
- DL6967 comes with a battery operated weighing scale which gives you accurate measurement of the drums weight

Specifications

- Load Capacity: 450kgs
- Max Lift Height: 1100mm
- Overall Height: 1870mm
- Overall Width: 950mm
- Overall Length: 1140mm
- Leg Length: 500mm
- Unit Weight: 135kg

Code	Description
DL6966	Drum Palletiser Stacker
DL6967	Drum Palletiser Stacker - with load scales

Hydraulic Drum Truck

Easily transport steel drums with this drum truck

- Capacity: 365kg
- Max Arm Height: 390mm
- Min Arm Height: 270mm
- Radius of Arm: 270mm
- Overall Size: 1022x722mm (LxW)
- Unit Weight: 53kg



Code	Description
------	-------------

DL7430	Hydraulic Drum Truck
--------	----------------------

DL7430



Low Profile Drum Trolley

- This drum trolley has a built in handle which is used for tilting the drum back to push the trolley under (as pictured).
- Handle has built in bung remover and seal remover
- Capacity: 500kg
- Overall Size: 950x570x750mm (HxDxW)
- Wheel Size: 150x50mm (front), 75x32mm (rear)
- Unit Weight: 17kg

DL7630



Code	Description
------	-------------

DL7630	Low Profile Drum Trolley
--------	--------------------------

Drum Dollies

- Drum dollies are suitable for both steel and plastic drums and containers
- Powdercoated and stainless steel options
- Heavy duty easy wheel castors
- 3 versions available



60415

60416



60417



Code	Description	Load Capacity	Overall Size	Unit Weight
60415	Drum Dolly (suits 210 Litre drums) - Powdercoated	300kg	610x150mm	7.5kg
60416	Drum Dolly (suits 210 Litre drums) - Stainless Steel	300kg	610x150mm	7.5kg
60417	Heavy Duty Drum Dolly - Powdercoated	500kg	630x630x150mm	9kg

Drum Tongs

- For lifting drums with an overhead crane or the fork tine hook
- To operate, set locking lever in locked open position
- Hooks automatically engage when lifted and disengage when the drum is put down
- Suitable for steel drums
- Capacity: 500kg
- Unit Weight: 7.6kg

Code	Description
------	-------------

DL7610	Drum Tongs - 500kg
--------	--------------------



2.5 Tonne Forklift Tine Hook

- Converts forklift into a mobile crane in seconds
- Adjustable mounting position along the length of the fork
- Secured to forks by thumb screw
- Swivel hook includes safety latch
- Capacity: 2500kg
- Fork Pocket Size: 60x160mm
- Unit Weight: 25kg

Code	Description
------	-------------

DL7200	Forklift Tine Hook - 2.5 Tonne
--------	--------------------------------



Hook Drum Lifter

- Suitable for both steel and plastic 210 litre drums
- Works on almost any drum that has a rim to grab onto
- Ideal for picking up a drum in the middle of a cluster without having to move any that are in front
- Capacity: 500kg
- Overall Dimensions: 215x711x711mm (HxWxD)
- Unit Weight: 13kg

Code	Description
------	-------------

DL7253	Hook Drum Lifter
--------	------------------



Drum Sling Lifter

- This sling lifter is ideal for lifting drums and cylinders using an overhead crane or forklift lifting hook device
- Suits up to 210 litre drums
- Lifting Capacity: 500kg
- Supplied with metal head ring
- Sling Length: 1100mm

Code	Description	Lift Capacity
------	-------------	---------------

DL7257	Drum Sling Lifter 500kg	500kg
--------	-------------------------	-------

DL7258	Drum Sling Lifter 1000kg	1000kg
--------	--------------------------	--------



Geared Drum Lifters & Turners

- Allows the operator to lift up the drums and rotate to decant via the manual pull chains
- Can be lifted using a gantry or overhead crane or with our fork tine hook (see previous page)
- Available for both steel and plastic drums
- 3 metre control chain
- Overall Dimensions: 1000x720x200mm (HxWxD)
- Load Capacity: 380kg
- Unit Weight: 38kg
- 360 degree rotatable



Code	Description
DL7635	Geared Drum Lifter (suits steel drums)
DL7636	Geared Drum Lifter (suits plastic drums)



Forklift Geared Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel and plastic drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- Drum Size: 570-600mm diameter
- Finish: Painted safety yellow
- Capacity: 300kg
- Fork Pocket Size: 150x55mm
- Fork Width: 825mm
- 360 degree rotatable
- Unit Weight: 60kg



Code	Description
DL7261	Geared Fork Drum Rotator (suits steel and plastic drums)

Forklift Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- 3 metre pull chain from operators seat
- 30:1 gearing ratio
- Drum Size: 570-600mm diameter
- Finish: Painted safety yellow
- Capacity: 680kg
- Fork Pocket Size: 180x65mm
- Unit Weight: 97kg



Code	Description
DL7260	Fork Drum Rotator (suits steel drums)

Drum Depalletiser & Rotator

- This drum depalletiser is combines transport and drum rotation into one
- Lifts, transports and rotates steel and plastic drums
- Load Capacity: 350kg
- Max Lift Height: 800mm
- Drum Size: 570-600mm diameter
- Wheel Size: 125x50mm
- Unit Weight: 165kg
- **TRANSPORTS**
- **ROTATES**
- **DEPALLETISERS**



DL7243

LIFTEX
MATERIALS HANDLING EQUIPMENT

Code	Description
DL7243	Drum Depalletiser & Rotator

Forklift Drum Grab

- Attaches quickly and easily to most fork trucks
- Heavy duty welded steel construction
- Lifts, transports and deposits steel drums without having to leave the drivers seat
- Finish: Painted safety yellow
- Load Capacity: 680kg
- Fork Pocket Size: 177x58mm
- Unit Weight: 56kg



DL7262

Code	Description
DL7262	Fork Drum Grab

Galvanised Forklift Drum Grab

- Attaches quickly and easily to most fork trucks
- Heavy duty welded steel construction
- Lifts, transports and deposits steel drums without having to leave the drivers seat
- Finish: Galvanised
- Fork Pocket Size: 165x65mm
- Fork Pocket Centres: 325mm
- Load Capacity: 500kg
- Unit Weight: 62kg



DL2950

Code	Description
DL2950	Galvanised Single Drum Grab

Parrot Beak Drum Lifters

- Suitable for both steel and plastic 210 litre drums
- Simple auto clamp operation - no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Height adjustable for use with different drum shapes
- Available in single and double drum pickups
- Capacity: 360kg per beak
- Fork Pocket Size: 750x150x55mm (LxWxH)
- Fork Pocket Centres: 500mm (single) & 590mm (double)
- Unit Weight: 45kg (single) & 62kg (double)
- Finish: Painted safety yellow

Code	Description
DL7250	Parrot Beak Drum Lifter (single)
DL7251	Parrot Beak Drum Lifter (double)



DL7250

DL7251

Galvanised Parrot Beak Drum Lifters

- Suitable for both steel and plastic 210 litre drums with a top lip
- Simple auto clamp operation - no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Available in single and double drum pickups
- Fork Pocket Size: 185x60mm (LxWxH)
- Fork Pocket Centres: 250mm
- Finish: Zinc plated
- Load Capacity: 1000kg
- Unit Weight: 72kg



DL2940

Code	Description
DL2940	Galvanised Parrot Beak Drum Lifter

Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Can change drum position from vertical to horizontal and vice-versa
- Hinged tines automatically lock when lowered to the ground in horizontal position
- Works great for loading and unloading drums off rack stands
- Suitable for loading drums onto transport vehicles
- Can be operated without the driver having to leave the forklift seat
- Capacity: 400kg
- Prong Distance Apart: 575mm
- Fork Pocket Size: 140x50mm
- Overall Size: 1900x690x655mm (LxWxH)
- Unit Weight: 75kg

DL2935




Code	Description
------	-------------

DL2935	Drum Positioner
--------	-----------------

Fixed Prong Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Works great for loading and unloading drums off rack stands
- Capacity: 300kg
- Pole Distance Apart: 575mm
- Fork Pocket Size: 140x55mm
- Fork Pocket Centres: 625mm
- Overall Size: 1405x720x120mm (LxWxH)
- Unit Weight: 42kg



DL2936

Code	Description
------	-------------

DL2936	Fixed Prong Drum Positioner
--------	-----------------------------

Drum Racking

- Designed to fit 210 litre drums
- Sold per racking stand (2 stands pictured)
- Can be joined to make one continuous racking system
- Capacity: 500kg per rack
- Centres: 600mm
- Overall Size: 1120x760x325mm (LxDxH)
- Unit Weight: 35kg

Code	Description
------	-------------

DL2938	Drum Racking
--------	--------------



DL2938

Drum Tipper / Dumper

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Working Load Limit (WLL): 500kg
- Rotational ability 180 degrees
- Load centre: 1000mm
- Fork pocket size 185 x 65mm
- Pocket centres 840mm
- Unit weight: 85kg



DL7215

Great for dumping scrap into larger bins



Code	Description
DL7215	Steel Drum Tipper (suits 205 litre drums)

Side Shift Drum Depalletiser



The Drum Depalletiser is specially designed for moving drums and barrels from any position on a pallet. It uses a sliding side-shift arrangement allowing it to even be used for moving containers and drums placed in the centre of a pallet. The depalletiser straddles the pallet and only requires access to one side, thus allowing pallets in confined areas to be kept against the wall even when unloading. When moving the drum onto another pallet, scales or the floor, the drum can also be moved to either side using the side-shift arrangement

- This unique design side shift drum depalletiser can pickup drums from any position on the pallet, skid or bund - straddles beside and over the pallet
- Suitable for both steel and plastic drums
- The operator requires only 12kg of force on the handle to lift a 300kg drum

Specifications

- Load Capacity: 350kgs
- Overall Height: 1320mm
- Overall Width: 1620mm
- Overall Length: 950mm
- Ground / Pallet Clearance: 350mm
- Max Lift Height: 575mm



View video of this in operation here

Code	Description
DL6974	Side Shift Drum Depalletiser



DL6974



Fully Electric Drum Stacker & Rotator

- Stand on or walk behind battery electric operation
- Suitable for 210 litre steel drums
- Will work with some plastic drums depending on size and shape
- Lifts, transports and rotates
- Load Capacity: 420kg
- Drum Rotating Range: 135 degrees
- Max Lift Height: 2400mm
- Overall Height: 1860mm
- Overall Length: 2270mm
- Overall Width: 1170mm
- Turning Radius: 2150mm
- Max Slope Ability: 3% loaded
5% unloaded
- Wheel Size: 125x50mm
- Power: 24V, 210Ah
- Electromagnetic brake
- Unit Weight: 1100kg

DL7280




Code	Description
DL7280	Fully Electric Drum Stacker & Rotator



Steel & Plastic Drum Lifter & Rotators

- This drum lifter can pickup and rotate drums with ease
- Manual foot or handle hydraulic pump for lifting
- Geared rotation using steering handle
- Worm drive handle for drum tilting
- Distance Between Straddle Legs: 700mm
- Capacity: 4050kg
- Lifting Height: 1500mm
- Overall Size: 1400x1000x2100mm (LxWxH)
- Leg Length: 770mm
- Space Between Legs: 630mm
- Weighing scale version available
- Unit Weight: 190kg



Load Scale Unit



Code	Description
DL7203	Steel & Plastic Drum Lifter & Rotator
DL7204	Steel & Plastic Drum Lifter & Rotator (with scale unit)

Electric Drum Lifter & Rotators

These electric drum lifters pickup, rotate and weigh drums using battery electric power for both up and down and for tilting.

- Suitable for both steel and plastic drums
- Drum weighing scale version available
- Lifting Speed: 120mm per second
- Rotation Speed: 180° - 30 seconds
- Capacity: 450kg
- Max Lift Height: 2300mm
- Distance Between Straddle Legs: 630mm
- Leg Length: 740mm
- Overall Height: 1600x950x1920mm (LxWxH)
- Battery: 12v, 120Ah
- Unit Weight: 355kg



DL7206



DL7206



DL7207



Load Scale Unit

LIFTEX
MATERIALS HANDLING EQUIPMENT

Code	Description
------	-------------


DL7206	Electric Drum Lifter & Rotator
--------	--------------------------------

DL7207	Electric Drum Lifter & Rotator (with scale)
--------	---




Custom Made Drum Lifting Equipment


We can custom design and make drum lifting equipment specific to your particular requirements to eliminate back strains and injuries in the workplace.




360 degree rotating drum lifter



Customised forklift drum rotator



Hydraulic Drum Grab/Rotator



Chain Drum Rotator



Handle Operated Drum Rotator




Multi purpose lifters which can be adapted with various options to suit steel and plastic drums



Electric High-Lift Drum Lifter and 360 degree rotator



Stainless Steel Electric Drum Lifter



Stainless Steel Electric Side Grip Drum Lifter



Stainless Steel Electric Drum Lifter (with manual winder)



Grip Girdle

Suits 210 litre drum handling in its standard construction. Can be adapted to Plastic or Fibre drum handling.



Standard Girdle

Suits 210 litre drum handling in confined areas, mezzanine floors or where 'Lighter framed individuals' are involved in the drum handling process



Rim Grip Girdle

Total drum handling. Suits Steel, Plastic and Fibre drums in varying sizes.



Drum Taps

- Models available for high or low viscosity liquids
- Available in poly, brass, zinc and stainless steel
- Adjustable faucets enable the user to adjust the outlet downwards without leakage
- Internal flame arrestor models available
- To suit 20 / 50 mm bungs

DT201

2" plastic drum taps to suit large 19 & 50mm bungs. Includes twin thread pattern. Suitable for detergents and oils.




DT640

High flow cast iron sliding action valve for non flammable viscous products, oil, paint, treacle etc. 2" BSP.



DT101

High flow brass spring operated sliding gate tap with replaceable teflon blade. Designed for heavy type non corrosive viscous liquids. 2" BSP.



DT109

Brass swivel action self closing drum tap with flash arresting screen designed for thin type liquids. 3/4" BSPM with teflon seal. Lockable in closed position

Code	Description	Tap Size
DT201	Plastic Drum Tap (for detergents and oils)	2 Inch
DT640	Cast Iron Drum Tap	2 Inch
DT101	Brass Sliding Gate Tap	2 Inch
DT109	Brass Swivel Action Drum Tap	3/4 Inch


Drum Vents

- Install safety drum vent and safety faucet together to gain full protection against flash backs during dispensing



DVA20

3/4" atmospheric vent to suit 19mm bung drum. Vents drum at all times with flash arresting screen



DVA21

2" BSP brass construction safety vent to suit 50mm bung in drum. Features automatic pressure relief valve and manual vacuum relief for decanting purposes. Built in flash arresting screen.

Code	Description
DVA20	3/4" Atmospheric Vent
DVA21	2" BSP Safety Vent

Drum Sealing Products

- Drum sealing tools with caps for sealing bungs on drums to ensure integrity of the product. Tool and caps to suit 19mm and 50mm bungs



DT500

Drum sealing tool



DT210 & DT510

19mm and 50mm caps



DT726

Heavy duty drum cover - 600mm diameter

Code	Description	Carton Qty
DT210	19mm Drum Sealing Caps	1000 caps
DT510	50mm Drum Sealing Caps	500 caps
DT190	Drum Sealing Tool - 19mm	each
DT500	Drum Sealing Tool - 50mm	each
DT726	Plastic Drum Sealing Cover - 600mm	each

Drum Tools

- A great range of drum tools suitable for flammable or hazardous environments



DT550

Fibre plastic drum bung wrench for 2" & 3/4" bungs



DT160

Safety non sparking multi head brass alloy drum wrench



DT120 & DT220

1 & 2 meter static bonding leads and twin alligator clips to help with earthing process when decanting flammables



DT260

Manual drum de-header

Code	Description
DT160	Non-Sparking Multihead Drum Bung Wrench
DT550	Fibre Plastic Drum Bung Wrench (suits 2" & 3/4" bungs)
DT120	1 Meter Static Bonding Lead (with twin alligator clips)
DT220	2 Meter Static Bonding Lead (with twin alligator clips)
DT260	Manual Drum De-Header



Super Flow Rotary Pump

- High-flow pump, 1 litre per rotation is attained using synchronised counter rotation rotors driven by dual H/D timing gears
- Suits 210 litre drums or tanks with cast iron bung nut
- Ideal for refuelling on and off road vehicles, large machinery and optional model for aircraft with modified filter-hose kit
- Complete with 2.5 metre PVC hose and spout for diesel and light oils up to SAE30



Code	Description
DT630	Super Flow Rotary Pump



Hand Operated Chemical Pump

- Rotary drum pump for 60-210 litre drums
- 3 piece suction pipe with adjustable discharge spout
- Standard 2" BSPM polypropylene bung nut to suit drums
- 20 Litres per minute max flow
- Suitable for a range of chemicals, detergents and solvents (please check with our sales team to confirm compatibility with your liquid)

Code	Description
DT638	Polypropylene Rotary Drum Pump

20 Litre Drum Pump

- 10 strokes per litre
- 1.4 metre, non-kink hose
- Easy down stroke action
- Fitted with non drip nozzle and drain back holder
- Suits 20 litre steel oil drums

Code	Description
DT633	20L Drum Pump



Drum Funnel

- Cost effective way to prevent spills and keep drum tops clean
- Optional funnel cover available as shown in image



Code	Description
C1092	Plastic Drum Funnel (suits 205 litre drums)
C1093	Polyethylene Drum Funnel Cover

