

Section 5 Drum Handling Equipment

MHA
PRODUCTS
MANUAL HANDLING AUSTRALIA

FREECALL 1800 750 900
www.mhaproducts.com.au



Deluxe Drum Cradle

- Heavy duty drum cradle with retractable handles for use on 210 litre steel drums
- Great for moving drums around the site and to lay drums into the side position.
- Durable zinc plated finish
- Single person operation
- Wheel Type: Nylon


LIFTEX


Load Capacity (kg)	Length (mm)	Width (mm)	Horizontal Height (mm)	Unit Weight (kg)
300	1000	370	450	14.5
Code	Details			
DL2690	Deluxe Drum Cradle			

Drum Decanting Cradle

- The drum decanting cradle is a safe, easy and cost effective tool to decant liquids from steel and plastic drums
- No more need to struggle with heavy drums of liquid and risk injuries with these safe pour decanting cradles
- Unique pivot point design enables accurate pouring to greatly reduce the risk of spills or wastage
- Returns to safe position unaided when released by operator
- Holds all common 15, 20 and 25 litre containers
- Powder coated finish

Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
25	450	14.5
Code	Details	
DL6897	Drum Decanting Cradle	



Steel Drum Palletiser

- Loads and unloads drums to and from the corner of a pallet
- Suit steel drums with rim tops
- Locking handle holds weight of drum for easy transport
- Wheel Type: Polyurethane


LIFTEX


Code	Details
DL7274	Steel Drum Palletiser

Steel Drum Carrier / Rotator

- Remarkably versatile 210 litre Drum Carrier/Rotator Raises, transports, rotates, tilts and drains fully loaded drums
- Lockable in horizontal or vertical position
- Can be turned end over end to agitate contents
- 200mm roller bearing castors and 100mm swivel castor



LIFTEX

Code	Load Capacity (kg)	Length (mm)	Height (mm)	Width (mm)	Clearance under drum while horizontal (mm)	Unit Weight (kg)
DL7270	370	1250	1180	800	370	14.5

Plastic Drum Carrier / Rotator

- Remarkably versatile 210 litre Drum Carrier/Rotator Raises, transports, rotates, tilts and drains fully loaded plastic drums
- Lockable in horizontal or vertical position
- Can be turned end over end to agitate contents
- 200mm roller bearing castors and 100mm swivel castor



LIFTEX

Code	Load Capacity (kg)	Length (mm)	Height (mm)	Width (mm)	Clearance under drum while horizontal (mm)	Unit Weight (kg)
DL7271	370	1250	1180	800	370	14.5

Steel & Plastic Drum Trolley

- This drum trolley suits both steel and plastic 210 litre drums
- Suits plastic drums with a top lip
- Hydraulic handle pump which provides smooth easy lifting



Code	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7272	250	820x800x1050	14.5

Steel & Plastic Drum Trolley


- These drum trolleys are ideal for transporting both steel and plastic drums and are available in solid wheel and pneumatic wheels for rough and uneven ground
- This trolley is also self-standing which means the operator can leave without drums falling over
- Wheels: 400mm front, 75mm castors on the rear



Code	Details	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7275	Steel/Plastic Drum Trolley (Solid Wheel)	450	1050x700x750	24
DL7278	Steel/Plastic Drum Trolley (Pneumatic Wheel)	450	1050x700x750	28

Steel & Plastic Drum Lifter/Palletiser

- This drum trolley suits both steel and plastic 210 litre drums.
- Loads and unloads drums from the corner of a pallet and can also be used to lift and carry drums around the warehouse or yard.
- Spring loaded clamp grabs the drum rib with no manual input
- The lifter has a brake to avoid rolling on sloped areas


LIFTEX

Code	Load Capacity (kg)	Lifting Height (mm)	Length (mm)	Height (mm)	Width (mm)	Unit Weight (kg)
DL7276	400	1070	800	1160	1220	100

Drum Palletiser Stackers

- These drum palletisers stackers are great for loading and unloading both plastic and steel drums onto pallets
- Can also be used to stack drums on top of another drum or to place on a truck or ute
- DL6967 comes with a battery operated weighing scale which gives you an accurate measurement of the drums weight


LIFTEX


Code	Details	Load Capacity (kg)	Max Lift Height (mm)	Leg Length (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL6966	Drum Palletiser Stacker	450	1100	500	1140x950x1870	130
DL6967	Drum Palletiser Stacker (with load scales)	450	1100	500	1150x950x1900	135

Hydraulic Drum Truck

- Easily transport steel drums with this drum truck
- Pallet truck style design
- Nylon wheels

LIFTEX

Load Capacity (kg)	Min Arm Height (mm)	Max Arm Height (mm)	Radius of Arm (mm)	Overall Size LxW (mm)	Unit Weight (kg)
365	270	390	270	1022x722	53

Code	Details
DL7430	Hydraulic Drum Truck



Low Profile Drum Trolley

- This drum trolley has a built in handle which is used for tilting the drum back to push the trolley under.
- Handle has built in bung remover and seal remover
- Wheel Size: 150x50mm (front), 75x32mm (rear)

LIFTEX

Load Capacity (kg)	Radius of Arm (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
500	270	950x570x750	17


Code	Details
DL7630	Low Profile Drum Trolley



Drum Dollies

- Drum dollies are suitable for both steel and plastic drums and containers
- Powder coated and stainless steel options
- Heavy duty easy wheel castors
- 3 versions available

LIFTEX



Code	Details	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
60415	Drum Dolly (Powder coated)	300	610x710x150	7.5
60416	Drum Dolly (Stainless Steel)	300	610x710x150	7.5
60417	Heavy Duty Drum Dolly (Powder coated)	500	630x630x150	9

Drum Tongs

- For lifting steel drums with an overhead crane or the fork tine hook
- To operate, set locking lever in locked open position
- Hooks automatically engage when lifted and disengage when the drum is put down

Load Capacity (kg)	Jaw Opening Distance (mm)	Unit Weight (kg)
500	910	8
Code	Details	
DL7610	Drum Tongs	



2.5 Tonne Forklift Tine Hook

- Converts forklift into a mobile crane in seconds
- Adjustable mounting position along the length of the fork
- Secured to forks by thumb screw
- Swivel hook includes safety latch

Load Capacity (kg)	Fork Pocket Size (mm)	Unit Weight (kg)
2500	60x160	25
Code	Details	
DL7200	2.5 Tonne Forklift Tine Hook	



Hook Drum Lifter

- Suitable for both steel and plastic 210 litre drums
- Works on almost any drum that has a rim to grab onto
- Ideal for picking up a drum in the middle of a cluster without having to move any that are in front

Load Capacity (kg)	Overall Size HxWxD (mm)	Unit Weight (kg)
500	215x711x711	13
Code	Details	
DL7253	Hook Drum Lifter	

Drum Sling Lifter

- This sling lifter is ideal for lifting drums and cylinders using an overhead crane or forklift lifting hook device
- Suits up to 210 litre drums
- Supplied with metal head ring

Code	Load Capacity (kg)	Sling Length (mm)	Unit Weight (kg)
DL7257	500	1100	3
DL7258	1000	1100	4
Code	Details		
DL7257	Drum Sling Lifter		
DL7258	Drum Sling Lifter		



Geared Drum Lifter & Turner

- Allows the operator to lift up the drums and rotate to decant via the manual pull chains
- Can be lifted using a gantry or overhead crane or with our fork tine hook
- 3 metre control chain
- 360 degree rotatable
- Suitable for both steel and plastic drums



LIFTEX

Code	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7636	380	1000x720x200	38

Forklift Geared Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel and plastic drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- Finish: Painted safety yellow
- 360 degree rotatable



LIFTEX

Code	Load Capacity (kg)	Fork Pocket Size (mm)	Fork Width (mm)	Drum Size (mm)	Unit Weight (kg)
DL7261	300	150x55	825	570-600	60

Forklift Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- 3 metre pull chain from operators seat
- 30:1 gearing ratio
- Finish: Painted safety yellow



LIFTEX



Code	Load Capacity (kg)	Fork Pocket Size (mm)	Drum Size dia. (mm)	Unit Weight (kg)
DL7260	680	180x65	570-600	97

Drum Palletiser & Rotator

- This drum palletiser combines transport and drum rotation into one
- Lifts, transports and rotates steel and plastic drums


LIFTEX

Code	Load Capacity (kg)	Max Lift Height (mm)	Drum Size (mm)	Wheel Size (mm)	Unit Weight (kg)
DL7243	240	800	570-600	125x50	165


LIFTEX

Forklift Drum Grab

- Attaches quickly and easily to most fork trucks
- Heavy duty welded steel construction
- Lifts, transports and deposits steel drums without having to leave the drivers seat
- Finish: Painted safety yellow

Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
680	177x58	330	56

Code	Details
DL7262	Forklift Drum Grab

Galvanised Forklift Drum Grab

- Attaches quickly and easily to most fork trucks
- Heavy duty welded steel construction
- Lifts, transports and deposits steel drums without having to leave the drivers seat
- Finish: Galvanised

Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
500	165x65	325	62

Code	Details
DL2950	Galvanised Forklift Drum Grab


LIFTEX



Parrot Beak Drum Lifters

- Suitable for both steel and plastic 210 litre drums
- Simple auto clamp operation – no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Height adjustable for use with different drum shapes
- Available in single and double drum pickups
- Finish: Painted safety yellow

LIFTEX


DL7250



DL7251

Code	Details	Load Capacity per beak (kg)	Fork Pocket Size LxWxH (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
DL7250	Parrot Beak Drum Lifter (single)	360	750x150x55	500	45
DL7251	Parrot Beak Drum Lifter (double)	360	750x150x55	590	62

Galvanised Parrot Beak Drum Lifter

- Suitable for both steel and plastic 210 litre drums with a top lip
- Simple auto clamp operation – no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Finish: Zinc plated


LIFTEX


Code	Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
DL2940	1000	185x60	250	72

Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Can change drum position from vertical to horizontal and vice-versa
- Hinged tines automatically lock when lowered to the ground in horizontal position
- Suitable for loading drums onto transport vehicles
- Works great for loading and unloading drums off rack stands
- Can be operated without the driver having to leave the forklift seat

LIFTEX


Code	Load Capacity (kg)	Prong Distance Apart (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL2935	400	500	150x60	420	1900x690x655	75

Fixed Prong Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Works great for loading and unloading drums off rack stands

LIFTEX


Code	Load Capacity (kg)	Prong Distance Apart (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL2936	300	575	140x50	260	1405x720x120	42

Drum Tipper / Dumper

LIFTEX

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Rotational ability 180 degrees



Code	Working Load Limit (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7215	500	1000	185x65	840	1400x1040x600	85

Side Shift Drum Palletiser

- The Side Shift Drum Palletiser is specially designed for moving drums and barrels from any position on a pallet.
- It uses a sliding side-shift arrangement allowing it to even be used for moving containers and drums placed in the centre of a pallet.
- The palletiser straddles the pallet and only requires access to one side, thus allowing pallets in confined areas to be kept against the wall even when unloading.
- When moving the drum onto another pallet, scales or the floor, the drum can also be moved to either side using the side-shift arrangement
- This unique design side shift drum palletiser can pickup drums from any position on the pallet, skid or bund -straddles beside and over the pallet
- Suitable for both steel and plastic drums
- The operator requires only 12kg of force on the handle to lift a 300kg drum



Spring loaded clamp to securely hold the drum



Handle lever to lower drum



Foot pedal to raise drum



LIFTEX

Code	Load Capacity (kg)	Ground / Pallet Clearance (mm)	Max Lift Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL6974	350	350	575	920x1550x1520	180

Fully Electric Drum Stacker & Rotator

LIFTEX

- Stand on or walk behind battery electric operation
- Suitable for 210 litre steel drums
- Will work with some plastic drums depending on size and shape
- Lifts, transports and rotates
- Max Slope Ability: 3% loaded 5% unloaded
- Wheel Size: 125x50mm
- Power: 24V, 210Ah
- Electromagnetic brake



Watch a video of this in operation on our website here,
www.mhaproducts.com.au/DL7280

Code	Load Capacity (kg)	Max Lift Height (mm)	Drum Rotating Range (deg.)	Turning Radius (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7280	420	2400	135	2150	2270x1170x1860	1100

Steel & Plastic Drum Lifter & Rotator

- This drum lifter can pickup and rotate drums with ease
- Manual foot or handle hydraulic pump for lifting
- Worm drive handle for drum tilting


LIFTEX

Code	Load Capacity (kg)	Lifting Height (mm)	Leg Length (mm)	Distance between legs (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7203	450	1500	770	630	1400x1000x2100	190

Electric Drum Lifter & Rotators

These electric drum lifters pickup, rotate and weigh drums using battery electric power for both up and down and for tilting.

- Suitable for both steel and plastic drums
- Drum weighing scale version available
- Lifting Speed: 120mm per second
- Rotation Speed: 180° - 30 seconds
- Max Lift Height: 2300mm
- Distance Between Straddle Legs: 630mm
- Leg Length: 740mm
- Battery: 12v, 120Ah



DL7206

LIFTEX

DL7206



DL7207



Load Scale Unit

Code	Details	Load Capacity (kg)	Max Lift Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
DL7206	Electric Drum Lifter/Rotator	450	2300	1600x950x1920	355
DL7207	Electric Drum Lifter/Rotator (with scale)	450	2300	1600x950x1920	360

Drum Taps

- Models available for high or low viscosity liquids
- Adjustable faucets enable the user to adjust the outlet downwards without leakage
- Internal flame arrestor models available
- To suit 20 / 50 mm bungs


DT201

2" plastic drum taps to suit large 19 & 50mm bungs. Includes twin thread pattern. Suitable for detergents and oils.


DT101

High flow brass spring operated sliding gate tap with replaceable teflon blade. Designed for heavy type non corrosive viscous liquids. 2" BSP.


DT640

High flow cast iron sliding action valve for non-flammable viscous products, oil, paint, treacle etc. 2" BSP.

Code	Details	Tap Size	Unit Weight (kg)
DT201	Plastic Drum Tap (for detergents and oils)	2 Inch	1
DT640	Cast Iron Drum Tap	2 Inch	2
DT101	Brass Sliding Gate Tap	2 Inch	4

Drum Pumps


DT630

- High-flow pump, 1 litre per rotation is attained using synchronised counter rotation rotors driven by dual H/D timing gears
- Suits 210 litre drums or tanks with cast iron bung nut Ideal for refuelling on and off road vehicles, large machinery and optional model for aircraft with modified filter-hose kit
- Complete with 2.5 metre PVC hose and spout for diesel and light oils up to SAE30


DT638

- Rotary drum pump for 60-210 litre drums
- 3 piece suction pipe with adjustable discharge spout
- Standard 2" BSPM polypropylene bung nut to suit drums
- 20 Litres per minute max flow
- Suitable for a range of chemicals, detergents and solvents (please check with our sales team to confirm compatibility with your liquid)


DT633

- 10 strokes per litre
- 1.4 metre, non-kink hose
- Easy down stroke action
- Fitted with non drip nozzle and drain back holder
- Suits 20 litre steel oil drums

Code	Details	Unit Weight (kg)
DT630	Super Flow Rotary Pump	8
DT638	Hand Operated Chemical Pump	2
DT633	20 Litre Drum Pump	1

2 & 4 Drum Bunded Pallets

- Heavy duty bunded pallets made from polyethylene
- Available in 2 sizes (2 drum and 4 drum)
- Removable grate
- Easy forklift and pallet truck entry
- 100% Australian made
- Corrosion Resistant
- Ample containment capacity to meet all relevant regulations
- Nestable for easy transport



SB3102



SB3101



Code	Details	SWL (kg)	Drum Capacity (mm)	Bund Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
SB3101	2 Drum Bunded Pallet	500	2	230	1275x815x400	23
SB3102	4 Drum Bunded Pallet	1000	4	230	1275x1275x310	33

Spring Loaded Tilting Stand

- These clever yet simple spring loaded tilting stands are designed to make it easy to decant from IBC bulk storage containers.
- The hinged platform slowly raises to a 10 degree angle as the weight decreases.
- Sits on a base with bolt on fork pockets which can be removed if required
- Easy to move with a forklift
- Simple and easy-to-use
- Finish: Zinc Plated



Code	Details	Load Capacity (kg)	Fork Pocket Centres (mm)	Fork Pocket Size (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
TS902	Tilting Stand	2000	730	190x90	1200x1130	1130x1200x360	110
TS903	Extra Spring for TS902						

Drum Sealing Products

- Drum sealing tools with caps for sealing bungs on drums to ensure integrity of the product. Tool and caps to suit 19mm and 50mm bungs



DT500
Drum sealing tool



DT210 & DT510
19mm and 50mm caps



DT726
Heavy duty drum cover -
600mm diameter

Code	Details	Ctn Qty
DT210	19mm Drum Sealing caps	1000 caps
DT510	50mm Drum Sealing Caps	500 caps
DT190	Drum Sealing Tool- 19mm	each
DT500	Drum Sealing Tool- 50mm	each
DT726	Plastic Drum Sealing Cover- 600mm	each

Drum Tools

- A great range of drum tools suitable for flammable or hazardous environments



DT550
Fibre plastic drum bung
wrench
for 2" & 3/4" bungs



DT160
Safety non sparking multi
head brass alloy drum
wrench



DT120 & DT220
1 & 2 meter static bonding leads and twin
alligator clips to help with earthing
process when decanting flammables



DT260
Manual drum de-header

Code	Details	Ctn Qty
DT160	Non-Sparking Multihead Drum Bung Wrench	1000 caps
DT550	Fibre Plastic Drum Bung Wrench	500 caps
DT120	1 meter static bonding lead (with twin alligator clips)	each
DT220	2 meter static bonding lead (with twin alligator clips)	each
DT260	Manual Drum De-header	each

Custom Drum Handling Equipment

MHA's custom drum handling products are an excellent way of transporting and carrying heavy drums throughout your particular workspace. Being custom designed, makes them unique and innovative and suited to whatever your particular requirements may be.



Multi purpose lifters which can be adapted with various options to suit steel and plastic drums



Electric High-Lift Drum Lifter and 360 degree rotator



Electric Pail Lifter and 360 degree rotator



Stainless Steel Electric Side Grip Drum Lifter



External Grab Drum Rotator



Stainless Steel Electric Drum Lifter



Stainless Steel Electric Side Grip Drum Lifter



Stainless Steel Electric Drum Lifter (with manual winder)

Custom Drum Handling Equipment

MHA specialise in custom design and make drum lifting equipment specific to particular requirements in various applications that can also eliminate back strains and injuries in the workplace.



Grip Girdle

Suits 210 litre drum handling in its standard construction. Can be adapted to Plastic or Fibre drum handling.



Standard Girdle

Suits 210 litre drum handling in confined areas, mezzanine floors or where 'Lighter framed individuals' are involved in the drum handling process.



Stainless Steel Electric Drum Rotator



Rim Grip Girdle

Total drum handling. Suits Steel, Plastic and Fibre drums in varying sizes.




Stainless Steel Electric Side Grip Drum Lifter




Manual Bucket or Pail Tipper

Custom Made Drum Lifting Equipment


We can custom design and make drum lifting equipment specific to your particular requirements to eliminate back strains and injuries in the workplace.




360 degree rotating drum lifter




Customised forklift drum rotator



Hydraulic Drum Grab/Rotator




Hydraulic Drum Grab/Rotator



Chain Drum Rotator



Handle Operated Drum Rotator



Head Office Postal Address: PO Box 2157,
North Parramatta NSW 1750
Email: sales@mhaproducts.com.au

Tel: (02) 8865 1800
Fax: (02) 8865 1830
✉ nsw@mhaproducts.com.au

Tel: (03) 9115 9100
Fax: (03) 9115 9150
✉ vic@mhaproducts.com.au

Tel: (07) 3558 9700
Fax: (07) 3558 9750
✉ gld@mhaproducts.com.au

Please photocopy for future use

Company Name:

Invoice Address:

Delivery Address:

ABN: Tel: () Fax: ()

Contact Name: _____ Position: _____

Contact Email: Accounts Email:

Your Order Number: _____ Date: _____

Freight Charges		Sub Total	
Please check our website www.mhaproducts.com.au for correct freight cost to your postcode, otherwise please tick 'obtain freight quote' and place your order using this form and we will contact you to confirm freight cost before processing your order.	Obtain freight quote or charge to my freight account	<input type="checkbox"/> <i>Please tick if required</i>	
	Charge to my freight account. (please list details below)	Freight	
		GST	
		Total (inc GST)	

☐ Please email invoice for payment by direct deposit

☐ Please invoice on my 30 day account

☐ Please invoice on my 14 day account

☐ Please charge to credit card

☐ VISA ☐ MASTERCARD ☐ AMEX



We accept VISA, MASTERCARD & AMEX (no surcharge)



Card Holder's Signature

Card Holder's Full Name:

Card Expiry Date: _____ / _____

Card No.

3 Digit Security Code: