

**1800 750 900** 

## **Steel RUT Shelving**




This steel shelving is roll formed from premium pre-painted steel to ensure durability and engineering integrity for both office and warehouse storage applications


Its design flexibility makes it ideal for integration into diverse environments ranging from industrial warehouses and storerooms, through to libraries, museums, retail outlets and offices

Our steel shelving is a bolted construction which forms a strong, stable storage unit that can be easily extended, re-configured or relocated as storage needs change over time



Each shelving set comes standard with a top and bottom shelf and 4 adjustable shelves as pictured in the image on right





- Shelf sets come standard with 4 adjustable shelves plus a top and bottom shelf, each with a 100kg load rating (top and bottom shelves are fixed)
- Standard Colour: Light Grey (Beige colour available on request)
- 5 year guarantee
- Item comes flat packed easy assembly
- Installation available contact us for a quotation

Code	Description	Height	Width	Depth
10105	Steel Shelving Set - Initial Bay	1875mm	900mm	300mm
10105A	Steel Shelving Set - Add on Bay	1875mm	900mm	300mm
10106	Steel Shelving Set - Initial Bay	1875mm	900mm	400mm
10106A	Steel Shelving Set - Add on Bay	1875mm	900mm	400mm
10107	Steel Shelving Set - Initial Bay	1875mm	900mm	600mm
10107A	Steel Shelving Set - Add on Bay	1875mm	900mm	600mm
10108	Steel Shelving Set - Initial Bay	2175mm	900mm	300mm
10108A	Steel Shelving Set - Add on Bay	2175mm	900mm	300mm
10109	Steel Shelving Set - Initial Bay	2175mm	900mm	400mm
10109A	Steel Shelving Set - Add on Bay	2175mm	900mm	400mm
10110	Steel Shelving Set - Initial Bay	2175mm	900mm	600mm
10110A	Steel Shelving Set - Add on Bay	2175mm	900mm	600mm

#### **Extra Shelves**

Code	Description	Width	Depth
10112	Steel Shelving Shelves (light grey)	900mm	300mm
10113	Steel Shelving Shelves (light grey)	900mm	400mm
10114	Steel Shelving Shelves (light grey)	900mm	600mm









Great for use in both offices and warehouses






# **Sliding Shelf Dividers**

#### Dividers to suit steel shelving

Code	Description
SD300	Shelf Divider to suit 300mm deep shelving (300mm high x 300mm deep)
SD400	Shelf Divider to suit 400mm deep shelving (300mm high x 400mm deep)
SD600	Shelf Divider to suit 600mm deep shelving (300mm high x 600mm deep)



# **Steel Shelving Kits**

These steel shelving kits are a great way to sort parts neatly and efficiently

- Available in 9 standard combinations however others can be made to suit your particular requirements
- Kits supplied flatpack
- Overall Shelf Height: 1875mm
- Overall Shelf Width: 900mm
- The spare parts trays are available in 300mm or 400mm deep shelf sets and trays are supplied with 2 dividers per tray



For our full range of **Spare Parts Trays** - See page 233



For our full range of Storpaks - See page 232













Code	Description	Shelf Depth	Trays / Bins Supplied (LxWxH)
SK1001	Shelving Kit (Parts Tray)	300mm	96 parts trays (300x100x100mm)
SK1002	Shelving Kit (Parts Tray)	300mm	48 parts trays (300x200x100mm)
SK1003	Shelving Kit (Parts Tray)	300mm	48 trays (300x100x100), 24 trays (300x200x100)
SK1004	Shelving Kit (Parts Tray)	400mm	96 parts trays (400x100x100mm)
SK1005	Shelving Kit (Parts Tray)	400mm	48 trays (400x200x100)
SK1006	Shelving Kit (Parts Tray)	400mm	48 trays (400x100x100), 24 trays (400x200x100)
SK1007	Shelving Kit (Storpak Bins)	300mm	28 Storpak Bins No.60 (275x200x165mm)
SK1008	Shelving Kit (Storpak Bins)	300mm	14 Storpak Bins No.120 (275x410x165mm)
SK1009	Shelving Kit (Storpak Bins)	400mm	12 Storpak Bins No.240 (440x410x210mm)

<sup>\*</sup>To order an add on bay please add an 'A' to the code (eq. SK1001A)









### **Access Plastic Bin Rack**

- These access bin racks store and display products for easy access and stock picking
- Extra strong powdercoating frames and beams
- Rack fits the No.4D size bins (choice of 5 colours)
- Available in 2 standard sizes
- This rack can have castors fitted for easy maneuverability
- These racks can be made in other custom sizes and configurations on request

#### Bin Colours Available:

Yellow


(Please specify your preferred bin colour when placing your order)

Green Red











<sup>\*\*</sup>To order an add on bay use an 'A' on the code (eg, 10424A)



### **Access Stor-Pak Bin Rack**

- These access Stor-Pak bin racks store and display products for easy access and stock picking
- Stor-Pak bins are available in Red, Green, Blue or Yellow
- Stor-Pak Bin Size: 410x440x210mm (Length x Depth x Height)
- Extra strong powdercoated frames and beams
- Available in 2 standard sizes
- This rack can have castors fitted for easy maneuverability
- These racks can be made in other custom sizes and configurations on request

#### **Bin Colours Available:**

(Please specify your preferred bin colour when placing your order)

Green

Yellow

Red

Blue

Code	Description	Width	Height
10426	Access Stor-Pak Rack *(includes 16 plastic Stor-Pak bins)	1800mm	1800mm
10427	Access Stor-Pak Rack *(includes 20 plastic Stor-Pak bins)	2400mm	1800mm

LS1800C Castor Kit to suit (includes 4 castors with brakes)









<sup>\*</sup>Please advise your preferred bin colour(s) when placing your order

<sup>\*</sup>Please advise your preferred bin colour(s) when placing your order

<sup>\*\*</sup>To order an add on bay use an 'A' on the code (eg, 10426A)

## **Mobile Compacting Shelving**

We have completed hundreds of these compact shelving systems over the last 20 years for schools, institutions, industry & government departments and are experts at analysing & satisfying your storage needs.

- By converting standard static shelving to mobile shelving, up to 70% of your floor space can be saved, maximizing the available area
- Each system is individually tailored to suit the specific need & can incorporate a wide range of storage accessories
- Manually operated units require only light pressure to move the bays, and are suitable for storage of light to medium weight items
- Mechanically assisted units are built for larger systems or for storage of heavy items. They are operated by the simple action of rotating a handle







www.mhaproducts.com.au/Mobile-Compacting-Shelving





Mechanically assisted units are built for larger systems or for storage of heavy items. They are operated by the simple action of rotating the wheel





Our mobile shelving systems represent the ultimate refinement in high density storage. The stylish design suits any office environment providing a versatile and efficient storage solution.

- Variety of height and width combinations available to meet all storage needs
- System is fully lockable for added security
- Shelves are fully adjustable in 25mm increments to suit changing storage needs
- Mechanically assisted or manual operation
- Low profile track
- Available in single, tandem or triple bay widths
- Can be moved easily to suit the changing office environment

#### **Standard Sizes**

Bay Height: 1875mm, 2175mm, 2375mm Bay Width: 750mm, 900mm, 1200mm Bay Depth: 300mm, 400mm, 450mm, 600mm



Low profile track



- Bin Fronts
- Apparel Hang Rails
- Pull Out Drawer
- Reference Shelves
- **Shelf Dividers**
- **Decorative Cover Panels**
- Pull Out File Frame

Contact us for a quotation on your requirements

**(** 1800 750 900

#### **Mechanically Assisted**



Mechanically assisted units are built for larger systems or for storage of heavy items. They are operated by the simple action of rotating a handle



Manually operated units require only light pressure to move the bays, and are suitable for storage of light to medium weight





# **Heavy Duty Longspan Shelving**

This heavy duty longspan shelving system is a strong and versatile shelving system which is great for storing small parts and archives.

The Stormax longspan system is a heavy duty system which is similar to pallet racking just in a smaller profile.

- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Available in 3 shelf options, steel, MDF or mesh
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
- Shelf Capacity: 375kg per shelf (evenly distributed)
- On site installation available contact us for a quotation
- Steel and mesh shelves are supplied as 2 seperate pieces per level

These are our standard sizes however other configurations and sizes can be ordered on request to suit your particular requirements

Standard Shelf Depths: 450mm and 600mm

Standard Heights: 1800mm and 2400mm

Standard Widths: 1800mm and 2400mm











Code Description

LS1800C Castor Kit to suit longspan shelving (includes 4 castors with brakes)



















Timber

#### **Please Note:**

To order the 'Add on Bays' add an 'A' to the end of the code number To order an 'Extra Shelf Level' add an 'E' to the end of the code number



#### 1800mm Wide Longspan Sets (3 Steel shelf levels provided with longspan sets

	Code	Description	Height	Width	Depth
<u>a</u>	LS1800S	Longspan Shelving Set	1800mm	1800mm	450mm
Steel	LS1801S	Longspan Shelving Set	1800mm	1800mm	600mm
	LS1802S	Longspan Shelving Set	2400mm	1800mm	450mm
	LS1803S	Longspan Shelving Set	2400mm	1800mm	600mm

#### 1800mm Wide Longspan Sets (3 Timber shelf levels provided with longspan sets)

Code	Description	Height	Width	Depth
LS1800T	Longspan Shelving Set	1800mm	1800mm	450mm
LS1801T	Longspan Shelving Set	1800mm	1800mm	600mm
LS1802T	Longspan Shelving Set	2400mm	1800mm	450mm
LS1803T	Longspan Shelving Set	2400mm	1800mm	600mm

#### 1800mm Wide Longspan Sets (3 Mesh shelf levels provided with longspan sets)

	Code	Description	Height	Width	Depth
	LS1800M	Longspan Shelving Set	1800mm	1800mm	450mm
esh	LS1801M	Longspan Shelving Set	1800mm	1800mm	600mm
Me	LS1802M	Longspan Shelving Set	2400mm	1800mm	450mm
	LS1803M	Longspan Shelving Set	2400mm	1800mm	600mm

#### 2400mm Wide Longspan Sets (3 Steel shelf levels prodvided with longspan sets)

	Code	Description	Height	Width	Depth
<u>—</u>	LS2400S	Longspan Shelving Set	1800mm	2400mm	450mm
Steel	LS2401S	Longspan Shelving Set	1800mm	2400mm	600mm
	LS2402S	Longspan Shelving Set	2400mm	2400mm	450mm
	LS2403S	Longspan Shelving Set	2400mm	2400mm	600mm

### 2400mm Wide Longspan Sets (3 Timber shelf levels provided with longspan sets)

Code	Description	Height	Width	Depth
LS2400T	Longspan Shelving Set	1800mm	2400mm	450mm
LS2401T	Longspan Shelving Set	1800mm	2400mm	600mm
LS2402T	Longspan Shelving Set	2400mm	2400mm	450mm
LS2403T	Longspan Shelving Set	2400mm	2400mm	600mm

#### 2400mm Wide Longspan Sets (3 Mesh shelf levels provided with longspan sets)

	<u> </u>		•	
Code	Description	Height	Width	Depth
LS2400M	Longspan Shelving Set	1800mm	2400mm	450mm
LS2401M	Longspan Shelving Set	1800mm	2400mm	600mm
LS2402M	Longspan Shelving Set	2400mm	2400mm	450mm
LS2403M	Longspan Shelving Set	2400mm	2400mm	600mm

Mesh

Timber







## **Coolroom Shelving**

This modular coolroom shelving is manufactured from zinc coated & lacquered steel for extended life in cold and wet areas.

- Ideal for coolrooms and freezers
- Also suitable for use in kitchens, dry stores, liquor stores, linen stores and many other applications
- Available with either wire or ABS plastic shelves
- Easy and quick setup
- Adjustable feet for levelling on uneven floors
- Shelf capacity: 125kgs
- Extra shelves and components available on request
- These are our standard stock sizes however many other sizes and configurations are available on request - please contact us for a quotation on other sizes and/or for a complete installation project price









#### 4 Shelf Levels (1800mm high)

Code	Description	Width	Depth	Height
10260	Coolroom Shelving Set	900mm	450mm	1800mm
10261	Coolroom Shelving Set	1200mm	450mm	1800mm
10262	Coolroom Shelving Set	1500mm	450mm	1800mm
10263	Coolroom Shelving Set	1800mm	450mm	1800mm
10264	Coolroom Shelving Set	900mm	600mm	1800mm
10265	Coolroom Shelving Set	1200mm	600mm	1800mm
10266	Coolroom Shelving Set	1500mm	600mm	1800mm
10267	Coolroom Shelving Set	1800mm	600mm	1800mm

#### 5 Shelf Levels (2000mm high)

Code	Description	Width	Depth	Height
10270	Coolroom Shelving Set	900mm	450mm	2000mm
10271	Coolroom Shelving Set	1200mm	450mm	2000mm
10272	Coolroom Shelving Set	1500mm	450mm	2000mm
10273	Coolroom Shelving Set	1800mm	450mm	2000mm
10274	Coolroom Shelving Set	900mm	600mm	2000mm
10275	Coolroom Shelving Set	1200mm	600mm	2000mm
10276	Coolroom Shelving Set	1500mm	600mm	2000mm
10277	Coolroom Shelving Set	1800mm	600mm	2000mm



# **Heavy Duty Tyre Shelving**



This heavy duty tyre shelving system is a strong and versatile shelving system which is great for storing tyres and other rounded items

- This system is supplied standard with 3 adjustable shelves as pictured however extra beam levels can be ordered for each set
- End frames are supplied assembled for quick and easy setup
- These are our standard stock sizes are listed below however other configurations and sizes can be ordered on request to suit your particular requirements
- Capacity: 450kg per level (evenly distributed)



Add-On Bay sample which includes 1 end frame and 6 beams



Code	Description	Height	Width	Depth
TS1880	Tyre Shelving Set	1800mm	1800mm	450mm
TS1824	Tyre Shelving Set	1800mm	2400mm	450mm
TS2418	Tyre Shelving Set	2400mm	1800mm	450mm
TS2424	Tyre Shelving Set	2400mm	2400mm	450mm
LS1800C	Castor Kit to suit (includes 4 castors with brakes)			

Please Note: The add on bay code has an 'A' on the end of the intial bay code, eg #TS1880A

# **Stainless Steel 4 Tier Shelving Sets**

- Constructed from 304 grade stainless steel
- Includes 4 adjustable shelves
- Shelves are 1.2mm thick and fully welded for extra strength
- 41mm diameter round stainless steel tube legs, satin polished, 1.2mm thick
- Adjustable nylon bullet feet supplied as standard
- Shelves are reinforced with hat channel for extra strength
- Supplied flat packed ready for assembly

Code	Description	<b>Dimensions</b> (WxDxH)
SS1050	Stainless Steel Shelving	600x450x1800mm
SS1051	Stainless Steel Shelving	900x450x1800mm
SS1052	Stainless Steel Shelving	1200x450x1800mm
SS1053	Stainless Steel Shelving	1500x450x1800mm











**Selective Pallet Racking** 

- Schaefer Selective Pallet Racking is a straight forward, cost effective racking system
- Allows individual access to each pallet
- Provides space utilization yet retains total product accessibility
- Can be adjusted & adapted very easily
- We can supply & install your pallet racking system
- Free analysis & design service
- Australian Standard approved **AS4084-2012**

Contact us for pricing on installation



### **Pallet Racking Frames**

Code	Description	Frame Height
11201	Pallet Racking End Frame	3050mm
11210	Pallet Racking End Frame	3650mm
11202	Pallet Racking End Frame	4250mm
11203	Pallet Racking End Frame	4850mm
11204	Pallet Racking End Frame	6050mm
11205	Pallet Racking End Frame	8050mm
FASS1	Frame Assembly Service	





### **Standard Pallet Racking Beams**

Code	Description
11310	Pallet Racking Beam 1381mm long x 80mm high (2 tonne/pair)
11305	Pallet Racking Beam 2600mm long x 80mm high (1 tonne/pair)
11311	Pallet Racking Beam 2600mm long x 92mm high (2 tonne/pair)
11312	Pallet Racking Beam 2752mm long x 92mm high (2 tonne/pair)



### **Heavy Duty Pallet Racking Beams**

Code	Description
11317	Pallet Racking Beam 2600mm long x 110mm high (3 tonne/pair)
11318	Pallet Racking Beam 2752mm long x 110mm high (3 tonne/pair)
11319	Pallet Racking Beam 3900mm long x 150mm high (2.5 tonne/pair)












## **Pallet Racking Mesh Decks**

- Our mesh decks are made to suit almost any standard pallet racking system
- Mesh decks come in 2 standard sizes 1250mm and 1350mm wide
- Other sizes can be made to order
- Comes complete with support bars
- Weight Rating: 1000kgs







Code	Description	Capacity	Depth	Width
11321	Pallet Racking Mesh Decks (suits 2600mm beams)	250kg	840mm	1250mm
11322	Pallet Racking Mesh Decks (suits 2750mm beams)	250kg	840mm	1350mm
11325	Pallet Racking Mesh Decks (suits 2600mm beams)	1000kg	840mm	1250mm
11326	Pallet Racking Mesh Decks (suits 2750mm beams)	1000kg	840mm	1350mm



## **Timber Board & Components**

- MDF and partical boards are available in the standard sizes to fit pallet racking beams
- Timber can be cut to other sizes on request
- Metal support bars available to avoid timber sagging over time with heavy product
- Metal board clips available which lock the timber in place on the pallet racking beam



Code	Description	Dimensions
11335	Pallet Racking Particle Board 2600mm x 835mm	2600x835mm (LxW)
11336	Pallet Racking Particle Board 2700mm x 835mm	2700x835mm (LxW)
11337	Pallet Racking MDF Timber Board 2600mm x 835mm	2600x835mm (LxW)
11338	Pallet Racking MDF Timber Board 2700mm x 835mm	2700x835mm (LxW)
11329	Pallet Racking Timber Support Bars	838mm long
11332	Timber Board Clips (to suit MDF & Particle boards)	











## **Pallet Racking End Protectors**



Pallet Racking End Protectors are a highly effective solution for preventing damage to racking and inventory by forklifts.

No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking. You can avoid major injuries and pallet rack damage by installing these protection guards.

Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.

- Single Bay End Protector to suit 838mm frame
- Double Bay End Protector to suit 838mm frame + 430mm space + 838mm frame
- Conforms to AS4084:2012





Code	Description	Height	Overall Length
11240	Stormax End Protectors (to suit single bay of racking)	400mm	1080mm
11241	Stormax End Protectors (to suit double bay of racking)	400mm	2350mm

### **Drive-In Pallet Racking**

Drive-In Pallet Racking Systems provide maximum storage capacity using the minimum amount of space. It is particularly suited to store very large quantities of homogeneous products.

Drive-In or Double Access Systems consist of continuous lanes of racking with only a single load and retrieval aisle. Loading and unloading is undertaken by means of counter balance or reach trucks that drive down each lane into the racks.

Drive-In racking operates on the system of First-In Last-Out (FILO), therefore it only suits products that are stored in sufficient volume which require multiples lanes to ensure stock rotation.

#### **Drive-In Pallet Racking Advantages**

- Operates on the basis of First-In Last-Out (FILO)
- Store very large quantities compared to the selective standard racking system
- Good product protection
- 60% net pallet area usage of overall warehouse area
- Pallet redundancy can run as high as 30% if a wide range of different products are stored
- Most Suitable for manufacturers of products produced in batch, or in warehouse operation where there are limited product types and pallets cannot be safely blocked and stacked



Contact us for pricing on your particular requirements and for pricing on installation

1800 750 900





## Medium & Heavy Duty Cantilever Racking (STORMAX)



The most efficient solution for storing irregular awkward or long items such as bulky furniture, timber lengths, PVC and steel pipes, carpet rolls, plasterboard, windows and doors, long wooden pallets and much more.

The arm locations can be easily and efficiently adjusted without any tools required to suit your specific height or length requirements. So no matter how large, small, long or short your storage problems are, this cantilever racking system will provide you with the most economical and practical solution.

Available in both single and double sided configurations in both medium duty and heavy duty versions. Our cantilever racking is also available in galvanised finish which is great for outdoor storage areas.



**Powdercoated** Cantilever Racking standard for indoor use. Can also be used outdoors however we recommend the galvanised version for outdoor areas.





**Galvanised Cantilever** Racking which is great for outdoor storage areas

#### **Medium Duty Cantilever Racking**

	Powder Coated	Galvanised
Post Height	2000mm 2400mm 3000mm 3600mm	2000mm 2400mm
Arm Length	700mm 900mm 1200mm	700mm
Bracing / Spacing	900mm 1200mm 1500mm 1800mm	1200mm 1500mm 1800mm

<sup>\*</sup> Custom sizes available upon request

#### **Medium Duty Cantilever Racking**

This is a cost effective option for storing lighter products sets or low volume applications.

Each arm is designed to support up to 450kg UDL depending on the configuration.

#### **Heavy Duty Cantilever Racking**

	Powder Coated	Galvanised
Post Height	3658mm 4267mm 4877mm 6096mm	2000mm 2400mm
Arm Length	900mm 1200mm 1500mm	700mm
Bracing / Spacing	900mm 1200mm 1500mm 1800mm 2100mm	1200mm 1500mm 1800mm

<sup>\*</sup> Custom sizes available upon request

#### **Heavy Duty Cantilever Racking**

This heavy duty cantilever racking is able to store a variety of objects from building to construction materials.

The arms are able to support up to 1250kg UDL each depending on configuration.

Contact us for pricing on your particular requirements and for pricing on installation


**1800 750 900** 



**Double Sided Cantilever Racking** 



**Single Sided Cantilever Racking** 











Card No.

### **PRIORITY ORDER FORM**

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

**Sydney** Tel: (02) 8865 1800 Fax: (02) 8865 1830

Melbourne

Tel: (03) 9982 4570 Fax: (03) 9982 4575 **Brisbane** 

3 Digit Security Code:

Tel: (07) 3181 5630 Fax: (07) 3181 5635

Your Company Details		Please photoc	opy for future use
Company Name:			
Invoice Address:			
Delivery Address:			
ABN:	Tel: ( )	Fax: ( )	
Contact Name:	Position:		
Contact Email:	Accounts Email:		
Your Order Number:	Date:		
	Description Qt		Total price
Freight Charges		Sub Total	
Standard metropolitan delivery charge of \$65	5.00 excluding GST (Brisbane, Sydney & Melbourn	ne) Freight	
	ge or long items however we will confirm this with	you GST	
prior to processing your order.  Freight charges to regional and all other area	as will be quoted prior or upon receipt of your orde	er. Total (inc GST)	
		iotal (ilic GS1)	
Payment Options (Please tick)			Order form Oct2017
Please email invoice for payment by dire	ect deposit Instant 30 Day We a	accept VISA, MASTERCARD &	
Please invoice on my 30 day account	account for government		TERICAN EXPRESS
Please invoice on my 14 day account	Australian Government Orders		
Please charge to credit card			
☐ VISA ☐ MASTERCARD ☐ AME	EX Card Holder's Signature		
Card Holder's Full Name:		Card Expiry Date:	1