



**1800 750 900** 

## Multi-Purpose Platform Trolleys DUCO

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Back wheels are fixed castors and front wheels are swivel castors

Code	Load Capacity	Castors	Net Weight	Handle Height
T9320	150kg	100mm	12.5kg	860mm
T9330	250kg	125mm	18.6kg	860mm
T9345	250kg	160mm	40kg	860mm
T9346	250kg	160mm	45kg	860mm



Code	Description	Platform Size	Platform Height
T9320	1 Folding Handle Platform Trolley	480x740mm	145mm
T9330	1 Folding Handle Platform Trolley	610x920mm	180mm
T9345	1 Fixed Handle Large Platform Trolley	750x1150mm	240mm
T9346	2 Fixed Handles Large Platform Trolley	750x1150mm	240mm



Description Code T9350 Extra Large Platform Trolley T9350H Optional Extra Handle to suit T9350 T9350P Pneumatic Wheel Kit to suit T9350



Durollo



T9350

(pictured with pneumatic

wheel kit)

Durolla

T9320 & T9330

Durolla

#### **Prestige Platform Trolleys**

- Heavy duty castors
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Back wheels are fixed castors and front wheels are swivel castors

Code	Load Capacity	Castors	Net Weight	Handle Height
T9340	370kg	125mm	16.2kg	1000mm
T9331	370kg	130mm	21kg	1000mm
T9332	370kg	130mm	24.5kg	1000mm



Durolla

Code	Description	Platform Size	Platform Height
T9340	1 Folding Handle Platform Trolley	610x915mm	210mm
T9331	1 Fixed Handle Platform Trolley	610x920mm	210mm
T9332	2 Fixed Handle Platform Trolley	610x920mm	210mm
T9341	Brake Kit to suit T9340, T9331 and T9332	-	-

#### **Extra Large Prestige Platform Trolley (with cage)**

Wire cage has fold down front to make loading and unloading easier

Heavy duty castors

Powder coated steel construction with vinyl decks

Surround bumper on perimeter of trolley

Back wheels are fixed castors and front wheels are swivel castors

• Castor Size: 150mm

Overall Size: 1280x765x1000mm (LxWxH)

Platform Size: 1125x720mm (LxW)

Handle Height: 1000mm Load Capacity: 500kg Unit Weight: 49.5kg

Code Description T9338 Extra Large Platform Trolley (with cage)







Available in 4 sizes

Heavy duty polyurethane castors (front fixed and back swivel)

Welded steel construction

Durable baked enamel paint finish

Castor Size: 200mm

Platform Height: 280mm

Handle Height: 970mm

Capacity: 450kgs





Code	Description	Platform Size
T3051	Heavy Duty Steel Platform Trolley	610x915mm
T3052	Heavy Duty Steel Platform Trolley	610x1220mm
T3053	Heavy Duty Steel Platform Trolley	760x1220mm
T3054	Heavy Duty Steel Platform Trolley	760x1525mm



Code	Description
17260	Aluminium Platform Trolley 610x920mm (supplied with 1 handle)
17261	Aluminium Platform Trolley 610x1220mm (supplied with 1 handle)
17262	Aluminium Platform Trolley 760x1525mm (supplied with 1 handle)
17263	Optional 2nd Handle to suit
WKP10	Pneumatic Wheel Kit (includes 2 swivel wheels with brakes and 2 fixed wheels without brakes)



Durolla

**Stainless Steel Folding Handle Platform Trolley** Heavy duty stainless steel platform trolley which is great for use in food and hygiene areas.

Foldable handle

Corner bumpers

Load Capacity: 350kg

Platform Size: 620x920mm (WxL)

Handle Height: 920mm

Castor Size: 150mm

304 grade stainless steel









- ideal for food and medical areas Available in 2 sizes
- Fixed handle
- Load Capacity: 600kg
- Handle Height: 970mm
- Platform Height: 280mm
- Castor Size: 200mm
- 304 grade stainless steel

Code	Description	Platform Size	Unit Weight
ST615	Stainless Steel Platform Trolley	610x915mm	41kg
ST616	Stainless Steel Platform Trolley	760x1220mm	46kg

#### **Rubbermaid Platform Truck**

Duramold™ precision engineered resin and metal composite structure for unsurpassed durability and service life

- Platform Size: 610x910mm (WxL)
- Load Capacity: 450kg
- Castors: 150mm 2 fixed, 2 swivel
- Handle Height: 1000mm Unit Weight: 22.7kg



Commercial Products

Code	Description
440300	Rubbermaid Platform Truck







#### **Extra Heavy Duty Steel Platform Trolleys (Fully Welded)**



Code	Description	Platform Size	Platform Height
T3080	Extra Heavy Duty Steel Platform Trolley (1 handle)	600x1100mm	210mm
T3083	Extra Heavy Duty Steel Platform Trolley (2 handles)	600x1100mm	210mm
Г3085	*Centre Wheel Kit to suit T3080 & T3083	n/a	n/a

<sup>\*</sup>We replace the front and back set to swivel castors if centre wheel kit is required.

#### 2 x 125mm rigid centre wheels 4 x 100mm swivel wheels - 2 with brakes All wheels have polyurethane tyres Large solid flat panel deck Sturdy handle at one end only Ideal for big bulky items Dimensions: 1450x900x1020mm (LxWxH) Finish: Powdercoated Blue Load Capacity: 500kg Code Description RT045 Large Warehouse Stock Trolley

**Extra Large Warehouse Stock** 



- Fully welded 3 step ladder with
- Has gas struts to automatically retract the steps when moving to the next picking position.
- Middle shelf has 3 shelf positions
- Ladder holds the trolley to stop it moving when you step
- Anti-slip steps which ensure safe operation
- Quality 155mm castors
- Overall Height: 1480mm
- Overall Width: 550mm
- Top Shelf Height: 1010mm
- Bottom Shelf Height: 210mm
- Capacity: 300kg
- 2 lockable castors



#### Code Description

T6150 2 Tier Order Picking Ladder Trolley

#### 3 Step Ladder Trolley

- Strong 3 step ladder which folds up when not required
- Great for picking stock when you need to reach up high
- Middle shelf has 3 shelf positions
- Ladder is connected with the brake to stop wheels turning which enhances security when using the ladder
- Anti-slip steps which ensure safe operation
- Quality castors for smooth and effortless moving
- Dimensions: 1100x520x1140mm (LxWxH)
- Capacity: 400kg
- Wheel Diameter: 100mm
- Lockable castors
- Unit Weight: 45kg





Code Description

3 Step Ladder Trolley T6100













#### **Powered Dump Truck**



- Great for dirt, bark and rubbish removal in outdoor areas
- Emergency stop button
- Comes with forward and reverse drive options
- Variable speed controller
- Powered by 3 x 12V / 55Ah batteries
- Net Weight: 250kg
- Overall Size: 2274x812x1035mm (LxWxH)
- Tray Size: 1511x812x611mm (LxWxH)
- Load Capacity: 800kgs
- Wheel Size: 305mm (pneumatic)

Description

- Moving Speed: 5-8km/h
- Lift Time: 15 secs

Code

Lift Angle: 45 degrees

















#### **Rubbermaid Wagon Truck**

Great for moving heavy loads across rough surfaces both indoor and out

30cm pneumatic wheels

Load Capacity: 907kg

Deck Size: 610x1219mm (WxL)

Overall Size: 1430x616x445mm (LxWxH)





Code	Description
447700	Rubbermaid Wagon Truck



**Rubbermaid Work Height Platform Truck** Unique, adjustable design allows platform deck to be placed

at one of three work heights

Chemical and water resistant castors - 2 fixed, 2 swivel (200mm) Height adjustable legs which reduces back strain

Textured platform surface reduces load slippage

Perimeter platform channel retains small items

Overall Size: 1320x616x1038mm (LxWxH)

Load Capacity: 907kg

Unit Weight: 46kg



Code	Description

Rubbermaid Work Height Platform Truck

#### **Heavy Duty Cage Bin Trolley**

- This heavy duty cage bin trolley is great for storage and transport of items throughout a warehouse
- Doors are hinged both sides for easy loading and access
- 50x50mm mesh sides
- Heavy duty castors
- Finish: Powdercoated yellow
- Internal Size: 900x900x700mm (LxWxH) Overall Size: 980x980x990mm (LxWxH)
- Load Capacity: 1000kg Base Height: 310mm Unit Weight: 135kg

Code	Description
T8436	Heavy Duty Cage Bin Trolley











Code

T3090


T3093

**Single Tub Order Picking Trolley** 

- Fully welded steel construction
- Powder coated finish
- Non-marking rubber swivel castors
- Suits plastic tubs size No.7, 10, 15 (see page 235)
- Dimensions: 960x710x420mm (Height x Length x Width)
- Capacity: 250kgs

## Durolla Prestige

Description



T3090K Order Picking Trolley (supplied with clipboard unit and 1 tub as pictured)

\*Plastic tubs are sold seperately (see page 235 for tubs)

Optional Clipboard/Handle Kit (to suit T3090)



#### **Double Tub Order Picking**

Image shown with optional

clipboard/handle unit #T3093

- Fully welded steel construction
- Powder coated finish

Clipboard Kit

- Non-marking rubber swivel castors
- Suits plastic tubs size No.7, 10, 15 (see page 235)
- Dimensions: 860x860x650mm (Height x Length x Width)
- Capacity: 250kgs



Code	Description	
T3091	Order Picking Trolley *(to suit plastic crates No.7,10 or 15)	
T3093	Optional Clipboard/Handle Kit (to suit T3090)	
T3091K	Order Picking Trolley (supplied with clipboard unit and 2 tubs as pictured)	
*Plastic tubs are sold seperately (see page 235 for tubs)		

## Twin Offset Tub Order Durolla **Picking Trolley**

- Fully welded steel construction
- Powder coated finish
- Non-marking rubber swivel castors
- Comes complete with clipboard unit (this can be removed if required)
- Suits plastic tubs size No.7, 10, 15 (see page 235)
- Dimensions: 910x900x420mm (Height x Length x Width)

• (	Capacity: 250kgs	
Code	Description	V Maria
T3094	Twin Offset Tub Order Picking Trolley *(to suit plastic crates No.7,10 or 15)	
T3094K	Twin Offset Tub Order Picking Trolley (supplied with 2 tubs as pictured)	
*Plastic tul	bs are sold seperately (see page 235 for tubs)	







T3094K

#### **Fully Welded 2 Tier Trolley**

- Fully welded steel construction
- Powder coated finish
- Non-marking 125mm rubber swivel castors
- Overall Dimensions: 900x600x855mm (LxWxH)
- Internal Size of Top Shelf Area: 845x550mm (LxW)
- Overall Length: 1080mm
- Mesh cage sides 25x25mm size mesh
- 25mm square tube fully welded frame
- Capacity: 300kgs
- Handle Height: 945mm
- Base Height: 180mm
- Height of Top Shelf: 225mm
- Clearance Between Top and Bottom Shelf: 420mm

Code	Description
T8695	Fully Welded 2 Tier Trolley



## **Durolla**

#### **Fully Welded Cage Trolley**

- Fully welded steel construction
- Powder coated finish
- Non-marking 125mm rubber swivel castors
- Overall Dimensions: 900x615x855mm (LxWxH)
- Internal Dimensions: 845x550x670mm (LxWxH)
- Overall Length: 1130mm
- Drop down front which makes it easy for loading and unloading
- Mesh cage sides 50x50mm size mesh
- 25mm square tube fully welded frame
- Capacity: 300kgs
- Handle Height: 980mm
- Base Height: 180mm
- Height from ground to the top of the drop down front: 530mm

Code	Description
T8696	Fully Welded Cage Trolley

# T8696

## Fully Welded Picking 4 Tub Trolley **Durolla**

- Fully welded steel construction
- Powder coated finish
- Non-marking 100mm rubber swivel castors
- Fits four of the size 4 and 4D tubs (see page 235 for tubs)
- Mesh base 55x55mm size mesh
- 25mm square tube fully welded frame
- Capacity: 300kgs
- Handle Height: 850mm
- Dimensions: 960x650x830mm (LxWxH)
- Overall Length: 1130mm
- Base Height: 160mm



Code	Description
T8694	Fully Welded 4 Tub Trolley *(suits 4 x No.4 size tubs)
T8694K	Fully Welded 4 Tub Trolley (supplied with 4 tubs as pictured)

<sup>\*</sup>Plastic tubs are sold seperately (see page 235 for tubs)









T8694K

# Heavy Duty Steel 2 & 3 Tier Platform Trolleys **DUrollo**

- 2 & 3 tier heavy duty steel platform trolleys are ideal for general warehouse use with 2 tier version available in 2 sizes
- Heavy duty polyurethane castors
- Fully welded steel construction
- Powdercoated Blue (other colours can be made to order)
- Supplied standard with 2 swivel castors with brakes and 2 fixed castors
- Capacity: 500kgs






Code	Description	Platform Size	Platform Height	Handle Height
T3086	2 Tier Steel Trolley - X Large	600x1100mm	210 + 710mm	980mm
T8684	2 Tier Steel Trolley	600x900mm	155 + 860mm	940mm
T8687	3 Tier Steel Trolley	600x900mm	180 + 520 + 860mm	940mm

#### **Prestige 2 & 3 Tier Trolleys**

Heavy Duty steel trolleys which are great for dozens of uses in warehouses, schools, hospitals etc.

- Supplied flat packed however can be assembled on request
- Finish: Powdercoat blue
- The internal shelves can be used as a flat shelf or turned upside down and used as a tray shelf
- Fixed 100mm castors at front and swivel castors on the rear
- Trolley Size: 820x500x910mm (LxWxH)
- Load Capacity: 200kg













#### **General Purpose 3 Tier Trolley**

- Strong general purpose warehouse trolleys which are great for order picking and general warehouse applications
- Bolted steel construction
- Finish: Powdercoated blue
- Supplied with 2 swivel castors with brakes and 2 fixed castors
- Castor Size: 200mm
- Lower Shelf Height: 230mm
- Middle Shelf Height: 660mm
- Middle shelf can be removed to make a 2 tier trolley if required
- Top Shelf Height: 1080mm
- Handle Height: 920mm
- Removable middle shelf
- Overall Size: 500x900mm (WxL)





Code	Description
T0252	General Purpose 3 Tier Trolley



T0253

**General Purpose Trolley (with writing shelf)** Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.

Comes with a writing shelf which is good for picking stock orders.

- Bolted steel construction
- Finish: Powdercoated blue
- Supplied with 2 swivel castors with brakes and 2 fixed castors





#### **Shopping/Picking Trolley**

Great for warehouses and stock picking smaller light items.

- Zinc plated wire trolley
- 4 x 125mm swivel wheels
- Plastic corner bumpers
- 212 litre capacity
- Trolley Size: 580x1085x1010mm (WxLxH)

Code	Description	
T4066	Shopping/Picking Trolley	



#### **Multi-Purpose 2 Tier Trolleys**

General purpose industrial quality 2 tier trolleys for goods transportation

- 2 deck sizes available 740x480mm or 920x610mm
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Back wheels are fixed castors and front wheels are swivel castors

Code	Load Capacity	Castors	Net Weight	Handle Height
T9322	150kg	100mm	20kg	910mm
T9334	370kg	130mm	34kg	1000mm



Code	Description	Platform Size	Platform Height
T9322	2 Tier Platform Trolley	480x740mm	140 + 720mm
T9334	2 Tier Platform Trolley	610x920mm	210 + 795mm
T9341	Brake Kit to suit T9334	-	-



#### **Multi-Purpose 3 Tier Trolleys**

- General purpose industrial quality trolleys for transporting goods safely in the workplace
- 2 deck sizes available 740x480mm or 610x920mm
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Back wheels are fixed castors and front wheels are swivel castors

Code	Load Capacity	Castors	Net Weight	Handle Height
T9323	150kg	100mm	27kg	920mm
T9336	370kg	130mm	45kg	1000mm

Code	Description	Platform Size	Platform Height	
T9323	3 Tier Platform Trolley	480x740mm	140 + 430 + 720mm	
T9336	3 Tier Platform Trolley	610x920mm	210 + 500 + 795mm	
T9341	Brake Kit to suit T9336	<del>-</del>	<del>-</del>	

#### 2 & 3 Tier Tray Trolleys

- The ideal general purpose steel trolleys available with 2 or 3 tier levels
- Shelves can be turned so that they have a flat top or tray top with edge lip
- Tray Dimensions 520x820mm (WxL)
- Top Shelf Height: 890mm
- Middle Shelf Height: 535mm
- Bottom Shelf Height: 200mm
- Handle Height: 1230mm
- Castor Size: 100mm
- Finish: Powdercoated light grey
- 90kg capacity per shelf





Code

T2092

T2093



#### **Multi-Purpose 2 Tier Cage Trolleys**

Durolla

- General purpose 2 tier trolleys with wire sides which keep items on platform
- 2 deck sizes available 740x480mm or 610x920mm
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Back wheels are fixed castors and front wheels are swivel castors

Code	Load Capacity	Castors	Net Weight	Handle Height
T9325	220kg	100mm	25kg	990mm
T9335	370kg	130mm	42kg	1055mm



Brake kit

Code	Description	Platform Size	Platform Height
T9325	2 Tier Cage Platform Trolley	480x740mm	140 + 670mm
T9335	2 Tier Cage Platform Trolley	610x920mm	210 + 730mm
T9341	Brake Kit to suit T9335	-	_

Brake Kit to suit 19335

#### 3 Tier Convertable Cage

- General purpose 3 tier trolley which can be converted into a platform trolley with sides as pictured
- White MDF shelves/panels
- Shelf Size: 900x600mm (LxW)
- Lower Shelf Height: 200mm
- Middle Shelf Height: 640mm
- Top Shelf Height: 1000mm
- Castors: 2 fixed, 2 swivel with brakes Size 125mm
- Overall Size: 980x650x1180mm (LxWxH)
- Unit Weight: 67kg



Image shown with top and middle shelves removed and inserted as sides to convert into a cage trolley





Code Description	
T9435	Multi-Purpose 3 Tier Cage Trolley

**Stainless Steel 2 & 3 Tier Trolleys** Heavy duty stainless steel 2 and 3 tier trolleys which are

- great for use in hospitality areas.
- Shelves are reversible which means you can have with or without the tray lip.
- Load Capacity: 200kg
- Platform Size: 400x740mm (WxL)
- Tray Dimensions: 400x600x50mm (WxLxH)
- Distance Between Trays: 670mm (2 tier) & 310mm (3 tier)
- Handle Height: 910mm
- Wheels: lockable 100mm rubber castors
- 304 grade stainless steel







**Stainless Steel Tier Trolleys (Bolt Together)** 

These stainless steel trolleys are great for use in medical areas, food preparation, schools, laundrys etc where hygiene is important

- 304 grade stainless steel
- Load Capacity: 150kg
- Supplied flatpack (can be assembled on request)
- Rubber corner protectors as standard
- All trolleys come with 4 swivel castors with 2 lockable
- Castor Size: 100mm
- Tray Size: 900x500mm (LxW)
- Overall Size: 950x500x960mm (LxWxH)
- Handle Height: 960mm



Code	Description	Shelf Heights	Unit Weight
ST672	Stainless Steel 2 Tier Trolley	200 + 800mm	11.7kg
ST673	Stainless Steel 3 Tier Trolley	200 + 500 + 800mm	14.1kg









#### **Heavy Duty Fully Welded Stainless Steel Tier Trolleys**

- Heavy duty stainless steel 2 and 3 tier trolleys ideal for food and medical areas
- Easy clean edges
- Handles at both ends
- Optional rubber corner protectors
- 4 x 125mm castors
- Handle Height: 1125mm
- Top Shelf Height: 900mm
- 304 grade stainless steel
- Load Capacity: 300kg



Code	Description	<b>Size</b> (Width x Depth)	Shelf Heights	Unit Weight
ST640	Stainless Steel 2 Tier Trolley	900x490mm	315 + 900mm	22kg
ST642	Stainless Steel 3 Tier Trolley	900x490mm	200 + 550 + 900mm	26kg
T6580	PVC Buffer Kit (includes 4 buffers)	25x125mm	-	-

#### Retail Stock Trolleys (Zinc Finish)

- Strong retail stock trolley which are great for retail shop areas
- All trolleys have 2 x 125mm rigid centre nylon wheels and 4 x 100mm swivel nylon wheels
- Sturdy handle at one end only
- Zinc finish

Code	Dimensions (LxWxH)	Distance Between Shelves	Finish	Load Capacity
RT046	1200x410x1020mm	n/a	Zinc	200kg
RT047	1200x410x1020mm	400mm	Zinc	300kg
RT048	1360x600x1030mm	400mm	Zinc	300kg



Code	Description
RT046	Single Deck Stock Trolley - Zinc
RT047	Two Deck Stock Trolley - Zinc
RT048	Two Deck Stock Trolley - Zinc



#### **Multi-Purpose Cage Trolleys**

- Industrial quality trolleys with cage stop goods falling off the platform
- The cage has a fold down front for easy loading and unloading
- 2 deck sizes available 480x740mm or 610x920mm
- Powder coated steel construction with vinyl platform
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Back wheels are fixed castors and front wheels are swivel castors
- Capacity: 220kg (T9324)

370kg (T9333)







Code	Description	Platform Size	Platform Height
T9324	Caged Platform Trolley	480x740mm	140mm
T9333	Caged Platform Trolley	610x920mm	210mm
T9341	Brake Kit to suit T9333	-	-

#### **Extra Large Prestige Platform Trolley (with cage)**



**FREECALL** 1800 750 900

T9338


T9338P

Extra Large Platform Trolley (with cage)

Pneumatic Wheel Kit to suit T9338

#### **Cage Trolleys (with fold down side)**





- Available in 3 different versions to suit your particular application
- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- External Dimensions: 1200x700x850mm (LxWxH)
- Internal Dimensions: 1040x635x625mm (LxWxH)
- Capacity: 500kg
- Wheel Diameter: 150mm
- Quality powdercoated finish
- 2 Lockable castors





Code: T5201 (lockable with padlock)







Code	Description	Туре	Unit Weight
T5200	Cage Trolley (with fold down side)	Wire cage open top	48kg
T5201	Cage Trolley (with fold down side)	Wire cage with hinged lid	52kg
T5203	Cage Trolley (with fold down side)	Solid sides	65kg

#### **Heavy Duty Goods Trolley**

- This goods trolley is able to be completely folded when not in use
- Suitable for many uses in transporting goods safely and securely
- Load Capacity: 500kgs Unit Weight: 75kg Finish: Powdercoat blue
- Gates: Lockable
- Castors: 150mm swivel and 2 with brakes Optional pneumatic wheel kit available
- Overall Dimensions: 1100x825x990mm (LxWxH)
- Internal Dimensions: 1030x750x750mm (LxWxH)





Code	Description		
T4065	Heavy Duty Goods Trolley (with standard solid wheels)		
WKP10	*Pneumatic Wheel Kit		
*Includes	*Includes 2 swivel wheels with brakes and 2 fixed wheels		

#### **Heavy Duty Goods Trolley With Shelf**

An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use. Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.

Unit is powder coat finished, and fitted with 4 x 150mm diameter swivel wheels for easy manoeuverability. Front wheels fitted with brakes for security.

- Load Capacity: 500kgs
- Overall Height: 1700mm (including wheels)
- Overall Depth: 800mm Overall Width: 1100mm
- Clear Internal Dimensions: 1030mm wide x 750mm deep
- Lower Shelf Height Space: 780mm Upper Shelf Height Space: 650mm







T4975

Code	Description
T4975	Heavy Duty Goods Trolley (with fold down shelf)
WKP10	*Pneumatic Wheel Kit

<sup>\*</sup>Includes 2 swivel wheels with brakes and 2 fixed wheels







Pneumatic

#### Heavy Duty Sloping 4 Shelf Trolleys Duroll



- Heavy duty bolt together trolley which is great for stock picking
- 4 sloping backwards shelves which prevents items falling off the shelves
- Shelves are removable but not adjustable
- 350mm space between each shelf
- Push/pull handles on each end
- Castors: 2 fixed, 2 swivel with brakes





Code	Load Capacity	Shelf Size (WxL)	Net Weight	Overall Size (LxWxH)
19344	500kg	610x1220mm	102kg	1470x670x1740mm
19345	500kg	760x1520mm	122kg	1770x820x1740mm

Code	Description	Length	Width	Height
19344	Heavy Duty Sloping 4 Shelf Trolley	1470mm	670mm	1740mm
19345	Heavy Duty Sloping 4 Shelf Trolley	1770mm	820mm	1740mm

#### **Heavy Duty Cage Trolleys** (Open Front)

#### Durolla Prestige

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality lockable castors for smooth and effortless moving
- These trolleys come with a removable bar at the front which when removed the sides can be folded in
- Comes with signboard area on both sides
- Quality powdercoated finish
- Capacity: 500kg





Code	Description	External Dim. (LxWxH)	Internal Dim. (LxWxH)	Unit Weight
T5310	Cage Trolley (with open front)	950x800x1700mm	890x740x1460mm	50kg
T5311	Cage Trolley (with open front)	1100x800x1700mm	1040x740x1460mm	55kg







#### **Heavy Duty Security Cage (with doors & roof)**

- Fully lockable security cages available in 2 versions (bars or mesh)
- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality 150mm swivel rubber castors (front with brakes)
- Optional heavy duty removable shelves available as pictured
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Comes with signboard area on the side
- Quality powdercoated finish
- Overall Size: 1100x850x1700mm (LxWxH)
- Internal Size: 1020x750mm (WxD)
- Base Height: 225mm
- Distances Between Shelves: 330, 360, 360, 300mm (bottom to top)
- Shelf Capacity: 125kg (evenly distributed)
- Overall Load Capacity: 500kg















Please Note: Picture shown with optional shelves





Code	Description
T5315B	Heavy Duty Cage Trolley (shelves sold seperately) - Bar Version
T5315M	Heavy Duty Cage Trolley (shelves sold seperately) - Mesh Version
T5315S	Optional Shelves to suit T5315 Trolleys



#### **Heavy Duty Cage Trolley (with padlockable doors & roof)**

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up (as pictured) for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality lockable castors for smooth and effortless moving
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Door is padlockable
- Comes with signboard area on both sides
- Quality powdercoated finish
- Dimensions: 880x760x1700mm (LxWxH)
- Capacity: 500kg

## **Durolla**Prestige





Heavy Duty Cage Trolley (with padlockable doors)

# Heavy Duty Security Cage Trolley **Durollo**

- These cage trolleys are lockable and has the capability of having 3 shelf levels as pictured
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Quality lockable castors for smooth and effortless moving
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Comes with signboard area on the side
- Quality 150mm swivel rubber castors (front with brakes)
- Quality powdercoated matt black finish
- Overall Size: 840x680x1700mm (LxWxH)
- Internal Size: 770x600mm (WxD)
- Base Height: 225mm
- Distances Between Shelves: 360, 330, 330, 350mm (bottom to top)
- Capacity: 500kg





Code	Description
T5316	Heavy Duty Security Cage Trolley (shelves sold seperately)
T5316S	Optional Shelves to suit T5316



Please Note: Picture shown with optional shelves

#### **4 Door Stock Trolley**

- Self nesting hinged shelves large double folding gates
- Floor folds up for nesting
- Doors are removable
- Bright zinc pp finish
- 2 x swivel castors
- 2 x fixed castors
- Height: 1852mm
- Depth: 850mm
- Width: 750mm
- Load Capacity: 400kgs

Code	Description
19395	4 Door Stock Trolley



#### **Laundry / Stock Cages**



19340

4 Sided Cage Trolley  Split front gate and full rear gate 2 Fixed Shelves Bright zinc pp finish 2 x swivel castors 2 x fixed castors Height: 1770mm Depth: 800mm Width: 705mm
<ul><li> Width: 705mm</li><li> Load Capacity: 400kgs</li><li> Unit Weight: 48kg</li></ul>

Code Description  19340 2 Sided Laundry / Stock Cage
19340 2 Sided Laundry / Stock Cage
19341 4 Sided Laundry / Stock Cage









19341

#### Mesh Cage Trolley (with timber shelves)



- Comes with 3 timber shelves plus the base shelf
- Heavy duty castors (2 fixed and 2 swivel with brakes)
- Shelf Size: 1150x750mm (LxW)
- Shelf Heights: 650mm, 1050mm and 1440mm
- Base Height: 270mm Handle Height: 950mm
- Key lockable
- Overall Size: 1270x750x1970mm (LxWxH)
- Mesh Size: 50x50mm Finish: Powdercoated blue Unit Weight: 55kg
- Max Load Capacity: 500kg

Code	Description
T8430	Lockable Mesh Cage Trolley



#### **Heavy Duty Cage Trolley**

- Fully welding steel construction with 3 fixed shelves plus base
- 50x50mm mesh sides and back
- Heavy duty castors (2 fixed and 2 swivel with brakes)
- Finish: Powdercoated blue (we can powdercoat this to any colour you require
- Overall Size: 1100x750x1525mm (LxWxH)
- Distance Between Shelves: 350mm
- Bottom Shelf Height: 180mm
- Key lockable
- Load Capacity: 650kg





Please Note: The T8433 trolleys are made to order. Any standard colour can be ordered



Code	Description
T8433	Heavy Duty Cage Trolley

## **Custom Trolleys** PROD

MHA specialises in custom made trolleys for many industries. Our products are relied on in schools, government departments, hospitals, distribution and many other businesses throughout Australia.

As well as importing a huge stock range of trolleys, MHA has a design and manufacturing capacity. This allows us to create almost any shape and size trolley to suit your particular requirements.

We have included some images below of some of the customised trolleys we have made in the past.


















#### **Ezi Mover Trolley**



- The Ezi Mover trolley is great for both indoor or outdoor use
- Black powdercoated frame which fits 3 bin sizes
- Trolley shown with bin which are sold separately (see page 229 for bins)
- Dimensions: 760x1050x590mm (Height x Length x Width)
- Capacity: 70kg

Code Description EM590 Ezi Mover Trolley



#### Mail / File Trolley

- These steel wire basket trolleys are ideal for use in hospitals, retail or office environments for carting documents and light items.
- The top basket is made to suit standard office files as shown in image.
- Comes standard with 4 swivel non-marking rubber castors.
- Dimensions: 380x650x840mm (WxLxH)
- Handle Height: 950mm

Code	Description
T8697	Mail / File Trolley



EM590

#### **Court / Solicitors File Trolleys**

- These steel basket court trolleys are ideal for solicitors documents
- The trolley has 3 separate levels which are designed specially to fit lever arch files
- The 2 shelves fold back which gives more space for larger items and boxes
- Available with solid or pneumatic wheels
- Frame Dimensions: 500x500x1130mm (WxDxH)
- Overall Width of Pneumatic Wheel Trolley: 670mm
- Overall Width of Solid Wheel Trolley: 640mm
- Shelf Depth: 340mm
- Handle Height: 1130mm
- Optional rain cover also available as pictured
- Court trolleys are supplied assembled ready fo immediate use





Code	Description
T3399S	Court Trolley (with solid rear wheels)
T3399PN	Court Trolley (with pneumatic rear wheels)
T3399RC	Premium Vinyl Rain Cover to suit Court Trolleys



Solid tyres

T3399S



Pneumatic tyres

T3399PN

#### **Clax Smart Folding Trolley**

This high quality European made Clax Cart is the ideal trolley for stores, service and office areas. It can be collapsed quickly and easily at the push of a button. The Clax Cart has a foot brake, holding device for boxes, upward folding load platform and removable wheels for space saving storage. The Clax is made of injection moulded plastic and aluminium for long service life. The Clax Cart comes complete with one foldable basket.

- Collapses easily at the push of a button for storage
- The Clax cart has a foot brake and holding device for boxes
- Top deck folds up to allow transport of tall items
- Supplied with one removable storage basket

#### **Specifications**

- Open Size: 890x550x1030 (Length x Width x Height)
- Basket Size: 495x340x260 (Length x Width x Depth)
- Total Weight: 7.3kg

Code	Description
13085	Clax Folding Trolley
13086	Optional Extra Basket to suit



#### 3 Tier Wire Trolley

Chrome wire mesh offers a clean sterile solution for food handling movements.

This wire trolley comes standard with 3 adjustable wire shelves and built in push handles at each end.

Handle Height: 1020mm

Dimensions: 910x610mm (LxW)

Load Capacity: 200kg

Top Shelf Height: 900mm

Bottom Shelf Height: 250mm

Code	Description
ST7092	3 Tier Wire Trolley





#### 2 Tier Wire Mail Trolley

This double basket trolley is ideal for mail and document transportation.

This wire trolley comes standard with 2 adjustable basket shelves as pictured and a built in push handle at one end.

Handle Height: 1020mm

Dimensions: 910x460mm (LxW)

Load Capacity: 200kg

Top Shelf Height: 645mm

Bottom Shelf Height: 190mm

Code	Description
ST7096	2 Tier Wire Mail Trolley



#### **Folding Hand Trolley**

- Extremely light weight folding hand trolley
- Closed Dimensions: 400x200x750mm (WxDxH)
- Open Dimensions: 400x410x1100mm (WxDxH)
- Foot Plate Size: 240x355mm (DxW)

Folding Hand Trolley

- Wheel Diameter: 150mm Load Capacity: 90kg
- Unit Weight: 6kg

Code	Description

T8442



#### **100kg Capacity Folding Transport Trolley**

- Extremely light weight folding trolley only 6kgs
- Open Dimensions: 490x450x1080mm (WxDxH)
- Closed Dimensions: 490x60x820mm (WxDxH)
- Foot Plate Size: 280x486mm (DxW)
- Wheel Diameter: 175mm
- Load Capacity: 100kg
- Unit Weight: 6kg

Code Description

T8445 Folding Transport Trolley - 100kg capacity

**Aluminium Convertable Hand Trolley** 

- Quickly convert from a 2 wheel upright trolley to a 4 wheel platform trolley with a single step of the foot pedal
- Great for parcel deliveries
- PVC corner edge protection
- 100mm castors 2 fixed and 2 swivel castors
- 2 Wheel Dimensions: 520x470x1555mm (WxDxH)
- 4 Wheel Dimensions: 520x1450x1150mm (WxLxH)
- Foot Plate Size: 185x456mm (DxW)
- Pneumatic Wheel Size: 260mm
- Rubber Castor Wheel Size: 125mm
- Load Capacity: 200kg (2 wheel)
  - 300kg (4 wheel)
- Unit Weight: 19kg











**Foldable Plastic Deck Trolley** 

Extremely lightweight and compact

Platform Size: 415x653mm (WxL) Platform Height: 183mm

Handle Height Extended: 920mm

Folded Dimensions: 415x653x78mm (WxLxH)

Unit Weight: 6.8kgs Load Capacity: 150kgs

Castor Size: 100mm



Code	Description

Foldable Plastic Deck Trolley



#### **150kg Capacity Aluminium Hand Trolley**

Great lightweight hand truck for general load carting

Width: 515mm Height: 1310mm

Pneumatic tyres - 260mm diameter Toe Plate Size: 460x185mm (WxD)

Unit Weight: 9.6kgs Load Capacity: 150kgs

Code	Description
T8473	Aluminium Hand Truck

#### **Chair Trolley**

Lifts and moves stacks of chairs with ease!

Finish: Powdercoated -Black

Height: 1350mm • Length: 520mm • Width: 310mm

• Chair Capacity: 10 chairs Unit Weight: 15kg Wheel Type: Rubber



Code	Description
T7736	Chair Trolley









#### **Industrial Hand Trucks and Trolleys**



- Industrial quality hand trolleys to suit a variety of applications
- Available in pneumatic tyres, flat free or solid stair climber wheels













Code	Description	Tyre Type	Capacity	Unit Weight
T7730	Multi Purpose 'P' Handle Trolley 550x1300mm (WxH)	Flat Free	200kgs	12kg
T7731	Multi Purpose Trolley 620x1150mm (WxH)	Pneumatic	250kgs	15kg
T7740	Heavy Duty Stair Trolley 530x1220mm (WxH)	Stair Climber	160kgs	18kg
T7734	Heavy Duty Appliance Trolley 455x1540mm (WxH)	Stair Climber	350kgs	16kg
T7735	Heavy Duty Appliance Trolley 455x1540mm (WxH)	Flat Free	220kgs	18.5kg
T7741	Heavy Duty Carton Trolley 500x1350mm (WxH)	Flat Free	200kgs	18kg
T7785	Appliance Strap Unit (to suit appliance trolleys)			

#### **Aluminium Hand Trolleys**

- Available in standard and folding toe plate
- Extremely lightweight only 8.5kgs
- Overall Dimensions: 540x560x1300mm (WxDxH)
- Pneumatic tyres 260mm diameter

Description

- Toe Plate Size: 280x280 (fix plate version)
- Toe Plate Size: 280x240 (folding plate version)
- Unit Weight: 8.5kgs

Code

Load Capacity: 200kgs



T8470	Aluminium Hand Trolley (fixed toe plate)	Foldable	
T8471	Aluminium Hand Trolley (folding toe plate)		
<ul> <li>The Earlin the</li> <li>Simply that the floats strain</li> </ul>	A Mover Hand Trolley asy Mover trolleys are by far the best trolley range to the axle lock lever with your foot so he axle and then tilt the trolley backwards - Saves and your back to pull back heavy loads. In distrong trolley for safely moving big fridges,	YS T3150	



Code	Description	Tyre Type	Capacity	Size (WxH)	Unit Weight
T3150	Easy Mover Hand Trolley - Flat Back	Flat Free	300kg	430x1290mm	22kg
T3155	Easy Mover Hand Trolley - Round Back	Flat Free	300kg	430x1560mm	20kg
T3158	Easy Mover Hand Trolley - Round Back	Flat Free	300kg	430x1400mm	28kg
T3159	Trolley Pal	-	300kg	450x450mm	5kg





The ideal trolley for lifting loads up to 150kg with ease

**Platform and Fork Lift Trolley** 

Complies to AS1418.2

Swappable accessories for handling of different loads

Forks for lifting small pallets and skids

Platform for general lifting

Patented silent winch which locks the load at any height

Steel cable which runs inside the mast to prevent pinching

Large 250mm puncture proof wheels

Made from aluminium

Lift Height: 1050mm

Load Capacity: 120kg with platform and 150kg with forks

Operating Dimensions:710x500x1320mm (WxDxH)

Folded Dimensions: 300x500x1320mm (DxWxL)

Platform Dimensions: 360x420mm (DxW)

Fork Dimensions: 50x460mm (WxL)

Unit Weight: 20kg







Code	Description	Туре	Capacity	Size
L6990	Platform and Fork Lift Trolley	Platform	120kg	430x1290mm (WxH)
L6990F	Fork Kit to suit L6990 Lift Trolley (150kg capacity)			

#### **Industrial Specific Purpose Hand Trolleys**

Industrial quality hand trolleys to suit specific requirements





Code	Description	Tyre Type	Details	Unit Weight
T2001	Single Cylinder Trolley 600x600x1360mm (WxDxH)	Solid Rubber	140-250mm diameter	17kg
T2002	Double Cylinder Trolley 700x700x1380mm (WxDxH)	Solid Rubber	210-250mm diameter	46kg
T2004	Keg Trolley 500x1200mm (WxH)	Solid Polyurethane	suits all Australian kegs	8kg





T2031

# **Self Supporting Aluminium Hand Trolleys**

The ergonomic design of these self-supporting hand trolleys minimises repetitive pull-back, bending and operator effort. They navigate easily over rough surfaces and are ideal for stepping up kerbs without the need for reversing, making them extremely time efficient and productive.

Code: T2030

Load capacity: 150kg

125mm diameter multidirectional front wheels

200mm diameter puncture proof rear wheels

Frame Width: 305mm Overall Width: 460mm Overall Height: 1300mm

Weight: 11.7kg

Comes with a kickstand for greater stability while loading

#### Code: T2031

Load capacity: 230kg

125mm diameter multidirectional front wheels

• 250mm diameter puncture proof rear wheels

Frame Width: 305mm Overall Width: 460mm Overall Height: 1320mm

Code	Description
T2030	Self Supporting Aluminium Trolley - Lite
T2031	Self Supporting Aluminium Trolley - Pro

# **Custom Self Supporting**

Where material handling is critical to perform the day to day job in a productive but safe way the Special Purpose self supporting trolley range with omni directional castors are created to handle specific containerised loads like dairy and bakery crates, gas cylinders, drums, pails, batteries and ceramics, These special purpose trolleys provide productive and safe material handling solutions across multiple industries.

Contact us for a quotation on your requirements.





**Steel Triangular Frame Panel Cart** 

Triangular framed panel cart

Convenient tool tray located in between triangle frame upright

Comes with 2 fixed castors and 2 swivel castors with brakes

Castor Size: 150mm

Deck Size: 380x1200mm

Overall Size: 580x1200x1160mm (WxLxH)

Load Capacity: 500kgs Unit Weight: 40kgs





Code Description

T8440 Steel Panel Cart - 500kg Capacity

### **Rubbermaid Panel & 'A' Frame**



Ideal for moving large, hard-to-handle items including sheet panels, doors, lumber, tables, mattresses, and cubicle walls

Deck Size: 610x1219mm








T8440



Code	Description	<b>Dimensions</b> (LxWxH)	Capacity
446300	A-Frame Panel Truck	1220x616x1140mm	907kg
446800	Sheet & Panel Truck	1220x616x1012mm	907kg



# **Galvanised Panel Trolley**

This galvanised panel cart is ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.

Comes standard with 4 swivel castor wheels and 2 fixed large centre wheels for easy turning in tight areas.

- Load Capacity: 450kg
- Dimensions (Length x Width x Height): 1140x800x950mm

Code	Description
T8665	Galvanised Panel Trolley







### **Heavy Duty Panel Rack Cart -2000kg Capacity**

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.

Dimensions: 750x915mm (WxL)

Height: 865mm

Lockable Castors: 127mm Load Capacity: 2000kg

Code	Description
T8667	Heavy Duty Panel Rack Cart -2000kg Capacity





## **Steel Panel Rack Cart** (with tool bin)

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.

Dimensions: 685x810mm (WxL)

Height: 1100mm

Lockable Castors: 100mm

Load Capacity: 700kg

Code Description

T8666 Steel Panel Rack Cart (with tool bin)

#### **A Frame Panel Cart**

These powdercoated panel carts are ideal for moving large bulky goods including, timber sheets, plaster board, mattresses etc.

Dimensions: 915x1905mm (WxL)

Height: 1420mm

Lockable Castors: 127mm Load Capacity: 1000kg



Code Description

T8668 A Frame Panel Cart









#### **Furniture & Piano Dollies**

• Piano and furniture dollies are great for moving heavy bulky items including pianos and many heavy items

3 standard options available

Choice of solid wheels, puncture proof or pneumatic tyres available

Customised dollies are available on request to suit a particular requirement



Code	Description	Capacity	<b>Dimensions</b> (LxWxH)
ST4019	Piano/Furniture Dolly (puncture proof tyres)	400kg	750x370x270mm
ST4020	Piano/Furniture Dolly (pneumatic wheels)	400kg	750x370x270mm
ST4021	Piano/Furniture Dolly (solid tyres)	600kg	750x370x270mm



## **Flat Equipment Moving Dollies**

- Great for moving furniture and equipment due to their low height and high capacity
- Both come with 4 heavy duty swivel castors
- **ST4024** is made from polypropylene with steel tubing as reinforcement with rubber moulds on the end to protect items from scatching and
- **ST4025** has a non slip vinyl platform with a PVC bumper strip around the edge

Code	Description Dimensions (LxWx)	
ST4024	Flat Equipment Moving Dolly	765x460x130mm
ST4025	Flat Platform Steel Dolly	915x615x180mm



#### **Furniture Mover Set**

- Great for moving heavy furniture and equipment
- Winch handle geared mechanism
- Non marking poly wheels suitable for carpet floors
- Sold as a set of 2 only
- Straps are included
- Load Capacity: 600kg
- Lifting Height: 300mm
- Lifting Plate Size: 120x225mm
- Overall Size: 570x390x780mm (LxWxH)
  - Unit Weight: 25kg

Code	Description
ST4026	Furniture Mover Set



#### **Enviro Crate Dollies**

- Material: Industrial strength made from heavy duty, durable recycled PP material
- Zinc plated wheels with bearings
- Stackable for secure storage (when not in use) through reservoirs for the wheels
- Two back wheels with brakes to secure when stopped on an inclination & stop spinning around (awould happen with one brake)
- Suitable for a skate handle (13090H sold separately) Handle can be secured in a standing position. Assists greatly with pushing a loaded skate
- At just over 6 kgs the skate is light weight, but can take a heavy load, making it heavy duty
- Good Environmental Choice Australia (GECA) approved
- Dimensions: 405x615x190mm
- Skate has a load rating of 600 kgs (150 kg per castor)

Code	Description
13096	Enviro Dolly (405x615x190mm LxWxH)
13097	Enviro Dolly (405x615x190mm LxWxH) - with Stainless castors
13096H	Steering Handle to suit 950mm long



#### **Bread Crate Dollies**

#### **Single Dolly**

• Dolly Size: 705x615mm (WxL)

Castors: 75mm nylon Load Capacity: 100kg

Construction: Steel frame

Finish: Zinc Plated

#### **Double Dolly**

Dolly Size: 705x1290mm (WxL)

Castors: 75mm nylon

Load Capacity: 100kg

Construction: Steel frame

Finish: Zinc Plated



Code	Description	Dimensions (WxL)
D323	Single Bread Crate Dolly	705x615xmm
D324	Double Bread Crate Dolly	705x1290mm

#### **Drum Dollies**

Drum dollies are suitable for both steel and plastic drums and containers

Powdercoated and stainless steel options

Heavy duty easy wheel castors

3 versions available









Code	Description	Load Capacity	Overall Size	Unit Weight
60415	Drum Dolly (suits 210 Litre drums) - Powdercoated	300kg	610x150mm	7.5kg
60416	Drum Dolly (suits 210 Litre drums) - Stainless Steel	300kg	610x150mm	7.5kg
60417	Heavy Duty Drum Dolly - Powdercoated	500kg	630x630x150mm	9kg









#### **Roller Load Skates**

- These skates are designed to move heavy loads e.g machinery and heavy workshop equipment up to 10 tonnes.
- Available with diamond steel top or rubber pad top which protects items from scratching.
- Optional steering handle available
- Lockable turntable is standard on both models

#### **Specifications**

Capacity: 10 Tonne (10,000kgs)

Number of Rollers: 14

Dimensions: 267x143x133mm (LxWxH)



Code	Description	Capacity
LS100D	Roller Load Skate - Diamond Steel Top	10,000kgs
LS100R	Roller Load Skate - Rubber Pad Top	10,000kgs
LS100H	Steering Handle to suit	n/a

## **Load Shifting Skates 2.5 Tonne & 6 Tonne Capacity**

- These shifting skates can be used wherever heavy objects need to be moved
- Large diameter nylon rollers ensure ease of movement and spread the load to protect floors from damage caused from high load points
  - Fitted with a rubber surface to protect the objects being moved
  - 2.5 tonne and 6 tonne options



**SS6000** 



Code	Description	Wheels	Dimensions (LxWxH)	Unit Weight
SS2000	Shifting Skates -2500kg capacity	2 x 85mm	210x100x105mm	4kg
SS6000	Shifting Skates - 6000kg capacity	6 x 85mm	260x230x105mm	12kg





### **Steerable Load Skates**

The steerable skate can be used to move heavy objects up to 12000kg

1 metre long drawbar for steering

The rubber padded platform swivels on a thrust bearing allowing easy movement around corners

LS3000 & LS6000 have 85mm nylon wheels which are 90mm wide

LS1200 has 80mm steel roller wheels





Code	Description	Capacity	Dimensions (LxDxH)	Unit Weight
LS3000	Steerable Load Skate	3000kgs	185x150x105mm	15kg
LS6000	Steerable Load Skate	6000kgs	592x400x90mm	50kg
LS1200	Steerable Load Skate	12,000kgs	485x400x95mm	66kg

LS1200



# **Equipment Roller Skates**

- Ideal for linear motion, repetitive movement or use as a built in component in equipment
- Fixed hole pattern for bolt mounting
- The rollers can be used in up down or sideways position

Code	Description	Capacity	Dimensions (LxWxH)	Unit Weight
RS750	Roller Skates	750kgs	165x178x80mm	5kg
RS2500	Roller Skates	2500kgs	165x178x95mm	10kg
RS5000	Roller Skates	5000kgs	203x203x80mm	10kg
RS1500	Roller Skates	15,000kgs	270x254x100mm	21kg



- Great for jacking up containers and large equipment
- Removable pump hand lever
- The housing rotates 360 degrees
- Lifting Range of Foot: 30-260mm
- Lifting Range of Head: 420-650mm
- Unit Weight: 35kg
- Maximum Lever Force: 40kg













Code	Description	Capacity
LS1050	10 Tonne Hydraulic Jack	10,000kgs











T9348

### Steel Utility Cart (3 Drawer + 2 shelves)

- Strong steel construction great for a general parts and tool storage trolley
- Comes complete with 3 drawers and 2 shelves
- 2 fixed and 2 swivel castors
- Dimensions: 410x950x870mm (WxLxH)
- Height Between Shelves: 250mm

Steel Utility Cart

Shelf Capacity: 50kg Unit Weight: 26kg Load Capacity: 150kg

Code	Description





### 2 Tier Tool Trolley (with drawers)

- Twin drawers with ball bearing sliders and quick return system
- Quality swivel castors 2 with brakes
- Castor Size: 100mm
- Overall Size: 850x480mm (LxW)
- Handle Height: 950mm
- Load Capacity: 250kg

Code	Description
T9360	2 Tier Tool Trolley (with drawers)

T9362

# Triple Deck Tool Cart (with tool board & Drawer)

- Single drawer with ball bearing sliders and guick return system
- Hooks sold seperately (see page 260)
- Side can holder and tray supplied
- Quality swivel castors 2 with brakes
- Castor Size: 100mm
- Overall Size: 850x480mm (LxW)
- Handle Height: 1000mm
- Load Capacity: 250kg

T9362 Triple Deck Tool Cart (with drawers & tool board)	Code	Description
	T9362	Triple Deck Tool Cart (with drawers & tool board)



# 3 Tier Tool Trolley (with drawer)

- Single drawer with ball bearing sliders and quick return system
- Quality swivel castors 2 with brakes
- Castor Size: 100mm
- Overall Size: 850x480mm (LxW) Handle Height: 1000mm
- Load Capacity: 250kg

Code	Description
T9364	3 Tier Tool Trolley (with drawer)





### Quad Deck Tool Cart (with tool board)

- Excellent tool cart with square hole peg board
- Hooks sold seperately (see page 260)
- Quality swivel castors 2 with brakes
- Castor Size: 100mm
- Overall Size: 410x650mm (LxW)
- Handle Height: 1180mm

Code	Description
T9366	2 Tier Tool Trolley (with drawers)



**Rubbermaid 5 Drawer Mobile Work Centre** 

Heavy duty work tool platform which supports up to 113kg

- Pegboard side panels
- Locking Bar which provides security and prevents drawers sliding open
- Overall Size: 830x506x850mm (LxWxH)





Code	Description
R773488	5 Drawer Mobile Work Centre

**Computer Carts** 

- These computer carts are great for both office and warehouse use
- Quality swivel castors 2 with brakes
- Castor Size: 100mm



Code	Description	Handle Height	Overall Size (WxLxH)	Load Capacity
T9370	Computer Cart (triple deck)	1185mm	480x800mm	200kg
T9371	Computer Cart (quad deck with slide out tray) - White	-	610x515x910mm	70kg
T9372	Computer Cart (quad deck with slide out tray) - Black	-	610x515x910mm	70kg

#### 2 Tier Service Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy for manoeuverability
- Large silent, non-marking 100mm swivel castors (2 locking castors)
- Lockable front doors
- Load Capacity: 250kgs
- Handle Height: 1000mm
- Overall Size: 480x850mm (WxL)

Code	Description
T9376	3 Tier Tool Trolley (with drawer)





# **4 Tier Service Cart**

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy for manoeuverability
- Large silent, non-marking 100mm swivel castors (2 locking castors)
- 4 shelf levels
- Load Capacity: 250kgs
- Handle Height: 1080mm
- Overall Size: 520x1100mm (WxL)

Code	Description
T9377	4 Tier Service Cart

# 2 Tier Utility Service Carts

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy for manoeuverability
- Large silent, non-marking 100mm castors (2 locking castors)
- Load Capacity: 250kgs
- Optional heavy duty 19 litre bin which just clips onto the end of the cart







Code	Description	Tray Size (WxL)	Overall Size (WxLxH)
T7075	2 Tier Utility Service Trolley	450x720mm	490x900x1025mm
T7078	2 Tier Utility Service Trolley (with 2 drawers)	450x720mm	490x900x1025mm
T7090	Heavy Duty Polypropylene 19 Litre Bin	-	255x365x480mm







# **3 Tier Utility Carts**

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy for manoeuverability
- Large silent, non-marking 100mm castors (2 locking castors)
- Load Capacity: 250kgs
- Optional heavy duty 19 litre bin which just clips onto the end of the cart





T7081

T7090

Code	Description	Tray Size (WxL)	Overall Size (WxLxH)
T7080	3 Tier Utility Service Trolley	450x620mm	480x790x1090mm
T7080		450x720mm	490x900x1040mm
	3 Tier Utility Service Trolley (with 2 drawers)		
T7083	3 Tier Utility Service Trolley - Narrow	365x485mm	370x655x966mm
T7082	Extra Long 3 Tier Utility Service Trolley	520x915mm	520x1100x1110mm
T7090	Heavy Duty Polypropylene 19 Litre Bin	-	255x365x480mm

T7080

# **Utility Carts - With Sides**

These utility carts have the same specifications as the other 2 and 3 tier utility carts with the added benefit of polypropylene side panels



Code	Description	Tray Size (WxL)	Overall Size (WxLxH)
T7084	2 Tier Utility Service Trolley (with sides)	450x720mm	480x900x1025mm
T7085	3 Tier Utility Service Trolley (with sides)	450x720mm	490x900x1025mm
T7086	2 Tier Utility Service Trolley (with sides and 2 drawers)	450x720mm	490x900x1025mm
T7087	3 Tier Utility Service Trolley (with sides and 2 drawers)	450x720mm	490x900x1040mm
T7088	Extra Long 3 Tier Utility Service Trolley (with sides)	520x915mm	520x1100x1120mm





Plastic Utility Carts 2 & 3 Tier

- Heavy duty plastic construction which resists dents, chips and rust - virtually maintenance free!
- Built in storage bin in the handle which is great for storing small parts or tools
- Sturdy and stable but lightweight making it easy for manoeuverability
- Round corners which avoid marking of walls and furniture from sharp edges
- Large silent, non-marking 125mm castors
- Load Capacity: 250kgs
- Platform Size: 950x650mm 110mm deep
- Platform Height: 150 + 850mm (middle shelf adjusts on 3 tier version)

Code	Description	Unit Weight
T2052	2 Tier Utility Cart	17.3kg
T2053	3 Tier Utility Cart	28kg



# **Rubbermaid Heavy Duty Utility Carts**

Perfect for transporting materials, supplies, and heavy loads in almost any environment

- Castors: 127mm rubber
- Variable grip-height handle improves control and worker
- Integrated V-notch to hold pipe and conduit securely for safe cutting
- Deep pocket shelves to keep loads secure

Code	Description	Dimensions (LxWxH)	Capacity
450088	2 Tier Utility Cart	990x454x845mm	227kg
452088	2 Tier Utility Cart	1118x641x991mm	227kg





### 3 & 4 Basket Office Trolleys

- Great for storing small parts and items neatly in the office
- 2 versions available
- Supplied with plastic baskets as pictured
- Integrated frame handles
- Quality swivel castors 2 with brakes
- Castor Size: 50mm
- Overall Size: 550x390mm (LxW)
- Load Capacity: 50kg

Code	Description	Handle Height
T9378	Triple Shelf Basket Trolley	1160mm
T9379	Quad Shelf Basket Trolley	1380mm



# **Rubbermaid Collapsible X-Carts**

The Collapsible X-Cart is a versatile system you can rely on for efficient performance without compromising image.

- Compact, collapsible frame enables efficient storage for improved organisation. The cart's footprint reduces by 75% to just 115mm wide when collapsed
- Cart stands upright in the collapsed position
- Load Capacity: 90kg
- 3 models available with replacement bags



















Hospitality

Healthcare

Foodservice

Spa & Fitness

Schools & Universities

Office Building







Code	Description	Dimensions (LxWxH)	Volume Capacity
1881749	Collapsible X-Cart	612x516x864mm	150L
1881750	Collapsible X-Cart	953x612x864mm	300L
1881781	Collapsible X-Cart	907x612x879mm	300L (2 x 150L)
1881782	Replacement Bag for 1881749 & 1881781	389x569x693mm	150L
1881783	Replacement Bag for 1881750	775x569x693mm	300L

# **Stainless Steel Instrument Trolleys**

These instrument trolleys are ideal for medical and dentist surgerys, hospitals, schools, food preparation areas and many other useful applications

- Fully welded stainless steel construction
- 100mm rubber castors

- Optional PVC buffers available for every trolley
- All trolleys are supplied with 2 lockable castors as standard

#### **Stainless Steel Instrument Trolleys - No Rails**

Code	Description	<b>Dimensions</b> (WxDxH)
T6540	Instrument Trolley (no rails)	490x490x970mm
T6541	Instrument Trolley (no rails)	600x490x970mm
T6542	Instrument Trolley (no rails)	750x490x970mm
T6543	Instrument Trolley (no rails)	900x490x970mm
T6544	Instrument Trolley (no rails)	1000x490x970mm
T6545	Instrument Trolley (no rails)	1150x600x970mm



#### **Stainless Steel Instrument Trolleys - With Rails**

Code	Description	<b>Dimensions</b> (WxDxH)
T6530	Instrument Trolley (with rails)	490x490x970mm
T6531	Instrument Trolley (with rails)	600x490x970mm
T6532	Instrument Trolley (with rails)	750x490x970mm
T6533	Instrument Trolley (with rails)	900x490x970mm
T6534	Instrument Trolley (with rails)	1000x490x970mm
T6535	Instrument Trolley (with rails)	1200x490x970mm



#### Stainless Steel Instrument Trolleys - with 1 drawer

Code	Description	<b>Dimensions</b> (WxDxH)
T6550	Instrument Trolley (with 1 drawer)	490x490x970mm
T6551	Instrument Trolley (with 1 drawer)	600x490x970mm
T6552	Instrument Trolley (with 1 drawer)	750x490x970mm
T6553	Instrument Trolley (with 1 drawer)	900x490x970mm



#### **Stainless Steel Instrument Trolleys - with 2 drawers**

Code	Description	<b>Dimensions</b> (WxDxH)
T6560	Instrument Trolley (with 2 drawers)	490x490x970mm
T6561	Instrument Trolley (with 2 drawers)	600x490x970mm
T6562	Instrument Trolley (with 2 drawers)	750x490x970mm
T6563	Instrument Trolley (with 2 drawers)	900x490x970mm







#### **Stainless Steel Instrument Trolleys - with 3 drawers**

Code	Description	<b>Dimensions</b> (WxDxH)
T6565	Instrument Trolley (3 drawers)	490x490x970mm
T6566	Instrument Trolley (3 drawers)	600x490x970mm
T6567	Instrument Trolley (3 drawers)	750x490x970mm
T6568	Instrument Trolley (3 drawers)	900x490x970mm



#### **Stainless Steel Instrument Trolleys - with 4 drawers**

Code	Description	<b>Dimensions</b> (WxDxH)
T6570	Instrument Trolley (4 drawers)	490x490x970mm
T6571	Instrument Trolley (4 drawers)	600x490x970mm
T6572	Instrument Trolley (4 drawers)	750x490x970mm
T6573	Instrument Trolley (4 drawers)	900x490x970mm



#### Stainless Steel Instrument Trolleys - with 2 drawers side by side

Code	Description	<b>Dimensions</b> (WxDxH)	
T6575	Instrument Trolley (2 drawers side by side)	800x490x970mm	



#### Stainless Steel Instrument Trolleys - with 4 drawer side by side

Code	Description	Dimensions (WxDxH)	
T6577	Instrument Trolley (4 drawers side by side)	800x490x970mm	




#### **PVC Round Buffer Kit (to suit Stainless Steel Instrument Trolleys)**

Code	Description	Dimensions	
T6580	PVC Buffer Kit (includes 4 buffers)	25x125mm	



#### **Rubbermaid Tilt Trucks**

Industrial strength construction, transports heavy loads with ease



- Angled front end is designed for convenient dumping
- Smooth surface is easy to clean and resists pitting and corroding
- Optional hinged domed lids available
- USDA, FDA compliant materials
- Non-marking castors reduce touch-up cleaning





Code	Description	<b>Dimensions</b> (LxWxH)	Volume Capacity	Capacity
101100	Structural Foam Tilt Truck, Utility Duty	1630x760x960mm	600L	272kg
130400	Rotomoulded Tilt Truck, Utility Duty	1440x710x980mm	400L	204kg
131400	Rotomoulded Tilt Truck, Utility Duty	1835x850x1110mm	800L	385kg
102800	Lid to suit 101100	1540x800x220mm	-	-
130700	Lid to suit 130400	1435x725x229mm	-	-
131700	Lid to suit 131400	1765x864x216mm	-	-



### **Rubbermaid Mega Brute Mobile Collector**

Great for waste and linen collection and fits through standard doors and off/on elevators

High Capacity: 454L / 180kg

Back castor is lockable

Overall Size: 1333x699x1080mm (LxWxH)

Rear doors ease handling of heavy filled liners




Code	Description
9W7300	Rubbermaid Mobile Collector
9W7200	Lid to suit 9W7300



Commercial Product


#### **Rubbermaid BRUTE® Round Containers**

Built to be tough. Built to be versatile. These Brute containers are the industry leader!



Double-ribbed base which increases stability and dragging capacity

- Reinforced rims add strength and durability
- Strong, snap-on lids are available for secure, stable stacking
- Built-in handles allow easy, non-slip lifting and anti-jam
- Rubbermaid BRUTE Round Containers all plastic construction will not rust, chip or peel, resists dents.
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- All colours and sizes certified to NSF International Standard #2 (foodservice equipment, handling, and processing) and Standard #21 (containers intended for indoor and outdoor storage of refuse)
- Quick and easy twist on, twist off dolly provides safe mobility





BRUTE



Code	Description	Colours Available *	Dimensions	Capacity
261000	BRUTE® Container without Lid	Grey, White	397mm dia, 435mm high	37.9L
262000	BRUTE® Container without Lid	Grey, White, Yellow	495mm dia, 581mm high	75.7L
263200	BRUTE® Container without Lid	Grey, White, Yellow, Red	559mm dia, 692mm high	121.1L
264300	BRUTE® Container without Lid	Grey, White	610mm dia, 800mm high	166.5L
265500	BRUTE® Container without Lid	Grey	673mm dia, 838mm high	208.2L
260900	Lid to suit 261000	Grey, White	406mm dia, 25mm high	-
261960	Lid to suit 262000	Grey, White, Yellow, Black	505mm dia, 46mm high	-
263100	Lid to suit 263200	Grey, White, Yellow, Red	565mm dia, 41mm high	-
264560	Lid to suit 264300	Grey, White	622mm dia, 38mm high	-
265400	Lid to suit 265500	Grey	679mm dia, 51mm high	-
264000	**BRUTE® Dolly to suit Brute Containe	ers Black	464mm dia, 168mm high	90kg

<sup>\*</sup>Please specify which colour option you would like when placing your order.

<sup>\*\*</sup>This dolly doesn't fit the 261000 container







### **Large 3 Tier Linen Trolley**

- 3 large storage shelves
- Powdercoated finsh
- Quality 200mm rubber castors (2 fixed, 2 swivel)
- Corner buffers
- Built in enclosed handle
- Mesh back and sides
- Load Capacity: 250kg
- Overall Size: 1200x500x1500mm (LxWxH)

Code	Description
T1429	Large 3 Tier Linen Trolley





# **Mesh Sided Basket Linen Trolley**

- Mesh sided basket
- Spring loaded base which lowers as weight is added
- Corner buffers and push handle
- Smooth powdercoated finish
- Quality 125mm swivel castors
- Size: 900x600x1020mm (Length x Width x Height)

Code	Description
T1412	Mesh Sided Basket Linen Trolley

T1105 & T1107

# **Bin Trolley & Tubs**

- Heavy duty rotomoulded tub with dolly.
- Tubs sold separately to dolly.









## **Bin Trolleys & Lids**

- These bin trolleys are made from tough, impact resistant polyethylene and available in 6 common sizes and colours
- Both straight and tapered sides available
- Bins can contain liquids
- All bins are food grade
- Come standard with 4 heavy duty swivel castors (2 lockable)

#### Colours available



**Straight Sides** 


**Tapered Sides** 



Code	Description	Rim Size (LxW)	Base Size (LxW)	Height (incl castors)	Capacity	Style
T1052	Plastic Bin with castors	810x570mm	670x430mm	650mm	150L	Tapered
T1053	Plastic Bin with castors	1150x635mm	1050x535mm	675mm	250L	Straight
T1054	Plastic Bin with castors	1020x720mm	880x580mm	775mm	350L	Tapered
T1051	Plastic Bin with castors	990x690mm	900x600mm	820mm	340L	Straight
T1055	Plastic Bin with castors	1320x720mm	1180x580mm	775mm	450L	Tapered
T1057	Plastic Bin with castors	1230x730mm	1140x640mm	820mm	450L	Straight
T1056	Plastic Bin with castors	1480x880mm	1380x780mm	820mm	650L	Straight
T1052L	Lid to suit T1052					
T1053L	Lid to suit T1053					
T1054L	Lid to suit T1054					
T1055L	Lid to suit T1055					
T1060	Handle to suit plastic tubs 15	60-250L				
T1061	Handle to suit plastic tubs 35	60-650L				

#### **Spring Loaded Scissor Bases**

These spring bases are to be used in conjuction with the bin trolleys above





(Ple	<b>Spring load combinations available</b> (Please specify spring load when placing your order)						
25kg	50kg	75kg	100kg				














# 1000kg Liftex Smart Tow Tug



### 2 Tonne Tow Tug

This 2 Tonne Electric Tow Tug has been designed for the safe, economical transportation of goods in line feed applications and offers safe and reliable operation coupled with flexible steering.

The unit has a capacity of 2000kg, a turning radius of 1070mm, rated traction of 500N, and can handle a gradient of 6% while laden. It features a maximum speed of 7kph and of course the automatic power-off function works when the driver leaves the truck.

The 24V battery is rated to 210Ah while sideway battery compartment facilitates easy replacement. Battery charger is supplied standard.


Shock-proof, non-slip pedal heightens operator safety while reversible cushions at rear reduce fatigue for ergonomic operation. Warning lights are included for added site safety.

- 2000kg capacity
- 24V battery (210Ah)
- Maximum gradient 6%
- Driving motor power 1.2kW
- Maximum speed: 7kph
- Turning radius: 1070mm

Code	Description
ST2000	2 Tonne Tow Tug







**Compact Ride-On Electric Materials Handling Tug** 

The Liftex ride-on compact electric tug is the ultimate manual handling solution designed for good's transport for trolleys and anything that is difficult to push or pull around in the hospital,

aged care and industrial warehouse environments.

The Liftex Materials Handling Electric Towing Tug is a ride-on unit that doesn't compromise its small size for a ride. Its compact size allows it to be effective in confined spaces, whilst being able to turn on its self. With a very low centre of gravity, the risk of tipping is greatly reduced. Its two front steer wheels create exceptional stability across many rough surfaces.

Machine Length: 790 mm Machine Width: 660 mm

Wheel Base: 620 mm

Platform Height: 170 mm Overall Height: 1340 mm

Ground Clearance: 50 mm

Motor Voltage: 24 Volts

Pull Capacity: 1,500 kg

Push Capacity: 1,200 kg

Range (km): Approx. 30-60 km (depending on load)





View video on our website of this in operation

www.mhaproducts.com.au/LT6953

Code	Description	
LT6953	Compact Ride-On Electric Materials Handling Tug	





**Rubbermaid Executive Service Cart** 

Executive Service Cart brings the utmost in style, durability and functionality to its users

- 137kg weight load capacity. (45.5kg per shelf)
- Durable construction with easy snap-and-lock assembly
- Wrap around end panels on 2 sides
- Smooth surface is easy to clean and maintain
- 100mm swivel non-marking castors

Code	Description
9T6800	Rubbermaid Executive Service Cart





### **Rubbermaid Cleaning Cart**

The essential for efficient cleaning and waste removal

- Smooth, easy-to-clean surface
- Zippered bag for easy rubbish removal
- Non-marking 200mm wheels and 100mm castors
- Front & side long handle tool holder
- Cart Dimensions: 1168x552x975mm (LxWxH)

Code	Description
617388	Rubbermaid Cleaning Cart
618300	Vinyl Replacement Bag for 617388

# **Rubbermaid High Capacity Cleaning Cart**

Flexible, high capacity storage solutions and tool organisation

- Storage space 40% more than 617388
- 20% more waste capacity than 617388
- Non-rusting and easy clean aluminum and structural web plastic construction
- Non-marking 200mm wheels and 116mm castors
- Plastic buckets which fit neatly and tight on the top shelf
- Cart Dimensions: 1264x552x975mm (LxWxH)

Code	Description
9T7200	Rubbermaid Cleaning Cart
9T8200	9.5 Litre Buckets to fit 9T7200
9T8000	Vinyl Replacement Bag for 9T7200





Card No.

#### **PRIORITY ORDER FORM**

Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Email: sales@mhaproducts.com.au

**Sydney** Tel: (02) 8865 1800 Fax: (02) 8865 1830

Melbourne

Tel: (03) 9982 4570 Fax: (03) 9982 4575 **Brisbane** 

3 Digit Security Code:

Tel: (07) 3181 5630 Fax: (07) 3181 5635

	Please photocopy for future	use
:( )	Fax: ( )	
Position:		
Accounts Email:		
Date:		
	Sub Total	
post code.	Freight	
tems however we will confirm this with you	GST	
prior to processing your order.  Freight charges to regional and all other areas will be quoted prior or upon receipt of your order.		
	Order form Oc	t2018
Instant 30 Day account for government department Australian Government orders	ept VISA, MASTERCARD & AMEX (no surc	charge)
Card Holder's Signature		
	Card Expiry Date:/	
	Position:  Accounts Email:  Date:  Date:  Post code.  Instant 30 Day account for your order.  Instant 30 Day account for your order.	Position:  Accounts Email:  Date:  On Qty Unit price Total price  Sub Total  Freight  tems however we will confirm this with you gest when the substitution of the sub